

Please write clearly in	n block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

# A-level **BIOLOGY**

Paper 3

Monday 26 June 2017

Morning

Time allowed: 2 hours

### **Materials**

For this paper you must have:

- a ruler with millimetre measurements
- a scientific calculator.

#### Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in Section A.
- Answer one question from Section B.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- All work must be shown.
- Do all rough work in this book. Cross through any work you do not want

•	Do all lough work in this book.	Cross unough any	WOLK YOU GO	not want
	to be marked.			

## Information

- The marks for the questions are shown in brackets.
- The maximum mark for this paper is 78.

For Exam	For Examiner's Use			
Question	Mark			
1				
2				
3				
4				
5				
6				
7				
TOTAL	li e			

There are no questions printed on this page
DO NOT WINTE ON TWO DAGE
DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED




Section A Answer all questions in this section.				
0 1 . 1	When a nerve impulse arrives at a synapse, it causes the release of neurotransmitter from vesicles in the presynaptic knob.			
	Describe how.	[3 marks]		
	Question 1 continues on the next page			



0	1	2	The presynaptic knob contains actin filaments and myosin molecules

The myosin molecules can attach to mitochondria and move them towards the presynaptic membrane, as shown in **Figure 1**.

Figure 1



Use your knowledge of how myosin and actin interact to suggest how the myosin molecule moves the mitochondrion towards the presynaptic membrane.

Do <b>not</b> include the roles of calcium ions and tropomyosin in your answer.	er. [2 marks]	



This movement of mitochondria happens when nerve impulses arrive at the synapse.
Suggest and explain <b>one</b> advantage of the movement of mitochondria towards the presynaptic membrane when nerve impulses arrive at the synapse.
[2 marks]

Turn over for the next question

0 2	Bacteriophages are viruses that kill bacteria.	
	Figure 2 shows drawings of a bacteriophage and a	bacterium.
	Figure 2	
	Bacteriophage	Bacterium
	A	A Section 1.
	/   <b>3</b>   \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Scale
	Scale 100 nm	1 μm
0 2 . 1	Using <b>Figure 2</b> and your own knowledge, put a tick correct statement about the structures of the bacter	
	Both have ribosomes.	
	Both have a cell-surface membrane.	
	The bacteriophage has a capsid and the bacterium has a cell-surface membrane.	
	The bacteriophage has a cell wall and the bacterium has a capsid.	



0 2 . 2	Using the scales in <b>Figure 2</b> , calculate how many times longer the bacterium is than the bacteriophage.
	Use the distance between the points labelled <b>A</b> and <b>B</b> on each drawing in your calculations. Show your working.
	[2 marks]
	The bacterium is times longer
	Question 2 continues on the next page



0 2 . 3


Scientists investigated the use of bacteriophages to treat lung infections caused by bacteria. They infected the lungs of mice with a pathogenic species of bacterium. The mice were then divided into two groups, **A** and **B**.

- The mice in group A were not treated with bacteriophage.
- The mice in group **B** were treated by breathing in a spray containing bacteriophage particles.

After 3 days, the scientists killed the mice and removed their lungs. They washed out each set of lungs with a set volume of liquid. The scientists determined the number of live bacteria in the liquid.

**Figure 3** shows the scientists' results. **Figure 3** shows the mean and the range of the data about the mean for each group. Standard deviations of the means are **not** shown.

Figure 3



What would the scientists' null hypothesis be for this investigation?

[1 mark]

Use evidence from Figure 3 to explain why dilutions were necessary for some samples but not for others.  [2 marks]  Using only Figure 3, what can you conclude from these data about the effectiveness of the bacteriophage in treating this lung infection in mice?  Do not consider statistical analyses in your answer.  [3 marks]	0 2 . 4	With some samples, the scientists decided they needed to carry out a sel dilutions of the sample before counting the bacteria.	ries of
Using only Figure 3, what can you conclude from these data about the effectiveness of the bacteriophage in treating this lung infection in mice?  Do not consider statistical analyses in your answer.			some
effectiveness of the bacteriophage in treating this lung infection in mice?  Do <b>not</b> consider statistical analyses in your answer.		dampied but not for others.	[2 marks]
effectiveness of the bacteriophage in treating this lung infection in mice?  Do <b>not</b> consider statistical analyses in your answer.			
effectiveness of the bacteriophage in treating this lung infection in mice?  Do <b>not</b> consider statistical analyses in your answer.			
effectiveness of the bacteriophage in treating this lung infection in mice?  Do <b>not</b> consider statistical analyses in your answer.			
effectiveness of the bacteriophage in treating this lung infection in mice?  Do <b>not</b> consider statistical analyses in your answer.			
effectiveness of the bacteriophage in treating this lung infection in mice?  Do <b>not</b> consider statistical analyses in your answer.			
effectiveness of the bacteriophage in treating this lung infection in mice?  Do <b>not</b> consider statistical analyses in your answer.			
effectiveness of the bacteriophage in treating this lung infection in mice?  Do <b>not</b> consider statistical analyses in your answer.			
	0 2 . 5	effectiveness of the bacteriophage in treating this lung infection in mice?	
		Do <b>not</b> consider statistical analyses in your answer.	[3 marke]
			[5 marks]



- **0 3** Farmers use artificial fertilisers to maintain or increase yield from grain-producing crop plants such as wheat.
- 0 3 . 1 Artificial fertiliser is used to replace mineral ions removed from the land when crops are harvested. One of the mineral ions is nitrate.

Give **two** examples of biological molecules containing nitrogen that would be removed when a crop is harvested.


[2 marks]

1			
_			
2			

Scientists investigated changes in the use of artificial fertiliser in India between 1970 and 2005. They also investigated changes in the **fertiliser response ratio**. This ratio shows how many kg of grain are produced for each kg of fertiliser used.

**Figure 4** shows their results in the form the scientists presented them. (A hectare is a unit of area commonly used in agriculture)





Fertiliser response ratio of grain-producing crop plants / kg grain produced for each kg fertiliser used



	Use these data to calculate the difference in the mass of grain product hectare in 1970 compared with 2005.	ed per
	Show your working.	[2 marks]
		-
	Difference	kg hectare <sup>-1</sup>
		_
0   3   .   3	Use the data in <b>Figure 4</b> to evaluate the use of artificial fertilisers on grain-producing crops in India.	[2 marka]
		[2 marks]
	Turn over for the next question	
	rum over for the next question	

0 4

Ecologists investigated changes in grassland communities on large islands off the coast of Scotland between 1975 and 2010. On each island, they used data from a number of sites to determine the change in mean species richness and the change in mean index of diversity.

0 4 . 1

**Table 1** shows plant species recorded at one site, on one island, in 1975.

12

Table 1

Species	Number of individuals
Hydrocotyle vulgaris	3
Plantago maritima	19
Ranunculus acris	3
Hieracium pilosella	3
Calliergon cuspidatum	10
Prunella vulgaris	16
Pseudoscleropodium purum	6

Calculate the index of diversity for this site using the formula:

$$d = \frac{N(N-1)}{\sum n(n-1)}$$

[2 marks]

d = \_\_\_\_

0 4 . 2	Outline a method the ecologists could have used to determine the plant richness at one site.	species
	nomess at one site.	[3 marks]
	Question 4 continues on the next page	



0 4 . 3

Some of the ecologists' results are shown in **Table 2**. They carried out a statistical test to find out whether any differences between the 1975 and 2010 means were significant. The values for P that they obtained are also shown in **Table 2**.


Table 2

Island	Change in mean species richness between 1975 and 2010	Value of P	Change in mean index of diversity between 1975 and 2010	Value of P
Islay	+8.89	≤0.001	+0.22	>0.05
Colonsay	+14.70	≤0.001	+2.68	≤0.01
Harris	-5.13	≤0.001	-2.44	≤0.01

Do these data show that there were any significant changes in the grass communities on these islands? Give reasons for your answer.	land
·	[3 marks]



8





0 5 . 1	Name <b>two</b> enzymes involved in the semi-conservative replication of DNA.  [2 marks]
	1
	2
0 5 . 2	Sometimes, damage occurs during DNA replication. One enzyme involved in repairing damage to DNA is called ATR.
	ATR works as follows.
	<ul> <li>ATR phosphorylates other enzymes involved in repairing DNA.</li> <li>ATR also phosphorylates substrates required to repair DNA.</li> </ul>
	When ATR phosphorylates other enzymes, these enzymes become able to bind to their substrates.
	Use your knowledge of enzyme structure to suggest why.  [2 marks]




0 5 . 3	The enzyme-catalysed reactions activated by ATR only occur if the substrates have been phosphorylated.
	Use your knowledge of energy changes in enzyme-catalysed reactions to suggest why.
	[1 mark]
0 5 . 4	Sometimes, a mutagenic agent causes DNA to break. A different enzyme called ATM binds to the broken DNA. This leads to the activation of a protein coded for by a tumour suppressor gene. The effect of ATM binding is to stop cell division until DNA is repaired.
	A mutation could result in a person having non-functional forms of the gene that produces ATM.
	What can you predict about the possible effects of having a non-functional form of ATM?
	[3 marks]
	Turn over for the next question



0 6

A student used a potometer to measure the movement of water through the shoot of a plant. The potometer is shown in **Figure 5**. As water is lost from the shoot, it is replaced by water from the capillary tube.

Figure 5



0 6 . 1 In one experiment, the air bubble moved 7.5 mm in 15 minutes. The diameter of the capillary tube was 1.0 mm.

Calculate the rate of water uptake by the shoot in this experiment.

Give your answer in mm<sup>3</sup> per hour. Show your working. (The area of a circle is found using the formula, area =  $\pi r^2$ )

[2 marks]

 3 hour <sup>-1</sup>
 3 1 1

The student wanted to determine the rate of water loss per mm <sup>2</sup> of surface area of the leaves of the shoot in <b>Figure 5</b> .
Outline a method she could have used to find this rate. You should assume that all water loss from the shoot is from the leaves.
[3 marks]
The rate of water movement through a shoot in a potometer may not be the same as the rate of water movement through the shoot of a whole plant.
as the rate of water movement through the shoot of a whole plant.  Suggest <b>one</b> reason why.
as the rate of water movement through the shoot of a whole plant.
as the rate of water movement through the shoot of a whole plant.  Suggest <b>one</b> reason why.
as the rate of water movement through the shoot of a whole plant.  Suggest <b>one</b> reason why.
as the rate of water movement through the shoot of a whole plant.  Suggest <b>one</b> reason why.
as the rate of water movement through the shoot of a whole plant.  Suggest one reason why.  [1 mark]
as the rate of water movement through the shoot of a whole plant.  Suggest one reason why.  [1 mark]






0 6 . 4	Aquaporins are channel proteins that allow the diffusion of water across membranes. One type of aquaporin, called PIP1, can also transport carbon dioxide molecules across membranes.
	<b>Figure 6</b> shows the structure of a water molecule and of a carbon dioxide molecule. They are drawn to the same scale.
	Figure 6
	O C O
	Water molecule Carbon dioxide (H <sub>2</sub> O) molecule (CO <sub>2</sub> )
	Suggest <b>two</b> reasons why water molecules <b>and</b> carbon dioxide molecules can both pass through PIP1.
	[2 marks]
	[Extra space]
	2
	[Extra space]



0 6 . 5	The scientists first produced transgenic poplar trees. These trees all had a length of foreign DNA inserted into them. This DNA led to the production of single-stranded RNA that specifically inhibited expression of the gene for PIP1.
	The scientists then measured the difference in the amount of PIP1 in leaves of transgenic poplars and in leaves of wild type poplars without the foreign DNA. The amount of PIP1 in the transgenic poplars was approximately 15% of that in the wild type poplars.
	Using this information, what can you conclude about the effect of the foreign DNA in the transgenic poplar trees?
	[3 marks]
	T
0 6 . 6	The transgenic poplars still produced some PIP1.  Suggest why.
	[1 mark]
	Question 6 continues on the next page







15

Using only <b>Figure 7</b> , evaluate the importance of PIP1 in the movement dioxide and water through leaves of poplar trees.	ot carb
	[3 m

Turn over for the next question



nces in biological systems. [25 marks]
• •
[25 marks]
[25 m

















END OF QUESTIONS

# **END OF QUESTIONS**

#### **Copyright Information**

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2017 AQA and its licensors. All rights reserved.



25