

SPECIMEN MATERIAL

Time allowed: 1 hour 45 minutes

GCSE BIOLOGY



Higher Tier Paper 1H

Specimen 2018

Materials

For this paper you must have:

- a ruler
- a calculator.

Instructions

- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.
- When answering questions 02.4, 03.2, and 10 you need to make sure that your answer:
 - is clear, logical, sensibly structured
 - fully meets the requirements of the question
 - shows that each separate point or step supports the overall answer.

Advice

In all calculations, show clearly how you work out your answer.

Please write clearly, in block capitals.				
Centre number	Candidate number			
Surname				
Forename(s)				
Candidate signature				

There are no questions printed on this page

0 1	Plants transport water and mineral ions from the roots to the leaves.	
0 1 . 1	Plants move mineral ions: • from a low concentration in the soil • to a high concentration in the root cells.	
	What process do plants use to move these minerals ions into root cells? Tick one box.	[1 mark]
	Active transport Diffusion Evaporation Osmosis	
0 1 . 2	Describe how water moves from roots to the leaves.	[2 marks]

Question 1 continues on the next page

Plants lose water through the stomata in the leaves.

The epidermis can be peeled from a leaf.

The stomata can be seen using a light microscope.

Table 1 shows the data a student collected from five areas on one leaf.

Table 1

Leaf area	Number of stomata		
	Upper surface	Lower surface	
1	3	44	
2	0	41	
3	1	40	
4	5	42	
5	1	39	
Mean	2	х	


0 1 . 3	Describe how the student might have collected the data in Table 1 .	[3 marks]

0 1 . 4	What is the median number of stomata on the upper surface of the leaf?	[1 mark]
0 1 . 5	Calculate the value of X in Table 1 .	
	Give your answer to 2 significant figures.	[2 marks]
	Mean number of stomata on lower surface of leaf =	
0 1 . 6	The plant used in this investigation has very few stomata on the upper surface of the leaf.	ace
	Explain why this is an advantage to the plant.	[2 marks]

0 2 Tobacco mosaic virus (TMV) is a disease affecting plants.

Figure 1 shows a leaf infected with TMV.

Figure 1



0 2 . 1	All tools should be washed in disinfectant after using them on plants infected with TMV.	
	Suggest why.	[1 mark]
0 2 . 2	Scientists produced a single plant that contained a TMV-resistant gene.	
	Suggest how scientists can use this plant to produce many plants with the TMV-resistant gene.	[1 mark]

0 2 . 3	Some plants produce fruits which contain glucose.	
	Describe how you would test for the presence of glucose in fruit.	[2 marks]
0 2 . 4	TMV can cause plants to produce less chlorophyll. This causes leaf discoloration.	
	Explain why plants with TMV have stunted growth.	[4 marks]

0 3	Microorganisms cause infections.
	The human body has many ways of defending itself against microorganisms.
0 3 . 1	Describe two ways the body prevents the entry of microorganisms. [2 marks
	1
	2

0 3 . 2	In 2014 the Ebola virus killed almost 8 000 people in Africa.
	Drug companies have developed a new drug to treat Ebola.
	Explain what testing must be done before this new drug can be used to treat people. [6 marks]


There are no questions printed on this page

0 4	All living cells respire.	
0 4 . 1	Respiration transfers energy from glucose for muscle contraction. Describe how glucose from the small intestine is moved to a muscle cell.	[2 marks]

Question 4 continues on the next page

Figure 2 shows an experiment to investigate anaerobic respiration in yeast cells.





0 4 . 2	What is the purpose of the liquid paraffin in Tube A?		[1 mork]
	Tick one box.		[1 mark]
	To prevent evaporation		
	To stop air getting in		
	To stop the temperature going up		
	To stop water getting in		

The indicator solution in Tube ${\bf B}$ shows changes in the concentration of carbon dioxide (CO₂).

The indicator is:

- blue when the concentration of CO₂ is very low
- green when the concentration of CO2 is low
- $\bullet \quad \textbf{yellow} \ \text{when the concentration of CO_2 is high.}$

0 4 . 3	What colour would you expect the indicator to be in Tube B during maximum anaerobic respiration? Tick one box.	rate of [1 mark]
	Blue Green Yellow	
0 4 . 4	Suggest how the experiment could be changed to give a reproducible way to measure the rate of the reaction. Include any apparatus you would use.	2 marks]

Question 4 continues on the next page

	17	
0 4 . 5	Compare anaerobic respiration in a yeast cell with anaerobic respiration in a muscle cell.	
	[3 marks	\$]
		_
		_
		_
		_
		_
		_

0 5

A student investigated the effect of different sugar solutions on potato tissue.

This is the method used.

- 1. Add 30 cm³ of 0.8 mol dm⁻³ sugar solution to a boiling tube.
- 2. Repeat step 1 with equal volumes of 0.6, 0.4 and 0.2 mol dm⁻³ sugar solutions.
- 3. Use water to give a concentration of 0.0 mol dm⁻³.
- 4. Cut five cylinders of potato of equal size using a cork borer.
- 5. Weigh each potato cylinder and place one in each tube.
- 6. Remove the potato cylinders from the solutions after 24 hours.
- 7. Dry each potato cylinder with a paper towel.
- 8. Reweigh the potato cylinders.

Table 2 shows the results.

Table 2

Concentration of sugar solution in mol dm ⁻³	Starting mass in g	Final mass in g	Change of mass in g	Percentage (%) change
0.0	1.30	1.51	0.21	16.2
0.2	1.35	1.50	0.15	X
0.4	1.30	1.35	0.05	3.8
0.6	1.34	1.28	-0.06	-4.5
0.8	1.22	1.11	-0.11	-9.0


0 5 . 1	Calculate the value of X in Table 2 .	[2 marks]
	Percentage change in mass =	%

0 5 . 2 Why did the student calculate the percentage change in mass as well as the change in grams?

[1 mark]

- 0 5 . 3 Complete Figure 3 using data from Table 2.
 - Choose a suitable scale and label for the x-axis.
 - Plot the percentage (%) change in mass.
 - Draw a line of best fit.

[4 marks]




Question 5 continues on the next page

0 5 . 4	5 . 4 Use your graph in Figure 3 to estimate the concentration of the solution potato cells.				
	potato celis.	[1 mark]			
	Concentration =	mol dm ⁻³			
0 5 . 5	The results in Table 2 show the percentage change in mass of the potato cylinders.				
	Explain why the percentage change results are positive and negative.	[3 marks]			
0 5 . 6	Suggest two possible sources of error in the method given on page 16 .	[2 marks]			
	1				
	2				

0 6 Figure 4 shows the human digestive system.

Figure 4



0 6 . 1 Label the stomach and pancreas on Figure 4.

[1 mark]

Question 6 continues on the next page

	called Helicobacter pylori.	
	The stomach is lined with a protective lining of mucus.	
	Helicobacter pylori are acid-tolerant bacteria which can damage this mucus	lining.
0 6 . 2	Suggest how an infection with <i>Helicobacter pylori</i> might result in a stomach ulcer developing.	[2 marks]
06.3	Helicobacter pylori can also cause stomach cancer.	
	Describe how a person infected with <i>Helicobacter pylori</i> could also develop liver cancer.	[3 marks]

0 6 . 4	Gluten is a form of protein found in some grains.	
	Describe the test you would use to find out if protein is present in food.	2 marks]
0 6 . 5	Coeliac disease is a disease of the digestive system.	
	It damages the lining of the small intestine when foods that contain gluten are	eaten.
	When people with coeliac disease eat foods that contain gluten:	
	their immune system forms antibodies to gluten	
	2. these antibodies attack the lining of the small intestine	
	3. this causes inflammation in the intestines and damages the villi.	
	Symptoms of coeliac disease include poor growth.	
	Suggest why a person with coeliac disease might have this symptom.	4 marks]

0 7	A gardener is looking at the plants in his greenhouse.	
0 7 . 1	Some of the plants have a disease.	
	Give two ways the gardener could identify the pathogen infecting the plants. 1	[2 marks]
	2	
0 7 . 2	Plants can become unhealthy if they do not have essential mineral ions.	
	Describe the appearance of plants with:	
	nitrate deficiencymagnesium deficiency.	[2 marks]
	Nitrate deficiency	
	Magnesium deficiency	

0 7 . 3 Plants need other mineral ions.

- Potassium ions are needed for healthy root growth.
- Phosphate ions are needed for healthy flowers and fruits.

The gardener makes his own garden compost.

The percentage (%) of minerals in his compost was compared with two fertilisers he could buy.

The data are shown in Table 3.

Table 3

	Percent			
	Nitrate ions	Phosphate ions	Potassium ions	Cost in £/kg
Garden compost	0.5	0.3	0.8	0.00
Fertiliser S	5.0	1.3	6.6	4.99
Fertiliser T	3.0	12.0	6.0	9.99

The gardener buys Fertiliser S .						
Explain why he chose Fertiliser S .	[4 marks]					

Lungworm is an infection.

Lungworm can kill dogs.

It is caused by a small worm.

Figure 5 shows the lifecycle of the lungworm.

The larvae (young stages of the worm) are coughed up from the lungs and swallowed.

2 Worm larvae pass out in faeces and are picked up by snails.

0 8 . 1	What type of organism is represented by the snail in the lifecycle of the lungworm? [1 mar]		
	Tick one box.		
	Fungus		
	Parasite		
	Protist		
	Vector		


0 8 . 2	Suggest how the spread of the lungworm disease can be prevented.	[3 marks]
0 8 . 3	Malaria is a disease spread by mosquitoes.	
	Describe two ways to control the spread of malaria.	[2 marks]
	1	
	2	

0 9


Figure 6 shows photographs of some animal cells at different stages during the cell cycle.

Figure 6






В



С



0 9 . 1	Which photograph in Figure 6 shows a cell that is not going through mitosis?	[1 mark]
	Tick one box.	[1 mark]
	A B C	
0 9 . 2	Describe what is happening in photograph A.	2 marks]

Question 9 continues on the next page

A student wanted to find out more about the cell cycle.

The student made a slide of an onion root tip.

She counted the number of cells in each stage of the cell cycle in one field of view.

Table 4 shows the results.

Table 4

		Stages in the cell cycle				
	Non-dividing cells	Stage 1	Stage 2	Stage 3	Stage 4	Total
Number of cells	20	9	4	2	1	36


0 9 . 3	Each stage of the cell cycle takes a different amount of time.	
	Which stage in Table 4 is the fastest in the cell cycle?	
	Give a reason for your answer.	[2 marks]
	Stage	
	Reason	


	Time in Stage 2 =	minutes
	Give your answer to 2 significant figures.	[3 marks]
	Calculate the length of time Stage 2 lasts in a typical cell.	
0 9 . 4	The cell cycle in an onion root tip cell takes 16 hours.	

Question 9 continues on the next page

Bacteria such as Escherichia coli undergo cell division similar to mitosis.

Figure 7 shows a growth curve for *E. coli* grown in a nutrient broth.





	Suggest why the number of cells levels out at Q .	0 9 . 6
[2 marks]	,	

1 0	Explain how the human circulatory system is adapted to:	
	 supply oxygen to the tissues 	
	 remove waste products from tissues. 	
		[6 marks]

1 1 Monoclonal antibodies are used to measure the levels of hormones in the		
	Pregnant women produce the hormone HCG. HCG is excreted in urine.	
	Figure 8 shows four pregnancy test strips.	
	Figure 8	
11.1	Control window Result window Result window A B C D Positive test result A line appears in the control window and the result window Negative test result A line appears only in the control window. Invalid test result No line appears in the control window. Invalid test result No line appears in the control window. Invalid test result No line appears in the control window. Invalid test result No line appears in the control window. Invalid test result No line appears in the control window. Invalid test result No line appears in the control window. Invalid test result No line appears in the control window. Invalid test result No line appears in the control window. Invalid test result No line appears in the control window. Invalid test result No line appears in the control window. Invalid test result No line appears in the control window. Invalid test result No line appears in the control window.	
11.2	Monoclonal antibodies are used for pregnancy testing. Give one other use of monoclonal antibodies. [1 ma	rk]

	35
1 1 . 3	Figure 9 shows the parts of a pregnancy test strip.
	4. Control window: Immobilised antibodies specific to the mobile antibodies from the reaction zone. 3. Result window: Immobilised antibodies specific to HCG here.
	 2. Reaction zone: There are mobile antibodies specific to HCG here. These antibodies can move and have blue dye attached to them. 1. Urine applied here. The pregnancy test strip will show a positive test result when a woman is pregnant.
	Explain how the pregnancy test strip works to show a positive result. [6 marks]

END OF QUESTIONS

There are no questions printed on this page

Copyright information

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements in future papers if notified. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2016 AQA and its licensors. All rights reserved.

Leaf with TMV © Nigel Cattlin/Getty Images Dog © Eriklam/Thinkstock Snail © karandaev/Thinkstock

Figure 5:

Figure 5:

Cell A © Ed Reschke/Getty Images Figure 6: Figure 6: Cell B © Ed Reschke/Getty Images

Figure 6: Cell C © Ed Reschke/Getty Images