

Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

GCSE MATHEMATICS

Н

Higher Tier

Paper 1 Non-Calculator

Tuesday 6 November 2018 Morning Time allowed: 1 hour 30 minutes

Materials

For this paper you must have:

mathematical instruments



You must **not** use a calculator.

Instructions

- Use black ink or black ball-point pen. Draw diagrams in pencil.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.
- You may ask for more answer paper, graph paper and tracing paper. These must be tagged securely to this answer book.

Advice

In all calculations, show clearly how you work out your answer.



For Exam	iner's Use
Pages	Mark
2–3	
4–5	
6–7	
8–9	
10–11	
12–13	
14–15	
16–17	
18–19	
20–21	
22–23	
TOTAL	

Answer all questions in the spaces provided

1 Simplify $\left(5^4\right)^2$

Circle your answer.

[1 mark]

5⁶

5⁸

25⁶

25⁸

2 Circle the volume, in cm³, of a cylinder with radius 5 cm and height 8 cm

[1 mark]

 40π

 80π

 200π

 1600π

3 Simplify $16a^2 \div a + 3a \times 2$ Circle your answer.

[1 mark]

22*a*

8*a*

38*a*

2*a*

Circle the value of cos 30°

[1 mark]

Do not write outside the box

 $\frac{1}{2} \qquad \qquad \frac{\sqrt{3}}{2} \qquad \qquad 0 \qquad \qquad 1$

5 Work out $8\frac{1}{2} \div 2\frac{2}{3}$ Give your answer as a mixed number.

[4 marks]

Answer _____

8

Turn over ►




4

A ship is sailing in a straight line from its home port.

The distance-time graph shows 4 hours of the journey.

Answer



Work out the speed of the ship during these 4 hours.

[3 marks]

mph

5	
The sum of the angles in any quadrilateral is 360° For example, in a rectangle $4 \times 90^{\circ} = 360^{\circ}$	
Zak writes, $5 \times 90^{\circ} = 450^{\circ}$ so the sum of the angles in any pentagon must be 450°	
Is he correct?	
Tick a box.	
Yes	
Show working to support your answer.	[2 marks]
Turn over for the next question	

5



	Day	1	2	3	4	5	6	7	8	9	10
	Number of planes	148	151	147	155	153	147	155	102	151	154
(a)	The airport was affected Which day do you think	-		ne of t	he day	/S.					
	Give a reason for your a	answe	r.								[1 ma
	Day										
	Reason										
(b)	Kim uses the data to pro	edict h	now ma	any pla	nes wi	ill land	at the	airport	: in a y	ear.	
(b)	Kim uses the data to profit in her method, she uses an estimate assumes the sa	e of 15	50 plan	nes in e	each 4	-hour p		·			
(b)	In her method, she uses an estimate	e of 15 me nu	50 plan	nes in e	each 4	-hour p		·		e day	3 mar
(b)	In her method, she uses an estimate assumes the sa	e of 15 me nu	50 plan	nes in e	each 4	-hour p		·		e day	3 mar



0	(0)	In fact	Do not write outside the box
8	(c)	In fact,	
		fewer planes land in winter than in summer fewer planes land at night than during the day.	
		What does this tell you about Kim's prediction?	
		Tick one box.	
		Her prediction is too low	
		Her prediction is too high	
		Her prediction could be too low or too high	
		Give a reason for your answer. [2 marks]	
		Turn over for the next question	



$\sqrt{6^2 + 8^2} = \sqrt[3]{125a^3}$		
Work out the value of a .		[4 marks]
Answer		
Work out the percentage increase from 80 to 280		
Work out the percentage increase from 80 to 280		[3 marks]
Work out the percentage increase from 80 to 280		[3 marks]
Work out the percentage increase from 80 to 280		[3 marks]
Work out the percentage increase from 80 to 280		[3 marks]
Work out the percentage increase from 80 to 280		[3 marks]
Work out the percentage increase from 80 to 280		[3 marks]
Work out the percentage increase from 80 to 280		[3 marks]
Work out the percentage increase from 80 to 280		[3 marks]
Work out the percentage increase from 80 to 280 Answer	%	[3 marks]
	%	[3 marks]
	%	[3 marks]
	%	[3 marks]



11 Here are four triangles. Α В 56° 8 cm 8 cm 56° Not drawn accurately С D 25° 56° 8 cm 56° 25° 8 cm Which two triangles are congruent? Circle two letters below. [1 mark] С Α В D Turn over for the next question

•



pap	ers.co
rks]	Do not write outside the box
rks]	


12	Solve $x^2 - x - 12 = 0$	[3 marks]
	Answer	
13	e: f = 2:3 and $f: g = 5:4$	
	Work out $e:g$	
	Give your answer in its simplest form.	
		[3 marks]
	Answer :	
	Answer :	
	Answer :	



Do not write
outside the
hox

14 A and B are two events.

Some probabilities are shown on the Venn diagram.



Work out	P(A' U B)	[2 marks]
	Answer	

Turn over for the next question


8



In a survey, queuing times at supermarket checkouts were recorded.

One morning, samples of 50 customers were taken at supermarkets A, B, C and D. The box plots represent the results.

Queuing times



15 (a) On average, which supermarket had the lowest queuing times? Give a reason for your answer.

[2 marks]

Supermarket	
Reason	



			Do
5 (b)	At which supermarket were the queuing times most consistent?		ou
	Give a reason for your answer.	[2 marks]	
	Ctup or money to t		
	Supermarket		
	Reason		
;	Circle the number that is closest to the value of 29 ³		
•	Officie the number that is closest to the value of 29	[1 mark]	
	27 000 90 2700 90	00	
7	Work out the exact value of $\left(\frac{3}{4}\right)^{-3}$		
	(4)	[2 marks]	
		[= mamo]	
	Answer		
	Turn over for the next question		
	•		



	Do not write outside the
Beth and Mia translate documents from Spanish into English.	box
A set of documents that would take Beth 8 days would take Mia 10 days.	
Beth starts to translate the documents.	
After 2 days Beth and Mia both work on translating the documents.	
How many more days will it take to complete the work?	
You must show your working.	
[4 marks]	
Answer days	



In a chess clu	b, there are x boys and y girls.		
If 5 more boys	and 8 more girls join, there w	ould be half as many boy	s as girls.
Show that y	=2x+2		[2 marks]
			<u>[=a.</u>
If instead,	oys and 1 more girl join, there	would be the same numb	per of boys and girls.
		would be the same numb	per of boys and girls. [3 marks]
10 more bo		would be the same numb	
10 more bo		would be the same numb	
10 more bo		would be the same numb	
10 more bo		would be the same numb	
10 more bo		would be the same numb	
10 more bo		would be the same numb	
10 more bo		would be the same numb	
10 more bo	d <i>y</i> .		
10 more bo			

_ _






20 <i>P</i> , <i>Q</i> , <i>R</i> and <i>S</i>	S are points on a c	circle
---	---------------------	--------

PXR and QXS are straight lines.

PX = SX



Not drawn accurately

Prove that QS is not a diameter of the circle.	[4 marks]



21	Here are the fi	rst four terms o	f a quadration	c sequence.		Do not writ outside the box
	11	26	45	68		
	Work out an ex	xpression for th	e <i>n</i> th term.		[3 marks]	
		Answer				
		Turn o	ver for the	next question		

7



22	Solve	$\frac{x}{x+4} + \frac{7}{x-2} = 1$
		x + 4 $x - 2$

You must show your working.

[4 marks]

x = _____



23 Prisms A and B are similar.


The cross sections are shaded.


Prism A

volume = 480 cm^3

Prism B

length = 30 cm





area of the cross section of A: area of the cross section of B = 4:9

Answer ____

Work out the area of the cross section of B.

[5 marks]

9

Turn over ▶


 cm^2



24	Show that	$\frac{2\sqrt{6}}{\sqrt{5}} - \frac{\sqrt{3}}{\sqrt{10}}$	can be written in the form	$1 \frac{c\sqrt{d}}{10}$		Do not write outside the box
	where c and	d are integers.			[3 marks]	



25 A quadratic curve intersects the axes at (-3, 0), (3, 0) and (0, 18)



Not drawn accurately

[3 marks]		

Turn over for the next question

Answer


_



Do not write outside the box The area of this triangle is $25\sqrt{3}~\text{cm}^2$ 26 Not drawn accurately w cmx cm′60° 20 cm Work out the value of w. Give your answer in the form $a\sqrt{b}$ where a and b are integers greater than 1 [5 marks] Answer



27 Here is a sketch of $y = \cos x$ for values of x from 0° to 360°



 α° is an acute angle.

 $\cos \alpha^{\circ} = k$

27 (a) Circle the value of $\cos (180^{\circ} - \alpha^{\circ})$

[1 mark]

1-k

k

−k

−1 − *k*

27 (b) Circle the value of $\cos (360^{\circ} + \alpha^{\circ})$

[1 mark]

k-1

k + 1


−k

k

END OF QUESTIONS

7

box



Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

