

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

VS VS CONTINUE CONTIN



| CANDIDATE NAME | | | | | | | |
|-------------------|--|--|--|--|-----------------|--|--|
| CENTRE NUMBER | | | | | NDIDATE MBER | | |

AGRICULTURE 0600/02

October/November 2007 Paper 2

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Exam | For Examiner's Use | | | | |
|----------|--------------------|--|--|--|--|
| 1 | | | | | |
| 2 | | | | | |
| 3 | | | | | |
| 4 | | | | | |
| 5 | | | | | |
| 6 | | | | | |
| 7 | | | | | |
| 8 | | | | | |
| 9 | | | | | |
| Total | | | | | |

This document consists of 20 printed pages.



[1]

For Examiner's Use

| 1 | (a) | What is meant by shifting cultivation? | 10 |
|---|-----|---|-----|
| | | | 11 |
| | | [′ | 1] |
| | (b) | Fig. 1.1 shows a recently settled family farm. Oxen are kept together with cattle for meat and milk. Maize is grown with Leucaena – an evergreen, nitrogen fixing tree. | |
| | | Leucaena | |
| | | màize Fig. 1.1 | |
| | | (i) What other use are oxen to the farmer? | |
| | | [| 1] |
| | | (ii) State a reason for planting Leucaena. | |
| | | [| 1] |
| | | (iii) State two reasons for carrying out mixed farming. | |
| | | 1 | ••• |
| | | | |
| | | 2 | |
| | | [2 | 2] |
| | (c) | As the population of a settlement increases more land is used for huts and less for farming. | r |
| | | (i) Name a type of livestock which provides meat and milk that could be kept on reduced area of land. | а |

less lan.

[2] (ii) Suggest two ways by which the yield of crops can be maintained on less land [Total 8]

2 (a) Table 2.1 lists organic and inorganic sources of plant nutrients.

Complete table 2.1

Table 2.1

| plant nutrient | organic source | inorganic source | | |
|----------------|----------------|------------------|--|--|
| N | animal manure | | | |
| Р | | super-phosphate | | |
| К | | | | |
| | | [4] | | |

| | F41 |
|--|-----|
| | [1] |

(c) A farmer wishes to test the pH of the soil in a garden plot. Fig. 2.1 shows the order in which the soil samples were taken from the plot.




Fig. 2.1

| (i) | Explain why the samples are collected in this way. | |
|-----|--|-----|
| | | |
| | | [1] |

| | www.xtr | apapers.com |
|-------|--|---------------------------------|
| | 5 | For Examiner's |
| The | e samples are then shaken with distilled water in a tube. | Use |
| (ii) | Why is distilled water used rather than rain water? | apapers.com For Examiner's Use |
| | | S.COM |
| (iii) | Describe a method for finding the pH value of the sample in the tube. | |
| | | |
| | | [2] |
| (iv) | Suggest how the result obtained in (iii) would differ if lime had recently been added to the plot. | ed |
| | | |
| | | [1] |
| | [Total 1 | 01 |

3 (a) Fig. 3.1 shows a stack of soil sieves used to separate the parts of a soil sample. Soil needs to pass easily through the mesh when the sieves are shaken.




Fig. 3.1

| (1 |) State now a soil sample should be treated before it is put into the top sieve. | |
|------|---|---|
| | | [1] |
| (ii |) Label the size of mesh in sieve B . | [1] |
| (iii |) Name one component of soil, apart from gravel, that would remain in sieve A . | |
| | | [1] |
| (iv |) Name the soil type from which the sample in Fig. 3.1 was taken. | |
| | | [1] |
| S | tate two characteristics of sandy soil. | |
| 1 | | |
| 2 | | [2] |
| D | | |
| | | |
| | | |
| | | |
| | | [2] |
| | (iii (iii S 1 2 | (iii) Label the size of mesh in sieve B. (iiii) Name one component of soil, apart from gravel, that would remain in sieve A. (iv) Name the soil type from which the sample in Fig. 3.1 was taken. State two characteristics of sandy soil. 1 2 Describe the effects a mulch of FYM (kraal manure) could have on sandy soil. |

[Total 8]

| | For |
|----|---------|
| Ex | aminer' |
| | Use |

- (a) (i) For a named cereal crop state how to recognise that it is ready for harvesting name of crop

 (ii) State one environmental condition needed for the storage of cereal crops.

 [1]
 - **(b)** Fig. 4.1 shows a storage building for a cereal crop.




Fig. 4.1

| (i) | What is the purpose of the part labelled X ? | |
|-------|---|---------|
| (ii) | The roof is thatched. | [1] |
| | State a possible disadvantage of the thatched roof. | |
| | | [1] |
| (iii) | Suggest how the process of rotting in the wooden legs can be prevented. | |
| | | |
| | | [1] |

For Examiner's Use

8

| (c) | Cro | p pests have to be controlled. | Can |
|-----|------|--|-----|
| | (i) | Give an example of biological pest control. | 13 |
| | | | [1] |
| | (ii) | Explain why crop rotation helps to control pests. | |
| | | | |
| | | | [1] |
| | Tab | ole 4.1 shows the effect of different pest control treatments in a polytunnel. | |

Table 4.1

| | Biologica | al control | | ontrol using oray | Chemical control using vapour | | |
|-------------|---------------------|-----------------------|----------------------------------|----------------------|----------------------------------|--------------------|--|
| | _ | number of on plant | average number of pests on plant | | average number of pests on plant | | |
| | before treatment | after treatment | before treatment | after treatment | before treatment | after treatment | |
| aphid | 155 | 78 | 150 | 7 | 157 | 150 | |
| stalk borer | 10 | 8 | 12 | 1 | 11 | 3 | |
| leaf miner | 54 | 50 | 49 | 7 | 60 | 40 | |

| State two conclusions that can be made from Table 4.1 about the control treatments. | ne different pest |
|--|-------------------|
| | |
| | |
| | [2] |

[Total 9]

5 (a) Name the process by which a plant takes up water through roots.

(b) Water then passes through a plant and is lost through the leaves. This is called transpiration.

Fig. 5.1 shows a simple method for measuring transpiration.




Fig. 5.1

| (i) | What will happen to the level of water in the measuring cylinder? | |
|-------|---|-----|
| | | [1] |
| (ii) | Why was oil placed on the surface of the water? | |
| | | [1] |
| (iii) | How would putting a fan that blew air over the plant affect the amount of water lethrough the leaves? | ost |
| | Give a reason for your answer. | |
| | | |
| | | |
| | | [2] |

For Examiner's

For Examiner's Use

| (c) | (i) | What causes crop plants to wilt? |
|-----|------|--|
| (| (ii) | Suggest how wilting could be controlled in a field crop. |
| | | |
| | | [2] [Total 8] |

6 (a) Fig. 6.1 shows the digestive system of a donkey.




Fig. 6.1

| Name the part labelled Y . | |
|-----------------------------------|-----|
| | [1] |

For Examiner's Use

| (b) | Stat | te two reasons why animals chew their food. | 3 | | |
|-----|----------|--|----|--|--|
| | 1 | | | | |
| | | | | | |
| | 2 | | | | |
| | | [2 | 2] | | |
| (c) | Whe | en donkeys are working they should be fed a production ration. | | | |
| | Brie | fly describe what this ration should include. | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | [3 | 3] | | |
| (d) | Fig. | 6.2 shows a loaded donkey cart. | | | |
| | | | | | |
| | Fig. 6.2 | | | | |
| | (i) | Draw a wheel on Fig. 6.2 in the position that would make it easiest for the donkey to pull the load. | - | | |
| | (ii) | Ropes can be used to secure the load. | | | |
| | | What should be added to the cart to allow for securing the ropes? | | | |
| | | [1 |] | | |

(iii) Fig. 6.3 shows four knots.





Fig. 6.3

| [Total 9] |
|--|
| [1] |
| otate a reason for your answer. |
| State a reason for your answer. |
| |
| Which knot should be used for securing the load? |

[4]

7 (a) The boxes below give stages in the reproduction of a farm animal and descript what these are.

Draw a straight line to match each stage with its correct description. One has been done for you.



(b) Fig. 7.1 shows the inheritance of horns in two generations of sheep.




Fig. 7.1

(i)

| Is the presence of horns dominant or recessive? | | |
|---|--------------------------------|-----|
| | | |
| | Give a reason for your answer. | |
| | | |
| | | [1] |
| | | |

For Examiner's Use

| | 15 | | | | |
|------|--|--|--|--|--|
| (ii) | Describe how features are passed from generation to generation. | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | [3] | | | | |
| | 7.2 shows two rams. ey are of the same breed and age. They are used to sire lambs for meat. | | | | |
| | | | | | |
| | Fig. 7.2 | | | | |
| (i) | Suggest two reasons for the differences in the rams in Fig. 7.2. | | | | |
| | 1 | | | | |
| | 2 [2] | | | | |
| (ii) | What records would be useful when selecting a ram to use for producing lambs for meat? | | | | |
| | | | | | |
| | | | | | |
| | 101 | | | | |

(c)

[Total 12]

8 (a) Fig. 8.1 shows a sweet potato plant.




Fig. 8.1

| (i) | What method of pollination is suggested by the flower? | |
|------|--|-----|
| | Give a reason for your answer. | |
| | | [1] |
| (ii) | The sweet potato also reproduces asexually. | |
| | Explain what this means. | |
| | | |
| | | |
| | | [2] |

- (b) A scientist in Malaya carried out an experiment on the growth of sweet potatoe aim of the scientist was to compare:
 - the yield from different varieties;
 - the yield from different growing methods.

Four varieties were grown, three up a frame, and one along the ground. All other conditions were kept the same.

Table 8.1 shows the results.

Table 8.1


| variety | growing method | yields (tonnes / ha) |
|------------------|--------------------|----------------------|
| Ubi Telor B | upwards on a frame | 16.2 |
| Ubi Mera | along the ground | 0.9 |
| Ubi Telor A | upwards on a frame | 11.2 |
| Ubi Sungei Liang | upwards on a frame | 17.4 |

| Suggest a reason for the better yield from the plants on the frame. | |
|---|---------|
| | [1] |
| Suggest a reason why this experiment is not a fair test. | |
| | [1] |
| | |

18

(c) In Sierra Leone the sweet potato is also grown for leaf production.

The graph compares the relationship between yield and the amount of nitro fertiliser added to the soil.



| (1) | Explain now the use of a nitrogen fertiliser produces better growth of leaves. | |
|------|--|----|
| | | •• |
| | | 1] |
| (ii) | What principle does the graph illustrate? | |
| | | |
| | Explain your answer. | |
| | | |
| | | |
| | | 2] |
| | [Total 8 | 3] |

9 Fig. 9.1 shows a worker using a sprayer to control pests on maize.



Fig. 9.1

| (a) | (i) | State two reasons why the worker is at risk. | | |
|-----|---|--|-----|--|
| | | 1 | | |
| | | 2 | [2] | |
| | (ii) | State a precaution that should be taken when the sprayer is cleaned, on spraying is completed. | ice | |
| | | | [1] | |
| (b) | Pas | stures can be improved by drainage. | | |
| | Explain how drainage benefits the pasture plants. | | | |
| | | | | |
| | | | | |
| | | | [2] | |
| | | | | |

(c) The stocking rate is the amount of land available for one livestock unit (LSU). One livestock unit = a cow or 6 sheep or goats.

| | www.xtrapa | pers.com |
|------|---|-------------------|
| | 20 | For Examiner's |
| | 20 e stocking rate is the amount of land available for one livestock unit (LSU). e livestock unit = a cow or 6 sheep or goats. State what is meant by carrying capacity. | Use |
| (i) | State what is meant by carrying capacity. | Tage |
| | | OM |
| | [1] | |
| (ii) | In south east Botswana the stocking rate is 0.2 ha / LSU and the carrying capacity is 12 ha / LSU. | |
| | Is this area of Botswana overstocked or understocked? | |
| | | |
| | Give a reason for your answer. | |
| | | |
| | [2] | |
| | [Total 8] | |

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.