CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2012 series

0438 BIOLOGY (US)

0438/31

Paper 3 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0438	31

Que	stion	Expected Answe	rs		Marks	Additional Guidance	Tann
1	(a)	segmented body / jointed, limbs / leg exoskeleton / oute	ıs;		3		
	(b)	5 / 6 RIGHT = 4 4 RIGHT = 3 3 RIGHT = 2	Abaliella dicranotarsalis	E			
		1 / 2 RIGHT =1 0 RIGHT = 0	go to 2				
			go to 3				
			go to 4				
			Tegenaria domestica	Α			
			Odielus spinosus	G			
			Chelifer tuberculatus	D			
			go to 5				
			Poecilotheria regalis	F			
			go to 6				
			Tyroglyphus longior	С			
			Ixodes hexagonus	В	4		
				•	[Total: 7]		

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0438	31

Question	Expected Answers	Marks	Additional Guidance
2 (a)	(has been through) capillaries (in organs/named organ(s)); (has been through) an organ / named organ (beforehand); lost oxygen to, (named respiring) tissues / (named) organs / cells / AW;	2	
(b)	oesophagus; stomach; gall bladder; duodenum; ileum; pancreas;		Accept small intestine as alternative to duodenum and ileum
	colon / large intestine / rectum ;	4	
(c)	glucose, amino acids; (named) vitamin(s) / (named) mineral(s); in solution / soluble / in the plasma; transported from, small intestine / duodenum / ileum site of absorption; to liver;	max 3	
(d)	to max 4 (when a) high glucose concentration, glucose converted to glycogen; low glucose concentration, glycogen converted to glucose; ref to correct role of, insulin / glucagon; makes plasma proteins; excess amino acids, deaminated / described;		
	to max 3 alcohol, broken down / respired / metabolised; named toxin, broken down; R toxin unqualified	max 5	

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0438	31

(e)		phagocytes to max 3		
	1	ingest / engulf , bacteria / pathogens / viruses ; R 'eat'		
	2	digest / destroy (bacteria / pathogens / viruses);		
	4	using enzymes ; any further detail ;		
		lymphocytes to max 3		
	5	make / produce / secrete / release, antibodies ;		
	6	idea of specificity / lymphocytes respond to particular pathogen or antigen;		
	7	effect of antibodies described;		
	8	AVP;		AVP for either cell type, could be additional point about
			max 4	antibodies

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0438	31

Question		Expected Answers	Marks	Additional Guidance	anh.
3	(a)	lowered / flattened / AW; increases / AW; decreases / AW; higher / greater / more; into / inside; alveoli;	6		ambrig
	(b)	(A / goblet cell) secretes / produces, mucus; sticky; collects / traps, particles (in the air); cilia, move / beat / waft; mucus moves / removes, away from alveoli / out of trachea / towards larynx / towards mouth / AW;	max 4	ignore hairs direction needed	
		I	[Total: 10]		

Page 6	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0438	31

Ques	tion		Expected Answers	Marks	Additional Guidance
4	(a)	CO ₂	+ H ₂ O;		marks for:
		→ C ₆ H	₁₂ O ₆ + O ₂ ;		correct formulae for carbon dioxide and water correct formulae for glucose and oxygen balancing the equation
		6O ₂ ,	6CO ₂ , 6H ₂ O ;	3	ignore word equation
	(1.)	4.00			
	(D)	4.98	,	1	
	(c)	(i)	constant light intensity / ora; idea that light intensity is not the factor that is varied / not the independent variable / only carbon dioxide is varied / it is a control(led) variable;	2	<pre>accept: if changed, would change rate of photosynthesis itself / AW R simply 'makes results invalid'</pre>
		(ii)	gas / oxygen / air, collects at top of syringe / from plant or photosynthesis; creates pressure to force water down the tube;	2	R CO ₂ A push
		<u> </u>	Greates pressure to lorde water down the tube,		A pusii
	(d)	per o	centration of (sodium) hydrogen carbonate / mol dm³ + rate of photosynthesis (1000 / t); t plotted correctly;		
		line	of best fit;	3	A ecf from (b)

Page 7	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0438	31

	Page 7	Mark Sche	me		Syllabus	Paper	.0
		IGCSE – October/No	vember 201	12	0438	31	730
carbon dm³); data que carbon after 0. rate of data que carbon factor;	dioxide increases (uote ; dioxide (concentral 07 mol per dm³ :- photosynthesis rem uote ; dioxide (concentral	reases as concentration of up to 0.07 mol per tion) is limiting factor; nains (near) constant; tion) is not the limiting	max 5	A increas	es very little		www.xtrapape

Page 8	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0438	31

			Page 8	Mark Sche		40	Syllabus	Paper	To the second
		<u> </u>		IGCSE – October/No	vember 20	12	0438	31	Se.
uest	ion	Expected	Answers		Marks	Addition	al Guidance		www.xtrapape
5	(a)	carbon dio	xide CO ₂ ;						
		≕iaa fialda	/ sattle / land fil	l/=attisa muhbiah / ail					1
				I / rotting rubbish / oil as fracking sites / AW :	2				
		extraction / coal mines / gas fracking sites / AW;							
		(named) greenhouse gases ; trap / absorb, heat / (infra red / IR) radiation ;				D 11\/ no e	I: _ 4 :		
		radiated ba	orb, neat / (Intra ack towards the	red / IR) radiation ; e Earth's surface / heat kept		R UV rac	liation		
		near surface / prevents heat escaping (to space) /							
		AW; ref to long wavelength cannot 'escape' Earth's							
				inot 'escape' Earth's	max 3				
		atmosphere / AW ;							
	(c)		reases until 19					1075 1000	
			creases from 1	980 ; / less than 1940;		Accept r	eaches a peak in	1975-1980	
				e of increase to 1940;					
				ease from 1945;					
			crease betweei mparative data	· · · · · · · · · · · · · · · · · · ·		vear and	emission must h	e given for each p	point unite
			inparative data	quotos ,	max 4	mentione		c given for each p	Joint, units
			vers pH of, soil			A acidifie	es lakes		
				eaves / plants / trees ; ons, lost from soils ;					
				/ animals in waters / lakes /					
		riv	ers;						
			•	ne buildings / bronze		A marble	e, gravestones, et	C.	
		sta	itues ;		max 3				

Page 9	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0438	31

	Page 9	Mark Scl	heme		Syllabus	Paper	2
		IGCSE – October/N	IGCSE – October/November 20		0438	31	Tap
(iii)	use, alternative / rene	ewable / green / AW ,					dh
	sources of energy; A						0
	use low sulfur fuels /	ORA;					v. trapape
	reduce use of coal;						
	flue gas desulfurisation chimney electrostatic waste gases with lime	precipitators / neutralise					
	catalytic converters;						
	(named) international emissions;	treaty for reducing					
	AVP ; e.g. any metho energy	od to reduce demand for		car sharing /	more public t	ransport / cycle paths / AW	

Page 10	Mark Scheme	Syllabus	Paper	
	IGCSE – October/November 2012	0438	31	

Ques	tion	Expected Answers	Marks	Additional Guidance
6	(a)	self-pollination, occurs within same flower / between flowers of same plant; cross-pollination, occurs between flowers on different plants;	2	Additional Guidance
	(b)	wastage of pollen; wastage of energy; explanation; depends on presence of pollinator; need a pollinating / other, plant (nearby); long time for next generation to develop; seeds scattered to places where they cannot grow; variation leads to plants that are not adapted to place where parents grow / seeds end up;	max 4	A idea of pollen does not reach a stigma
	(c)	round RR wrinkled rr;	1	

Page 11	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0438	31

(d)		cross	phenotyp	e of seeds	in the seed pods	ratio of round to	
			round see		wrinkled seeds	wrinkled seeds	
	1	pure bred for round seeds x pure bred for wrinkled seeds	✓		*	1:0	
	2	offspring of cross 1 self pollinated	✓		✓	3:1;	
	3	offspring of cross 1 x pure bred for round seeds	✓		×	1:0 ;	
	4	offspring of cross 1 x pure bred for wrinkled seeds	√		✓	1:1 ;	
				3			-
(e)		l by (a) gene alone ; imber / two, (pheno)types ; ediates :		max 1	A (just) two type	s / round & wrinkled	
		,					
 (f) 1 colonisation / spread to new areas; 2 where might be able to grow better; 3 better (named) condition(s); 4 less competition; 					light / water / mir	nerals / CO ₂ / space	
	•	ance of) disease ; at allows breeding with wider varie	ety of		e.g. bigger gene	pool / more alleles / AW	
	7 AVP;			max 3	e.g. Some surviv	re a localized disaster / A	W
				[Total: 14]	1		