

**UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2006 question paper**

**0610 BIOLOGY**

**0610/03** Paper 3 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

The grade thresholds for various grades are published in the report on the examination for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2006 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme	Syllabus Paper
	IGCSE - OCT/NOV 2006	0610

**Q1 (a) CHECK FIG. 1.1 FOR ANSWERS**

- C (Clethrionomys glareolus) ;  
 D (Oryctolagus cuniculus) ;  
 E (Sciurus caroliniensis) ;  
 A (Sorex araneus) ;  
 B (Talpa europaea) ;

**max. 4**

Bracket the first two answers together for the first tick

- (b)** ref. to presence of fur / hair ;  
 ref. to mammary gland / breast / udders / nipples / breast feeding /  
 production of milk (to feed young) / suckling ;  
 ref. to external ears / presence of pinna ; **A** description

**max. 2**

**total max. 6**

**Q2 (a) (i) root(s) ;**

**1**

**(ii) molar ; R premolar**

- ref. to the presence of (a number of) cusps / description of cusps ;  
**A** refs to bumps / dents **R** ridges  
 ref. to presence of three roots / more than two roots ;

**3**

**(iii)**

- i. ref. to crown ;  
 ii. ref. to (upper part has) enamel / lower part does not have enamel ;  
 iii. root / lower part + covered with cement / dentine ;  
 iv. enamel is harder than + dentine / cement ; **A** stronger  
 v. root AW is more soluble / less resistant to acid / more easily  
 penetrated AW ; **A** converse answer

**max. 3**

- (b)** i. (the toothpaste) has an alkaline pH / pH 8.5 ; **R** high pH  
 ii. which neutralises acids in the mouth / maintains alkaline conditions /  
 so pH in mouth is raised ; linked to i.  
 iii. ref. to (the toothpaste contains) fluoride ; **R** fluorine  
 iv. fluoride hardens enamel AW : linked to iii.  
**R** fluoride hardens tooth unequal.  
 v. ref. to (the toothpaste contains) anti-bacterial agent ;  
 vi. kills bacteria + that produce acid AW ; linked to v.

**max. 4**

- (c)** i. regular visits to the dentist AW ; **A** ref. to doctor qual.  
 ii. use of dental floss / tooth pick ;  
 iii. avoiding + eating sugary food / eating between meals ;  
 iv. ref. to fluoride + drinking water / mouthwash ;  
 v. use (antibacterial) mouthwash / (antiseptic) mouthwash ;  
 vi. eat + apples / crisp fruit ;  
 vii. eat foods containing calcium / phosphate / vitamin D / vitamin C ;  
 viii. do not open bottles / crack open nuts + with teeth  
 ix. rinse mouth with water after eating ;  
 x. brush or massage gums ; **R** brushing teeth  
 xi. have teeth coated with protective coating ;

**max. 2**

**total max. 13**

Page 3	Mark Scheme	Syllabus Paper
	IGCSE - OCT/NOV 2006	0610

- Q3 (a) (i)** deforestation / slash and burn ;
- (timber use) (ii) ref. (to timber) for housing / furniture / wood / paper / fence posts AW ;  
 (land use)(spaces) ref. to (timber for) fuel AW ; **A** burn to keep warm  
 ref. to roads / industry / housing / airports / other use of land ;
- (iii)**
- i. ref. to soil erosion / mudslides / silting of rivers / desertification / dust bowl ;
  - ii. due to lack of (tree) roots to stabilise soil ; (linked to i.)
  - iii. ref. to increased risk of flooding ;
  - iv. due to lack of trees to slow down water ; (linked to ii.) **A** leaf litter absorbs water
  - v. ref. to leaching of soil / minerals washed out / soil becomes infertile ;
  - vi. can lead to eutrophication of rivers / lakes AW ;
  - vii. less photosynthesis / burning or rotting wood ;
  - viii. less CO<sub>2</sub> absorbed from atmosphere / more CO<sub>2</sub> produced / in atmosphere ;
  - ix. ref. to global warming / greenhouse effect ; (linked to vii. or viii.)
  - x. ref. to drop in oxygen in atmosphere AW ;
  - xi. less rain (change in weather) ;
  - xii. due to less transpiration AW ; (linked to xi.)
  - xiii. ref. to reduction of habitats AW / habitats split up AW ;
  - xiv. ref. to disruption of food chains / loss of food ;
  - xv. so animals / plants + can become extinct or numbers depleted / loss of biodiversity ;
  - xvi. ref. to loss of genes / sources of chemicals for medicines AW ;
  - xvii. ref. to more pollution + due to smoke / road traffic / factories AW ;
  - xviii. ref. loss of income + tourism

max. 6

- (b) (i)** MAX. 3 IF ONLY ONE NUTRIENT IS USED  
 IGNORE ENERGY REFS PROTEIN
- (fat) i. soya contains less fat ; **A** both sets of figures  
 ii. ref. to less cholesterol ;  
 iii. less risk of atherosclerosis / blockage of arteries / atheroma / stroke ;  
 iv. less risk of a heart attack / heart disease AW ;  
 v. ref. to less risk of obesity ; (O.R.A.)
- (fibre) vi. soya contains (more) fibre ; **A** both sets of figures  
 vii. so there is less risk of constipation (prevents) ;  
 vii. less risk of colon cancer ;  
 viii. fibre absorbs or removes toxins ; (O.R.A.)
- (ii)** FOOD CHAINS MUST USE NAMED ORGANISMS **R** plant etc.
- i. (soya food chain) soya → human ; **A** description
  - ii. (corned beef food chain) grass → cow → human ; **A** description
  - iii. beef food chain has an extra level AW / has extra link / beef food chain longer ;
  - iv. energy lost through food chain / 90% energy lost at each level;
  - v. more energy is lost in beef chain ;
  - vi. example of energy loss e.g. body heat / movement of animal / not all food digested / energy lost in faeces / urinating / excretion / respiration / egestion ;
  - vii. in food chain there is more biomass in soya than in cows ; **R** more producers than consumers unequal. **R** less energy in beef than soya

max. 4

max. 4  
total max. 17

Page 4	Mark Scheme	Syllabus Paper
	IGCSE - OCT/NOV 2006	0610

**Q4 (a) (i)** (resistance) has increased / more resistant ;  
 ref. to doubled every 2 years / x 4 over 5 years / 20% more bacteria  
 are resistant / 400% increase in resistance / exponential rise /  
 geometric rise ; **A** figures quoted e.g. 7, 14, 28 (+1 -1 on figure)

**(ii)**

- i. ref. to mutation / variation / DNA change ;
- ii. (new strain) has resistance ; linked to i. **A** refs to immunity
- iii. (new strain) not killed by treatment ;
- iv. ref. to natural selection / survival of fittest / less competition for  
 resistant bacteria if most of normal bacteria have died ;
- v. (new strain) reproduces ;
- vi. increased numbers of population have resistance ;
- vii. ref. to over-prescription / not completing antibiotic course ;
- viii. ref. to use in animal husbandry ;

**max. 4**

**(b) (i)** yoghurt ;  
 cheese ;  
 curds / sour milk ;  
 tofu ;  
 single cell protein / SCP ;

**max. 1**

**(ii)**

- i. ref. to nitrogen-fixing bacteria ; **I** refs to being in root nodules
- ii. change nitrogen into + nitrate / ammonium salts ; **A** ammonia
- iii. ref. to role of saprophytes / decay / decomposition / release of  
 nutrients or named minerals AW ;
- iv. ref. to nitrifying bacteria ;
- v. ref. to nitrification / conversion of ammonia to nitrates AW ;

**max. 3**

**(c)**

description of the stage	number of the stage
all the plasmids are removed from the bacterial cell	5;
a chromosome is removed from a healthy human cell	2;
plasmids are returned to the bacterial cell	8;
restriction endonuclease enzyme is used	3 / 6;
bacterial cells are allowed to reproduce in a fermenter	9;

**5**

**total max. 15**


Page 5	Mark Scheme	Syllabus Paper
	IGCSE - OCT/NOV 2006	0610

**Q5 (a)** order needs to be correct for one mark ; TICK TO LEFT OF TABLE  
 All numbers correct for **two** marks ; ; \* NUMBER TO MATCH TISSUE  
 Three correct for **one** mark

tissue	number of chloroplasts	
upper epidermal cells	none	+
palisade mesophyll	many	+
✓ spongy mesophyll	some / many	✓
guard cells	some	✓

3

**(b) (i)** ONE MARK FOR SYMBOLS CORRECT **R** energy  
 ONE MARK FOR CORRECT BALANCING



2

**(ii)**

- i. internal factor / external factor / environmental variable / named factor (CO<sub>2</sub> / H<sub>2</sub>O / light / temp) ;
- ii. which restricts the effects of others AW / limits rate of reaction ;  
**A** converse answer **R** photosynthesis / growth
- iii. it is the one in short(est) supply ;

max. 2

**(iii)** carbon dioxide / CO<sub>2</sub> ;

1

**(c) (i)**

- i. ref. to long / tubular / formed as a vessel AW / lumen present / hollow ;
- ii. ref. to absence of end walls ;
- iii. ref. to dead cells / lack of cell contents / named part(s) (cytoplasm / nucleus) ;
- iv. ref. to lignified walls ;
- v. ref. to tracheids ;

max 3

**(ii)** MAX. 3 IN EITHER SECTION  
 (xylem)

- i. ref. to transport / carry ; AWARD ONCE
- ii. ref. to water ;
- iii. ref. to mineral salts / named salts / ions ; **R** nutrients unqual.
- iv. from roots to leaves ;
- v. provides structural support AW ;
- vi. ref. to transpiration ;

(phloem)

- vii. ref. to transport ; (IF NOT ALREADY GIVEN)
- viii. ref. to amino acids ;
- ix. ref. to sugars / sucrose / organic materials ; **R** glucose, food, nutrients
- x. from leaves to storage area or place of use AW ; **R** up the plant
- xi. ref. to translocation ;

max 4

**(d)** ref. to reduce (less / no) + water loss / wilting / transpiration ;

1

total max. 16

Page 6	Mark Scheme	Syllabus Paper
	IGCSE - OCT/NOV 2006	0610

- Q6 (a) MUST USE LABEL LINES**  
**ACCEPT NAMES AS WELL AS LETTERS**  
 S. – any point in the vagina ;  
 D. – the cervix ;  
 M. – the ovary ;  
 F. – the oviduct ;  
 E. – any point on the surface of the uterus or in cavity ;  
 R if line is in muscular wall 5
- (b) (i) (ovum)**  
 i. ref. to fallopian tube / oviduct ;  
 ii. ref. to presence of ciliated cells / cilia (in wall) ;  
 iii. ref. to (ovum) wafted down / propelled / moved / conveyed AW / sweep ; **R** passed unequal. **R** transport max 2  
 iv. ref. to peristaltic movement AW of oviduct ;
- (ii) (sperm)**  
 i. ref. to presence of tail + to swim / move AW ;  
 ii. ref. to mitochondria + to provide energy / power ;  
 iii. ref. to sperm streamlined / light / very small ; 2
- (iii) (zygote)**  
 i. ref. to a fertilised egg / fused egg and sperm (nucleus) ;  
 ii. contains chromosomes of egg and sperm ;  
 iii. egg and sperm / gametes / sex cells + are both haploid / have half normal number of chromosomes / have 23 chromosomes / (both) formed by meiosis ; max 2
- (iv)** ref. to progesterone ;  
 secreted / produced by + placenta ; 2
- total max. 13**