

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Tidge con



CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

BIOLOGY 0610/06

Paper 6 Alternative to Practical

May/June 2008

1 hour

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
Total	

This document consists of 9 printed pages and 3 blank pages.



1 Humans and other mammals are able to maintain a relatively constant body tempe despite widely ranging environmental temperatures. Mammals, unless adapted to livil water, seem to prefer not to get wet.

Three flasks were set up as shown in Fig. 1.1. Each flask represents a hot mammal cooling down.

Flask **A** had nothing around the flask. This represents a hairless mammal.

Flask **B** had a dry covering of cotton cool around the flask. This represents a mammal with dry fur.

Flask C had a wet covering of cotton wool soaked in water around the flask. This represents a mammal with wet fur.




Fig. 1.1

Each flask was covered with a lid through which a thermometer was suspended. The bulb of the thermometer was immersed in the water, but did not touch the sides of the flask. Each flask was filled with an equal volume of hot water.

The temperature of the water in each flask was measured as it cooled.


Readings were taken every 2 minutes and recorded in Table 1.1.

A laboratory clock was used to check the time.

Table 1.1

		3 able 1.1	flask C
time / min	flask <b>A</b>	flask <b>B</b>	flask C
0	70	70	70
2	66	68	64
4	61	67	58
6	58	65	52
8	50	61	42
10	45	60	40

(a) (i) On the same axes plot a graph of the three sets of results.



	(ii)	Compare cooling of the water in the three flasks.	For
		flask <b>A</b> compared with flask <b>B</b> .	ners
		Compare cooling of the water in the three flasks.  flask <b>A</b> compared with flask <b>B</b> .	S. COM
		flask <b>B</b> compared with flask <b>C</b> .	
		flask <b>C</b> compared with flask <b>A</b> .	
		[3]	
(	iii)	Explain what has happened to produce these results.	
		[3]	
(b)	(i)	Describe <b>three</b> ways in which this investigation was a fair test.	
		[3]	

(ii)	Describe <b>two</b> improvements which would increase the accuracy and reliablishing investigation.	Innohida For iner
		1000
		<del></del> 2]
	[Total: 16	1

Fig. 2.1 shows a tomato and Fig. 2.2 shows an apple, both are cut in half longitudinal 2 through the middle.



x 0.5

Fig. 2.1

Fig. 2.2

(a) Make a large, labelled drawing of the cut surface of the tomato fruit shown in Fig. 2.1.

	(b) (i) Complete Table 2.1 to show four Fig. 2.1 and Fig. 2.2.	The state of the s
	tomato	apple
1		
2		
3		
4		
		[4]
	(ii) Describe two similarities between the	he two fruits visible in Fig. 2.1 and in Fig. 2.2.
	1	
	2	[2]
	(c) Describe an investigation you could carry these two fruits.	y out to compare the reducing sugar content of
	Include any safety precautions you will n	eed to consider.

Include any safety precautions you will need to consider.
[6

[Total: 17]

3 Pollen grains start to germinate when they land on a suitable stigma and produce a tube. Fig. 3.1 shows a single carpel from a flower with a germinating pollen grain.




Fig. 3.1

(a) (i) Identify the structures labelled A, B	and	C
---	-----	---

Α	
D	
Ь	
С	[3

(ii) Draw a line on Fig. 3.1 to continue the path taken by the pollen tube until it enters structure **C**.

[1]

(b)	(i)	Measure the diameter of the pollen grain show distance the pollen tube grows to reach and enter Diameter of pollen grain	n in Fig. 3.1 and the app r structure <b>C</b> .	TO TO CHANGE	For viner's
		Diameter of pollen grain	mm		To last
		Distance grown	mm	[1]	CON
	(ii)	How many times greater is the distance grown by diameter of the pollen grain?	y the pollen tube than the		
		times ç		[2]	

**BLANK PAGE** 

10

Www.xtrapapers.com

11

**BLANK PAGE** 

12

**BLANK PAGE** 

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.