

CANDIDATE NAME

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Tidge Con

	i		
	Ē		

CENTRE NUMBER			CANDIDATE NUMBER		

BIOLOGY 0610/02

Paper 2 Core October/November 2009

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets $[\]$ at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
Total	

This document consists of 15 printed pages and 1 blank pages.



For iner's at allow air Vertebrates can be classified by their external features. Complete the paragraph by using the name of a vertebrate class in each space. Some vertebrates have scales all over their skin. If they also have nostrils that allow air into their lungs and two pairs of legs they are Some vertebrates have wings. If their body is also covered in feathers they are , but if their body has fur they are _____. Vertebrates that do not have feathers, fur or scales on the outside of their body are [4]

[Total: 4]

2 (a) Fig. 2.1 shows a partly completed diagram of a palisade cell.




Fig. 2.1

Complete the diagram to show the other major components of this cell.

Label all the components that you have added to Fig. 2.1.

[4]

(b) State precisely where palisade cells are found in a plant.

[Total: 6]

	micronutrient	deficiency symptom
	calcium	anaemia
	vitamin C	rickets
	vitamin D	
	iron	scurvy
(la) Francis	in how iron, in the diet of huma	

[Total: 7]

[3]

4 (a) Enzyme activity is vital in human digestion.

Complete Table 4.1 by choosing appropriate words from the list.

amino acids amylase cellulose fatty acids
hydrochloric acid lipase protein starch water

Table 4.1

substrate	enzyme	product
fat		glycerol +
	protease	
		maltose

(b) Maltose is changed into glucose.

(i) Which part of the blood carries glucose?

[1]

(ii) Which process, happening in all living cells, needs a constant supply of glucose?

[1]

(iii) Excess glucose is stored. Which carbohydrate is glucose changed into for storage?

[1]

(iv) Which organ is the main store of this carbohydrate?

[1]

(v) Name a hormone that causes glucose to be released from storage.

[1]

[Total: 11]

[1]

5




Fig. 5.1

- (a) Which stage, A, B, C, D or E, shows when the birth rate was
 - (i) equal to the death rate,

(ii) slightly greater than the death rate?

[1]

(b)	(i)	Suggest two factors that allowed the change in the rabbit population during stage B .	Cambrid
		1.	
		2	[2]
	(ii)	Suggest two reasons for the change in the rabbit population during stage E .	
		1	
		2.	
			[2]
		[Total	l: 6]

(a) Fig. 6.1 shows the female reproductive system. 6




Fig. 6.1

Describe the functions of each of the following structures in the female reproductive system.

(1)	ovary	
		[2]
(ii)	uterus	
		[4]
		[1]
(iii)	vagina	
		[1]

[Total: 7]

(b)	Explain the purpose of the events that happen during the menstrual cycle in females.	Cann	Shido
		•	1
		[3]	

7 Fig. 7.1 shows a food web for a habitat in Europe.




Fig. 7.1

(a) (i) In the space below draw a food chain consisting of **four** organisms. The organisms must be part of the food web in Fig.7.1.

(ii) Explain what is meant by the terms *herbivore* and *carnivore* and in each case give an example from the food web in Fig. 7.1.

herbivore	
carnivore	

(ili) Name an animal in the food web in Fig.7.1 that would normally be present in far greater numbers than the animal on which it feeds.

Γ1	11
 ь.	. 1

(b) Sometimes a very large number of ladybirds arrive in this habitat.

Ladybirds are insects that feed on aphids.

Predict and explain how this could affect the populations of wrens and bank voles in this food web.

wrens		
bank vo	bles	
	[4	ŀ]

[Total: 10]

Gas	Seous exchange takes place while air flows in and out of the lungs. State three ways in which inspired air is different from expired air. 1.	For
(a)	State three ways in which inspired air is different from expired air.	ners
	1.	Se. COV
	2.	
	3.	
	[3]	
(b)	List three features of gaseous exchange surfaces that help to make them more efficient.	
	1	
	0	
	2.	
	3.	
	[3]	
	[Total: 6]	

(a)	(i)	Define osmosis.	Can
			Ì
			[3]
	(ii)	Osmosis is considered by many scientists to be a form of diffusion.	
		Suggest two ways in which diffusion is different from osmosis.	
		1.	
		2	
			[2]
(b)	(i)	Explain how root hair cells use osmosis to take up water.	
			[2]
	(ii)	The land on which a cereal crop is growing is flooded by sea water.	
	(,	Suggest the effect sea water could have on the cereal plants.	
		μ	
			[4]

[Total: 11]

10 (a) In *Drosophila*, the fruit fly, wing length is controlled by a single gene.

WWW. Papa Cambridge.com Wing length can be long or short. A long winged male fruit fly was crossed with a sho winged female. All of their offspring, the second generation, had long wings. When the second generation flies were interbred, to produce a third generation, some of the offspring had long wings and some had short wings.

(i)	Which wing length is controlled by the recessive allele?						
						[1]	
(ii)	ii) Complete the genetic diagram, using the symbols ${f R}$ and ${f r}$ to represent the allele						
	Parents (first generati	male ion)	male		female		
	phenotypes		wings		wings		
	genotypes						
	gametes						
	Offspring (second generation)						
	genotypes						
	phenotypes					[5]	

((iii)	If the third generation consisted of 464 offspring how many would be expended have short wings?
		Show your working.
		[2]
(b)		e female parent fruit fly was crossed with one of her male offspring from the second peration.
		w a genetic diagram to show this cross and state the ratio of the offspring enotypes.
	ger	netic diagram
	ratio	o of offspring phenotypes

[Total: 12]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.