UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2010 question paper for the guidance of teachers

0610 BIOLOGY

0610/61

Paper 61 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Page 2 Mark Scheme: Teachers' version		Paper
	IGCSE – May/June 2010	0610	61

General notes

Symbols used in mark scheme and guidance notes.

/ separates alternatives for a marking point

; separates points for the award of a mark

A accept – as a correct response

R reject – this is marked with a cross and any following correct statements do not gain any

marks

I ignore/irrelevant/inadequate - this response gains no mark, but any following correct

answers can gain marks.

() the word/phrase in brackets is not required to gain marks but sets context of response

for credit. e.g. (waxy) cuticle. Waxy not needed but if it was described as a cellulose

cuticle then no mark.

<u>Small</u> underlined words – this word only/must be spelled correctly

ORA or reverse argument/answer

ref./refs. answer makes appropriate reference to

AVP additional valid point (e.g. in comments)

AW alternative words of equivalent meaning

ecf error carried forward

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0610	61

Question	Expected Answer	's		Marks	Guidance
1 (a) (i)	and la L more D asy detail Any two labels if c lumer musc thick(elastic	arger than photogra re than 1 layer of warmmetric right side ; orrect: n / space / hole;	all recognised; / inside layer folded – layer);		Score the drawing by a vertical row of ticks or crosses in order O , L and D shown to the uncluttered side of the drawing. A. if circles are incomplete to show more than one layer. If drawn only the vein, Y – award O only. Accept lumen label. If a compass or equivalent has used – do not award O mark. Look for 'bulge' in wall of blood vessel not the 'floating' bit in the middle. Lumen = AW e.g. 'room for blood' I. blood alone. A. correct terms referring to <i>tunica adventitia</i> = outer layer; <i>tunica media</i> = muscle + elastic tissue; <i>tunica intima</i> = endothelium. I. reference to 'smooth' 'longitudinal' 'stretching layer. 'radial'. R. striated / cardiac. I. cytoplasm / cell wall / cell membrane / nucleus. If inner layer or wall, must have <u>folded</u> . Endothelium alone = 1 mark. If both blood vessels are drawn, mark the artery only.
(ii)	X – <u>artery</u> ;			[5]	Longitudinal views – mark the end section only. A. arteries. or arteriole or specific named artery. Mark in
				[1]	list order. R. vein.
(iii)	feature	X – artery	Y – vein		'thick muscular wall' = 2
	shape in section	round	oval		monte from either eide demanding an annuage. Net
			thin		marks from either side depending on approach. Not comparative.
	lining	folded / AW	smooth / AW		Comparative.
	tissue	(more) muscle / elastic	less		If capillary points are made ignore – question is to
	lumen size	small / AW	large / AW	[max 2]	distinguish between X and Y.

Page 4	Page 4 Mark Scheme: Teachers' version		Paper
	IGCSE – May/June 2010	0610	61

(b) (i)	14, 15, 16, 17, 17, and 18 in table	[1]	all numbers correct in table.
(ii)	Axes – orientations and labels; Scales – linear scale, to fill more than half the printed grid; Plot – all correct; Line – joined point to point with ruled lines;	[4]	(X – mass of weight g and Y – increase in mm) +/- half a small square. ecf – from table. All plotted points (11) to be included on the graph. If plot internal diameter (2nd column) allow: A and L – Max 2. A. smooth curve passing through most points. R. extrapolation of line beyond 100g. R. thick lines. Straight line, non linear scale allow A only if correct. Score the drawing by a vertical row of ticks or crosses in order A, S, P and L. Histogram – A, P only.
(iii)	original size, shape or position / decrease / contract; (reason) elasticity must be linked to return in size / recoil; thick wall / elastic tissue / AW; AVP e.g. ref blood pressure / pulsation;	[max 3]	expansion / damaged / overstretched. reference to elastic limit and to overstretching.
		[Total: 16]	

Page 5	Page 5 Mark Scheme: Teachers' version		Paper
	IGCSE – May/June 2010	0610	61

2 (a) (i)	One visible from; Skin / peel / outer outer layer darker side buds / spots / inner tissue – simil	than inside; 'eyes' present;		[1]	
(ii)					I. differences in composition – starch / storage.
	feature	sweet potato	irish potato		
	inner tissue	spotted / speckled	no spots, uniform;		Any two differences. Comments should match and accept one difference per
	skin / peel / wall	darker thicker	lighter; thinner;		printed row on the question paper. Both spaces on mark scheme for 2 differences can refer to
	shape of ends	pointed / slanted (both ends)	rounded (both ends);		the same feature e.g. skin or margin.
	overall shape	long / narrow	short / round / more circular / oval;		
	margin	two layers visible not smooth / uneven	one layer; smooth;		Look for comparative terms '-er'.
	section shape	circular /rounded smaller	oval; larger;		
	stalk / root *	absent	present;	[max 2]	* scar or hairs at the base.

Page 6	Page 6 Mark Scheme: Teachers' version		Paper
	IGCSE – May/June 2010	0610	61

(b) 1	equal sample size of each potato; ONCE iodine solution / iodine in KI / iodine reagent; same concentration / volume of iodine solution; expected colour change; (yellow / orange / red brown to blue / blue black / purple) compare colour change; (how fast / darker) (using colorimeters)		 A. drops of iodine if stated number of drops but ignore vague references such as few or several. 'same volume of iodine solution' = 2. I. using ethanol. Need original and final colours for expected change.
2	preparation / grinding; ONCE Benedict's reagent; same volume / amount of Benedict's solution;	[max 3]	
	heating; expected colour change; (blue → green / orange / red) compare colours; (intensity of colour – or timing of colour change) (use of colorimeters) Safety – one from:		 A. chemical components / Fehling's / Clinistix. (pink → dark blue) Not just warm but heat – maybe used a boiling water bath = 2 marks. Need original and final colours for expected change. I. repeats.
	water bath; test-tube holders; same as above	[max 5] [8 marks]	If describe biuret ignore description of test but allow safety point.
		Total: 11]	

Page 7	e 7 Mark Scheme: Teachers' version		Paper
	IGCSE – May/June 2010	0610	61

3	(a) (i)	dish A – 19/20, dish B – 2/20, and dish C 9/10;;	[2]	A. numbers 19, 2 and 9 only. Mark wherever these figures occur e.g. on dish. 1 mistake – 1 mark / 2 mistakes – no marks.
	(ii)	800%;; possible working $18 - 2 = 16 \frac{16}{2} \times 100 = 800\%$	[2]	Correct answer = 2 marks. Credit alternative methods of working if answer is incorrect. Might round down dish B to 1 / 10. = 1 mark. Might round up dish C to 18 / 20. = 1 mark. 80% = 1 mark. If error in table – award one working mark if applicable.
	(iii)	(dish C no tomato juice and dish B has therefore) there is another chemical in juice which stops the germination AW; same pH as dish B but higher % in C so not pH sensitive; correct reference to osmotic / turgor / concentration of tomato juice / contains less water / absorbs less water; stops seeds developing near parent plant / prevents competition / saves overcrowding / lack space; AVP e.g. alleopathy / bacteria in juice;	[max 2]	Dish C is referred to from the question by implication. I. dish C has more nutrients Chemicals – accept suitable named examples e.g. Vit. C.
	(iv)	dish A – control; for comparison purposes / see difference;		Ignore fair test / efficiency. A. to test viability of seeds.
		to show it was not pH 6 – weak acid solution;	[max 1]	

Page 8	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0610	61

(b)	 same batch of seeds / same type / same maturity; same volume of solution; 		I. mass.
	same environmental conditions of oxygen;		I. Same environment alone – too vague.
	4. same environmental conditions of light / warmth;		A. Same temperature.
	5. same number of seeds for each test;		Need more than one seed for pt 5. few / several - too
	6. wash surface of seeds first to remove juice of fruit chemicals / bacteria / spores / AW;		vague.
	7. suitable range of pH solutions / suggest 3 or more named pH / acid solutions;		from low pH to high pH – 3 or more examples. (pt 7) e.g. strong and weak acid and weak alkali = 3 solutions.
	8. how obtained such as use of buffers or named liquids e.g. vinegar.;		
	9. same period of time for soaking or germinating;		I. 'few' or 'several' days. (specified number of days not
	10. repeat whole procedure / two + dishes or use replicas at		months)
	the same time;		Not just for number of seeds – that is pt. 5.
	11. plot graph;	[max 6]	
[Total: 13]			