UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2011 question paper for the guidance of teachers

0610 BIOLOGY

0610/22

Paper 2 (Core Theory), maximum raw mark 80

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2 Mark Scheme: Teachers' version		Syllabus	Paper
	IGCSE – May/June 2011	0610	22

General notes

Do not exceed the section sub-totals or question maxima.

Symbols used in mark scheme and guidance notes.

/ separates alternatives for a marking point

; separates points for the award of a mark

MP mark point – used in guidance notes when referring to numbered marking points

ORA or reverse argument/reasoning

OWTTE or words to that effect

A accept – as a correct response

R reject – this is marked with a cross and any following correct statements do not

gain any marks

I ignore/irrelevant/inadequate - this response gains no mark, but any following

correct answers can gain marks.

() the word/phrase in brackets is not required to gain marks but sets the context of

the response for credit.

e.g. (waxy) cuticle. Waxy not needed but if it was described as a cellulose cuticle

then no mark is awarded.

<u>mitosis</u> underlined words – this word only

Page 3 Mark Scheme: Teachers' versio		Syllabus	Paper
	IGCSE – May/June 2011	0610	22

1	(a)	(i) lime water / hydrogencarbonate indicator;	[1]	A – bicarbonate indicator
		(ii) respiration; excretion;	[2]	I – ref. to decomposition
	(b)	growth; sensitivity / irritability; movement; nutrition; reproduction;		 A – respiration, excretion if not credited in (a)(ii) A – OWTTE for any of the characteristics
		any three – 1 mark each	[3]	
		[Tota	l: 6]	

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2011	0610	22

2	(a)	(i)	1 2 3	male has larger body to maintain / repair; more likely to do physical work (so more wear and tear) / OWTTE; male has higher metabolic rate;		– male does more work, works harder
			any	/ two – 1 mark each [2]	
		(ii)	bre	ast feeding female needs energy for herself;	4	A – more needed to move around, more needed for milk production
			and	d for the (energy needs of) baby;	2] /	A – infant, child
	(b)	(i)	1	both have same need for body repair / maintenance as average female / OWTTE; pregnant female needs additional for fetus;		
			3 4	breast feeding female needs additional for milk; baby / fetus is growing;	4	A – suckling, feeding baby
			any	three – 1 mark each [3]	
		(ii)	1 2 3 4	males have more growth than females in this period; effect of slightly later growth spurt / puberty; effect of final larger body skeleton / muscles; higher wear and tear / maintenance;	,	A – growth slows earlier in girls, OWTTE
			any	two – 1 mark each [2]	
	(c)	me	nstru	uation / OWTTE; [1]	A – more blood has to be produced
				[Total: 1	0]	

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2011	0610	22

3	(a)	(i) (ii)	 A – epidermis; B – (hair) erector muscle; C – capillaries; D – sweat gland; touch; pressure; temperature change / heat / cold; pain; 	[4]	 A – cornified layer, dead cells A – blood vessels I – vein, artery
			any two – 1 mark each	[2]	
	(b)	1 2 3 4 5	release sweat; evaporation of water (in sweat); needs heat from body; cools blood / body; rate of sweating can be varied depending on body temperature;		
		any	three – 1 mark each	[3]	
				[Total: 9]	

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2011	0610	22

F – vagina; G – anus; [3	A – birth canal A – rectum
 <u>ovaries</u> 1 production / release of ova / female gametes; 2 production / release of oestrogen; 3 production / release of progesterone; 	 A – egg cells A – production, release of female hormones if neither hormone named
any two – 1 mark each [2	
 oviducts passageway for ovum to reach uterus; moved along by cilia / ciliated tissue / peristalsis; usual site of fertilisation; 	A – egg cell
any two – 1 mark each [2	
surgical removal of ovaries / uterus or cutting / ligaturing oviducts; [A - tying
contraceptive pill / spermicide; prevents ovulation / prevents implantation / kills sperm [2	A - morning after pill, contraceptive patch / implant / injection
[Total: 1	
	ovaries production / release of ova / female gametes; production / release of oestrogen; production / release of progesterone; any two – 1 mark each oviducts passageway for ovum to reach uterus; moved along by cilia / ciliated tissue / peristalsis; usual site of fertilisation; any two – 1 mark each [2] surgical removal of ovaries / uterus or cutting / ligaturing oviducts; [1] prevents female body fluids coming in contact with male tissue / male body fluids coming in contact with female tissue; [1] contraceptive pill / spermicide;

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2011	0610	22

į	5 (a)		
		continuous variation	discontinuous variation
	example of variation in humans	height / mass;	blood group / ear lobe shape / eye colour;
	factors that influence variation	genes and environment;	genes (only);
		<u>l</u>	

A - other relevant examples

A - specific environmental factors

[4]

(b) (i) a gene is a length of DNA / is a unit of inheritance / is code for a protein;

an allele is any of 2 or more alternative forms of a gene; [2]

(c) diploid nucleus formed by mitosis, haploid by meiosis; diploid nucleus has twice the chromosomes of haploid; body cells are diploid, gametes are haploid;

A - variations, variants

A – genes, genetic materialA – any correct named examples

[Total: 9]

Page 8	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2011	0610	22

6	(a)	(i)	diffusion; [1] A – active uptake, active transport;
		(ii)	xylem; [1] I – vascular tissue
	(b)	(i) (ii)	through the villi; in small intestine / ileum; [2 vitamin D; [7]	
		(iii)	bones / teeth; [1] A – enamel, dentine, named bone or tooth
		(iv)	in milk / when suckling; [1] A - ref. to passage across placenta to fetus
	(c)	1 2 3 4 5 6 7 8 9	sheep releases energy; by respiration; for use in body activities; e.g. chemical reactions / movement / passage of nerve impulses etc; to replace lost heat / maintain body temperature; as sheep warmer than environment; not all grass digested / not all products of digestion absorbed; lost in faeces / urine; energy trapped / retained in sheep's tissues;	A – lost in milk taken by humans
			any four – 1 mark each [Total: 1	
			L	<u>* </u>

Page 9	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2011	0610	22

7	(a)		1 2 3 4 any	keep out pathogens; keep in water / reduce loss of water; because it is impermeable to water; transparent so lets light through; two – 1 mark each	[2]	A – transparent so lets light to palisade cells / photosynthesising cells
	(;	1 2 3 4 any	diffusion (of carbon dioxide); from higher to lower concentration / down concentration gradient; through stomata; through air spaces; two – 1 mark each	[2]	A – diffuse through cell membrane / through spaces in cell wall
		_	•	rensity); ature; [Total		A – colour of light / AW, amount of light A – wilting / AW I – water supply

Page 10	Page 10 Mark Scheme: Teachers' version		Paper
	IGCSE – May/June 2011		22

8 (a) (i) a unit containing all the organisms; and their environment that interact together; [2]

- (ii) producer organism that makes its own nutrients / food; consumer organism that gets its energy by feeding on other organisms; [2]
- **(b)** hibiscus \rightarrow beetle \rightarrow $tarantula \rightarrow snake \rightarrow hawk$ $tarantula \rightarrow snake \rightarrow hawk$ $mango \rightarrow$ beetle \rightarrow caterpillar → $mango \rightarrow$ $tarantula \rightarrow snake \rightarrow hawk$ mango → caterpillar → froq \rightarrow snake → hawk grasshopper \rightarrow tarantula \rightarrow snake \rightarrow hawk $qrass \rightarrow$ grasshopper \rightarrow rat \rightarrow snake → hawk $grass \rightarrow$ $qrass \rightarrow$ snail → $rat \rightarrow$ snake → hawk

in each example -

- 1 five (and only five) organisms quoted starting with a producer and end with hawk;
- 2 organisms in correct sequence and from food web;
- 3 arrows in correct direction of energy flow; [3]
- (c) snake population falls / decreases; less food for frogs / tarantulas; therefore less tarantulas / frogs for snakes to eat; less food for kiskedee / bird; less food for hawks; hawks eat more snakes;

any four - 1 mark each

A – spider for tarantula

 A – logical sequence involving less hibiscus eaten by beetles, more food for aphids, for ladybirds, for frogs, more food for snakes, population rises

- A uses sunlight for photosynthesis, photosynthesises
- A gets organic nutrients from other organisms, reliant on producers
- A spider for tarantula

If drawn as a pyramid can gain MP1 and 2

[4]

Page 11	Mark Scheme: Teachers' version	Syllabus	Paper
IGCSE – May/June 2011		0610	22

	(d)	could kill useful insects; e.g. pollinators / predators of other pests; can accumulate in food chain / ref to bioaccumulation; sterility / death of top carnivores / hawk;		A – kills food of kiskedee, rat
		any two – 1 mark each	[2]	
		[Tota	l: 13]	
9	(a)	made of protein; functions as a biological catalyst / speeds up chemical reactions in organisms;	[2]	A – not used up in reaction
	(b) lactase could be coagulated / denatured in stomach; because of very low / acidic pH; as it normally works in alkaline conditions in small intestine; protease in stomach may digest it;			
		any three – 1 mark each	[3]	
		[Tot		