



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

BIOLOGY 0610/62

Paper 6 Alternative to Practical

May/June 2013

1 hour

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.


Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



1 Fig. 1.1 shows two similar cut shoots in test-tubes that contained 20 cm³ of water at the start.

For Examiner's Use

One shoot has its leaves attached and the other shoot has had its leaves removed. The shoots were placed in the water immediately after being cut.

A small quantity of oil was added to cover the water in these test-tubes. The two test-tubes with the shoots were left in the light for two days.




Fig. 1.1

(a) (i)	Identify the variable that was changed (independent variable) in this investigation.	
	[**************************************	1]


(ii)	Suggest why oil was placed on top of the water in both test-tubes.	For Examiner
	[1]	
(iii)	Use a ruler to measure the height of the water in the two test-tubes, shown in Fig. 1.1.	
	test-tube containing shoot without leavesmmm	
	test-tube containing shoot with leavesmm [1]	
(iv)	Describe and explain your observations.	
	[2]	


(b) The two shoots were removed from the test-tubes.

Both shoots were immediately placed in a beaker of coloured water and left for 10 minutes.

After 10 minutes the shoots were removed from the coloured water.

The shoots were cut in half, as shown in Fig. 1.2, to see how far up the stem the coloured water had moved.





one half of each shoot showing the movement of the coloured water up the stem

Fig. 1.2

© UCLES 2013 0610/62/M/J/13

For Examiner's Use

For Examiner's Use




Fig. 1.3

(1)	Fig. 1.3.	water, Snown	111
	shoot without leaves	mm	
	shoot with leaves	mm	[1]
(ii)	Do the measurements in (b)(i) support the measurements in (a)(answer.	i ii) ? Explain yo	our
			••••
			[2]

For Examiner's Use

iii)	Describe how you could carry out a similar investigation to determine whether temperature affects the rate of water uptake of shoots with leaves.
	[3]

Question 1 continues on page 8.

(c) A group of students measured the mass lost from a flask containing a shoot with leaves.

For Examiner's Use

The shoot was placed in water, on a balance as shown in Fig. 1.4. An automatic data logger recorded the mass every six hours for two days.




Fig. 1.4

Only natural light from the sun was allowed to fall on the shoot.

The students calculated the mass lost every six hours. The data is shown in Table 1.1.

Table 1.1

time of day	mass lost/g
10:00	0.0
16:00	3.0
22:00	5.0
04:00	5.0
10:00	7.0
16:00	10.0
22.00	11.5
04.00	11.5
10.00	13.5

(c) (i) Plot the data from Table 1.1 on Fig. 1.5.

For
Examiner's
1100

r	7		,		·	:-		::	;	,,-					:		33							::-			;							,,		77	****					77	1		
r	+-		tt		÷		-+i	: }		††			} }	ii	† <u>†</u>	+-+-	ff	tt-	†- †	·	· † †			ii-		-+-1		††-	***		 	tt	†- †-	ii		4-4-	tt		h-h-i			÷	tt		
r	†	-1	††		†	1-1-				111				† !		***	1-1-	††-	†* † **		11			11-	11	***			11			tt	1-1-	1		†-†-	1		****			1-1-	11		
r	7	1	177	7	7					111		-11				111	1-1-	1	11		11		7	1-1-	1				11			1-1-		1-1-		1-1-	1					111	1-1		
	Ι	11.	Ш		I											III		Ш	ΙĪ				I	Ш													Ш					III			
Ĭ.	1	1	Ш		1				1			111					111	LL	11		Ш	11	1	Ш		1 1								Ш		1.1.	Ш					II.	Ш	1.1	
į.	j.	. ļ	įį	į.	. j	ļ., į.				L.i.	į.		ļ.,ļ.,		ļi	1.1.	1.1.	11-	1.1	ļ., į.,	4.4	-1-1	.j.,	ļi.	.1	-1-3		ļ., ļ.,	1.1			ļ.,ļ.,	ļ.,i.,	<u> </u>		1.1	11	ļ				1.1.	1.1	- [-]	
į.	j.,	- į	ii	ļ.	٠	ļļ.)		įį.	į.			j	ļļ	4.4.	ļļ	ļļ.	ļ., ļ.,	ļļ	. j j		4	ii.		-4-3		ļļ.	1.1			ļļ	ļ.,	ļļ		ļļ	ii					J.J.,	ii.		
į.	٠Ļ.,	-4	įį	ļ.	. ļ	ļļ.				įį.	į.	-	ļļ	ļ .	ļļ	4.4.	ļļ	ļļ.	ļ.ļ	ļļ	. įį.		4	įį.	-11	-4-3		ļļ.	Ļij			ļļ	ļ.,ļ.,	ļļ		44	ii					ļļ	. j j.		
Ļ.			ļļ	ļ.		ļ.,			-4	ļ., į.	<u>į</u> .			ļ ļ	ļļ	4.4.	ļļ	ļļ.	.ļļ	ļ i			4.	ļļ.		-4-3			4.4			ļļ	ļ.ļ.			4-4	ļļ					4.4.	ļļ.		
į.	4.		ļļ	 -	÷					ļļ.				ļ .		4-4-	44	ļļ-	+-+	ļļ			-4	ļļ-								ļ}		ļļ		4-4	ļļ					4-4-			-4-4
ŀ	4.		ļļ		÷	ļ				ļ							44	ļļ-	÷-÷	ļļ	· † †								+-+			ļ}				4-4	÷÷						·		
ļ.	4.	-4	ļļ	-4-		ļ				įį.				ļ ļ	ļļ		jj	ļļ-	ļ.ļ.	ļļ	· i i		-4	ii-		-4-4		ļļ-	4-4			ļļ		ļļ		4-4	ii	}	ļ-4-4			4-4-	ii		-4-4
ŀ	4-		jj	}-	÷	ii-		j}		ii-	j-	-}}		ļ <u> </u>	ii	4-4-	44	jj-	÷	(i	· į į	}}-	-4	ii-		-4-4		ii-	4-4			ļļ	ļ	ii		44	ii	}	}}}		}}-	4-4-	ii	}}	-4-4
ŀ	4.		įį		÷	ii-				įį.				ļ ļ			şş	ļļ-	÷-÷	ļ	·		-4			-4-3			÷-÷			ļļ		ii		44						+-+-	·		
÷	÷		÷÷		·÷					÷÷	- -				·	÷-÷-		ļļ-			· † †								÷-÷		+	ļ}				4-4	÷÷					+-+-	- 		
÷	+-		÷÷		·÷	::-				÷÷				···	·	÷÷-		÷÷-		·	· † †			÷÷-					÷-÷							+	÷÷					+	÷÷		
'n	+		†		+					††-				ii		+-+-		 -	†- †		++				+-+				+++			†			·	+-+-	†÷					+-+-	11		
r	+-		†		÷	ff-		·		††			} 		ii	++	† 	††-	†**		ᠠ			ii-	+-+			ii-	†*†			tt	†- †-	††		4-4-	11		f-f-f			+++	†+		
ř	4.	-†	††	**	***	1-1-		} }		11-	†-			•	!!	777	11	†	7.7.		· † †		-4	11-	7-7			!!-	717		+	† <u>†</u>	***	11		44	††	}	?- ?- ?			111	tt		
ř	†	-1	1-1		Ť.,	m	-1	1		111		1111		1-1	11	777	1-1-	1-1-	***	ít	11	-1-1	7-	11-	111		1	11-	111			1-1-	111	1111	1111	7-7-	111		7-7-1			111	1-1		77.1
r	Ť	1	111		Ť	111	111	1		111		111		1111	1-1-	11	111	1111	111	1111	111	77	7	1111	111	111	1	1	111			111	11	1111	111	111	111		1111		117	111	111	111	111
r	7	1	111	7	1	111	1		1	111		777		111		111	111	1-1-	111	: :::	111	11	7	1111	11	111			117			111	111	777		111	111		1111		111	111	111	111	111
C	Τ	11.	Ш	H	T	Ш			7	Ш	П	III		111		Πī	Ш	H	ΠT	1111	Ш		П	Ш	111	111	1111		Ш			Ш		Ш		111	Ш					m	H		
C	Τ	Ш	Ш	Ш	I	Ш			H	Ш	П	Ш				m	Ш	Ш	III		Ш		П	Ш		\mathbb{I}			Ш			Ш	Π	Ш		111	Ш					Ш	Ш		\mathbb{I}
C	Σ.	.][[Ш	Π.	X.	Ш			Œ.	Ш	Ш.			Ш	Ш	m	Ш	Ш	$\Pi\Pi$		Ш		JI.	Ш		.10		Ш	M		LI.	Ш	m	Ш	LIX	Ш	Ш	[LDD			m	Ш		
Ĺ.	١.		Li	l.	. i	11.		ш		11.		.11	LL	l. l	li	LL	1	11.	ш.	ii	.11			li.	.11			ll	Li			lL	LL	1	i . i .	1	LL					1.1.	11		
Ĭ.	1.		11		1				1	1.1						1.1.	1.1.	11.	1.1.			1.1	1	1	1.1				1 1			1	1 1	1		1.1.	11					1.1.	1.1	1.1	
į.	4.	-4	11	<u>;</u>	. <u></u>	1		1	-4	1		4-4	<u> </u>	1	<u> </u>	4.4.	4-4-	4-4-	4.4	<u> </u>	.11	-4-4	4	1	4.4	-4-4		ļļ.	1.1			1	1.1.	1	<u>.</u> .	4-4-	11		1-1-1			4.4.	11	-4-4	
ļ.	4.	-4	11	-4-	. j	i i .			-4	1			ļ., ļ.,	ļ .	ļļ	4-4-	4-4-	44-	4.4	ļ., ļ.,	44	-4-4	4	ii-	4-4	-4-4		ļļ.	4.4			ļļ	4-4-	ļļ		4-4	44		1-4-4		-4-4-	4-4-	44		-4-4
ļ.	4.	-4	ii	-4-	. j	{ j-		i)	-4	įį.		-}}	ļļ	li	ii	4-4-	44	44-	ş	ļļ	44		-4	ii-	4-4	-4-4		ii-	4.4	-4-4		ļ}	ļ., ķ.,	ii		4-4	44	}	4-4-4		-4-4-	4-4-	ii		-4-4
ļ.	4	-4	ļļ	-4-	. j	ļ ļ.			-4	įį.				ļ .	ļļ	4-4-	44	44-		ļ ļ	·		-4	ii-		-4-4			4.4			ļļ	ļ., ķ.,	ļļ		4-4	44		ļ., ķ., ļ			4-4-	44		
ļ.	4.	-4	ļļ		÷				-4	44-				ļ ļ	ļļ	4-4-	44	ļļ-	+-+	ļ ļ	· 		-4	ii-		-4-4		ļļ-	+-+			ļļ		ļļ		44	ii					44			
ŀ	4-		ł		·÷											+-+-			+-+		·+÷	-+-+	-4			-+			+-+		+					+-+-	÷÷					+-+-	++		-+-+
ŀ	+-		ł	-+-	+					÷-÷	 -	-++		 		+-+-	44	tt-	+-+		++		-4		+-+	-+			+-+		+	tt	+-+-			4-4	÷÷		+-+-4			+-+-	++		-+-+
ŀ	+-		tt	-+-	·+					11-			} 		ł}	+-+-	ff	tt-	†-†-	·	· † †		-4	ii-	4-4	-4-4		ii-	+-+		+	tt	÷-÷-	ff		4-4-	tt		h-4-4			+-+-	tt		
ŀ	4-	-1	11		+	{{-				1-1		-}}	}}	f f	!}-·	1-1-	4-4-	tt-	†-†-	· · ·	11	}}-		11-	1-1	-4-4		ii-	111		+	tt	†	11		4-4	11	}	}			4-4-	11	}}	
ř	+	-1	11		***	1-1-	-1	1		111		11-1		1-1	11	7-7-	1-1-	11-	***	111	11			11-	111	-1-1		11	111			1-1-	1-1-	1111		1-1-	1-1		1111			111	11		
r	7-	-1	11		· † · ·	***				****						111	1-1-	11-	***		11			11-	111			11-	111			1		****		7-1-	11		7-7-1			****	11		
r	7	-1	1		7	111				111		-11		1111		777	1-1-	1	111		11			1	11		1		111			††	1111	1111		111	111		1111			111	111		
r	7	7	177	7	7	111		1		111		111		1	1-1-	111	1-1-	1-1-	TT		111	-T-T	7	1111	11		1	11-	TT			1-1-	111	1111		7-7-	111					711	111		
r	7	7	m	1	T	111			7	111	1	777		1	111	TT	777	TT	TT	1111	TT		7	111	TT	777		111	m			1-1-	777	1111		777	TT		7777		TT	777	TT	77	77
ľ	T	1	m	7	T	Ш			7	m		7.7			1	m	m	T	TT	1111	T	777	7	1111	11	777			m			1-7	m	m		7-7-	T				777	TT	TT	77	
Ũ	I	11.	Ш	П	1	Ш			I	Ш	Ш					Π	Ш	Ш	Π		Ш		H	Ш		111			M		I.I.	Ш	Π	Ш		Ш	Ш					\mathbf{m}	Ш		
Ē	I	1	Ш	1	1	Ш			1			111						Ш	11		Ш	1.1	1	Ш		1.3								Ш		111	Ш				1.1	III	Ш		
į.	4.	4	1		. <u>.</u>	1				1				1	ii	1.1.	4-4-	11-	1.1	L	.11	-4-4	4	1	4.4	-4-4			1.1			ļ.,ļ.,	1.1.	1		4-4-	11		1			1.1.	11	-4-4	-4-4
ļ.	4.	-4	ļļ	ļ.	٠	ļ., ļ.				ļ., į.		4	ļļ	ļļ	ļļ	44.	ļļ	44-	4.4	ļļ	44	-4-4	4	ļļ.	4.4	-4-4		ļļ	4.4			ļļ	1.4.	ļļ	Ii.	4-4	1		ļ., ļ., ļ			4.4.	4.4	-4-4	
١.	4.	-4	įį	-4-		ii.		j)	-4	įį.	į.		ļļ	ļģ	ii	4.4.	44	44-		i	44		4	ii-	4	-4-3		ii-	4.4			ļļ	4-4-	ii	ii.	4-4	4	}	4-4-4			4.4	44		
ļ.	4	-4	ļļ			ļ ļ.		i į	-4	ļļ.				ļ .	ļļ	4-4-	ļļ	ļ}-	Ļ.ķ	ļļ	· ‡ ‡		-4	44-		-4-4	4	ļļ-	4-4			ļļ	ļ., ķ.,	ļļ		44	ļļ		إساسا			4.4	ļļ		
ļ.	4.	-4	ļļ			ļļ-		: 	-4	44.				ļ ļ	ļļ	+-+-	44	ļļ-	+-+	ļ ļ	· 		-4	44-		-4-4		ļļ-	4-4			ļļ		ļļ	ļļ ļ .	44	ļļ					4-4-			44
ŀ	4.	-4	}}		÷					4-4						+-+-			+-+		·÷÷					-+			+-+							+-+-						+			
ŀ	+-		}}	-+-	÷				-+-			+		 		+-+-		÷÷-	+-+		· † †	-+-+	-+		+-+	-+			+-+			}}- -	+-+-			4-4	÷÷		+-+			+-+-	÷÷		-+
ŀ	4-		ļļ		÷	}					- -				ļļ		44		÷-÷	ļ	· † †				-}}			ļļ-	+-+			ļ}		{}		44						4-4-			
ŀ	4-	-1	ļļ		÷	}j-				11-	···				ļļ	钟	ff	ff-	÷-+	(++			1i-				ļļ-	14		4	ļ}	}	ff		44	1		}			+	1		
ŀ	÷.		ļļ	-÷-	÷	-				1-1					ļļ	-	 	ţţ-	÷-+	···	· † †		-4	1f-				ļļ-	++			ļ}	 -	 		44	1					++	1		
ŀ	÷		† - -	<u>-</u> -	÷					1-4					ļ	++-	1-1-	 -	+-+		++		4	†	+-+				++			ļ		 		4-4-	1					+++-	1-1		
Ė	÷		1		÷	11				11				1-1		+++	1-1-	†	+-+		1			11-	+++				11			 		1-1-		1-1-	11					1-1-	1-1		
r	7		m		÷	m				mi		****		1111		77	1111		† † † · ·				++-	†***	111				77			† †	111	***	••••	1111	***					111	111		
r	Ť	-1	m	Ť	Ť	m				mi	Ť	111		1	i i i i	TŤ	m	1-1-	TŤ	m	m		7	1i-	11			1-1-	TŤ			i-i-	7-7-	m		7-1	m					111	TŤ		
ř	Ť	1	m	7	7	m			1	m	-1	111			11	TŤ	m	1	TŤ	m	77		7	1-1-	11	77		11	m			7	7-4-	m		71	H					TT	T	7-7	-
Ĩ	T	1	H	T	T	H				H	T.	111				\mathbb{T}^{n}	$\Pi \Gamma$	Π^{\dagger}	ΠŤ		Π^{\dagger}		J.	Пľ					m			Ш		Ш		111	П					III	Π^{\dagger}		
ſ	I	11.	П	I	I	Ш			I	П	H					H	Ш	Ш	ΠĨ				I	Ш					П			L	ΠĪ	Ш		H	П					Π			
ſ	Ι	.1.	Ш	Ξ	I.	Ш			I	П	П				Ш	LΙ	Ш	Ш	LΙ	Ш	Ш		I	Ш				Ш			LI.	LII	LI	Ш		Ш	Ш	Π.			H	Π	Ш		
Ĺ	Ĩ.		Ш	[]	1	Ш					[LΙ	Ш	Ш	LΙ	L.I.	LI.	17	II.	Ш		[]]	[1[[]	L.I.	L.I.	LI	1I	LIT	1.1.	Ш	[[]	17	1.11	LI		
į.	j.	-	į[[.]	. j	Ш				LÍ.	[.	4[J.J.	L.L.	11-	441		.j[. ļ. l	J.	ļ[.				-	į. į	[]		1.4.	LLI	ļļ.ī	LL.	1.1.	įí				4.	L.L.	1[4.5	
Ĺ.	. j.,	- į	ļļ	ļ.	. j	ļļ.				įį.		.		ļļ	ļļ	المبار	ļļ	ļļ.	سليل	ļļ	.jl		4.	ii.		-4-3			ļ.ļ			ļļ	L.L.	ļļ		4.4	1		إلليا			44.	ļl.		
i.	.i.	.i	i.i	٠.ز	.i	ii.	للنا	نن		11	i.	نىد.		ii	L.L.	سلسلا	ii	il.	سليد	ii.	.ii	. 1 1.	i	ii.	نند.		i	L.L.	إلىلا	ii	١١	بلين	JI	ii	iij.	.ii	i.i	٠				.11.	i.i	البالب	

Fig. 1.5

	•	[4]
(ii)	Describe and explain the results.	
	escription	
	xplanation	
		[3]

Fig. 1.6 shows part of the lower surface of a leaf as viewed under a microscope.






Fig. 1.6

(d) Name the structures labelled **G** and **H**.

G	
Н	[2]

- (e) The number of stomata on the lower surface of the leaf can be calculated by using Fig. 1.6.
 - (i) Count the number of stomata visible in Fig. 1.6.

number of stomata [1]

(ii)	The magnification of the image in Fig. 1.6 is × 300.												
	The length of one side of the image is 120 mm. The image is a square.	Examiner's Use											
	You can calculate the actual length of one side of the square of leaf surface shown in Fig. 1.6 by dividing the length of one side of the image by the magnification.												
	Calculate the actual length of one side of the square of leaf surface shown in Fig. 1.6. Show your working.												
(iii)	actual length of one side of the square of leaf surface mm [1] Calculate the actual total area of the square of leaf surface shown in Fig. 1.6. Show your working.												
	actual total area of the square of leaf surface mm ² [2]												
(iv)	The number of stomata per mm ² can be calculated from the number of stomata and the actual total area of the square of leaf surface shown in Fig. 1.6.												
	Calculate the number of stomata per mm ² of this leaf. Show your working.												
	number of stomata per mm ² [2]												
(v)	The total area of the lower surface of this leaf was measured and found to be 9000 mm ² .												
	Calculate the total number of stomata on the lower surface of this leaf. Show your working.												
	total number of stomata [1]												
	[Total: 27]												

- 2 You are going to observe and draw one of your fingers.
 - (a) Place the palm of your hand on the paper. Examine one finger.

Make a large, labelled drawing of this finger.

For Examiner's Use

[4]

(b) Fig. 2.1 shows the European mole, Talpa europa.

(c)





			2 man	
		F' 0.4	hand × 0.8	
		Fig. 2.1		
(i)	State one simila and your hand.	arity, visible in Fig. 2.1, betwe	een the structure of the mole's ha	nd
				[1]
(ii)		2.1 to state two difference of the mole's hand and your ha	es, visible in Fig. 2.1 between the	he
	feature	mole's hand	your hand	
	shape			
	size			
L				[2]
(i)	Name the group	of vertebrates to which the mo	le belongs.	
				[1]
(ii)	State one featur	e, visible in Fig. 2.1, that supp	orts your answer to (c)(i).	
				••••
				[1]

[Total: 9]

3 Arum lilies, such as *Arum maculatum*, are plants that have a smell like rotting meat. The smell attracts flies so that the flowers can be pollinated. Some arum lilies have a purple coloured sheath and some have a light green coloured sheath.

For Examiner's Use

Fig. 3.1 shows an arum lily with part of the sheath cut away to show the inside.




Fig. 3.1

A group of students collected arum lilies from the same habitat, **two** with purple coloured sheaths and **three** with light green coloured sheaths.

They opened the sheaths of each lily and counted the number of flies inside.

The results are shown in Table 3.1.

Table 3.1

colour of sheath	number of flies	total number of flies	mean number of flies
purple	3		
purple	5		
light green	5		
light green	6		
light green	4		

(a) Calculate the total and mean number of flies found in each colour of sheath.

Write your answers in Table 3.1.

[2]

(b)) Suggest two ways in which this investigation could be improved.		
	1	'	
	2		
	[2]		
	[Total: 4]		

For Examiner's Use

16

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.