UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the June 2005 question paper

0620 CHEMISTRY

0620/02

Paper 2 (Core Theory), maximum mark 80

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were initially instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published *Report on the Examination*.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the *Report on the Examination*.

 CIE will not enter into discussion or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the June 2005 question papers for most IGCSE and GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

nation.

Grade thresholds for Syllabus 0620 (Chemistry) in the June 2005 examination.

	maximum	minimum mark required for grade:			
	mark available	А	С	E	F
Component 2	80	N/A	57	42	31

The threshold (minimum mark) for B is set halfway between those for Grades A and C. The threshold (minimum mark) for D is set halfway between those for Grades C and E. The threshold (minimum mark) for G is set as many marks below the F threshold as the E threshold is above it.

Grade A* does not exist at the level of an individual component.

June 2005

IGCSE

MARK SCHEME

MAXIMUM MARK: 80

SYLLABUS/COMPONENT: 0620/02

CHEMISTRY (Core Theory)

www.xtrapapers.com

Page 1			Mark Scheme	Syllabus	
	r age r			IGCSE – JUNE 2005	0620 B
1	(a)	(i)	Α		Car.
		(ii)	В	+ E	Syllabus A. D. Pr 0620 A. D. D. Pr 0620 A. D. D. Pr 0620 A. D.
		(iii)	Α	+ C	No.
		(iv)	В		[1]
		(v)	В	+ E	[1]
	(b)	(i)		raphite OT: charcoal	[1]
		(ii)		amond/buckminsterfullerene OT: graphite (but ALLOW: ecf from part (i)	[1]
	(c)		O.	W: Na [⁺] I⁻ Na [⁺] + I⁻	[1]
	(d)	bec ALL	au .O	ound (no mark) se two different (types of) atoms <u>joined/bonded</u> etc. W: two different elements bonded	[1]
		NO	١.	atoms together	Total = 9
2	(a)			g/filtration distillation, NOT: decanting	[1]
	(b)			turns pink/red orange	[1]
	(c)	(i)	st	eel	[1]
		(ii)		ater OT: steam	[1]
		(iii)	C	ppper/iron	[1]
		(iv)		atural gas OT: methane	[1]
	(d)	met	ha	ne	[1]
	(e)	100	٥ (C (100 = 0)	[1]
	(f)	(i)	Ca	alcium/Ca ²⁺	[1]
		(ii)		LLOW: e OT: electron	[1]
	(g)	(i)		arbon dioxide + water CCEPT: correct formulae	[1]

www.xtrapapers.com

Syllabus 0620

		1005E - 30NE 2003	
		(ii) carbon monoxide NOT: CO	bride
3	(a)	random arrangement; far apart.	[2]
	(b)	pH9	[1]
	(c)	(i) NH ₃ /H ₃ N	[1]
		(ii) covalent	[1]
		(iii) weak forces between particles OR molecules/weak intermolecular forces	[1]
	(d)	(i) H ₂ SO ₄	[1]
		(ii) nitrogen; soil	[2]
	(e)	Any 3 from:	
		ammonia evaporates from (ammonia) solution; diffusion; particles/molecules of ammonia/gases are in constant movement/ move freely; ALLOW: move fast NOT: particles of ammonia solution move freely NOT: move from high to low concentration movement of particles/molecules is random. NOT: ammonia spreads out;	[3]
	(f)	(i) the air ALLOW: atmosphere	[1]
		(ii) 2 (NO ₂)	[1]
		(iii) reversible reaction ALLOW: equilibrium	[1]
		(iv) exothermic/heat given out	[1]
		Total	= 16
4	(a)	monomers	[1]
	(b)	does not have a double bond/only contains single bonds/has a single C – C bond NOT: has a single bond NOT: it is saturated NOT: no spare bonds	[1]
	(c)	displayed/graphical formula correct ALLOW: correct dot and cross diagrams	[1]
	(d)	(i) breaking down of long-chained hydrocarbons/formation of smaller hydrocarbons from larger	[1]

Mark Scheme IGCSE – JUNE 2005

Page 2

ww.	xtrar	ape	rs.co	m
4.				

Page 3		e 3	Mark Scheme	Syllabus	er
			IGCSE – JUNE 2005	0620	
		(ii)	high temperature ALLOW: heat		Cambridge
			(catalyst alone = 0)		· Go
		(iii)	C_8H_{18} ALLOW: other sensible combinations $2(C_2H_4) + C_6H_{14}$		
	(e)	(i)	H ₂		[1]
		(ii)	any 2 of:		
			temperature gradient in fractionation column; smaller/lighter molecules (rise) higher in column OR smaller/lighter molecules (rise) higher in column OR smaller/lighter molecules of e.g. referring to larger/heaver molecules ALLOW: hydrocarbons in place of molecules NOT: lighter/heavier fractions different fractions condense at particular heights in column condense when temperature falls below their boiling points/of temperatures	mn/fractions nts	[2]
		(iii)	petrol: fuel (for cars)/other suitable use		[1]
			NOT: for cars etc. lubricating fraction: lubricating oils/waxes/polishes/other	suitable use	[1]
			NOT: for planes etc.	Т	otal = 11
5	(a)	(i)	molecule containing 2 atoms ALLOW: element containing 2 atoms		[1]
		(ii)	whether it is solid, liquid or gas (all 3 needed)		[1]
	(b)	(i)	gas; liquid; solid (all 3 = 2 marks; 2 correct = 1 mark)		[2]
		(ii)	red/brown/orange or combination of these		[1]
		(iii)	130-210 (° C) (actual = +184 ° C)		[1]
	(c)	iodi	ne + potassium chloride (1 each)		[2]
	(d)	(i)	8 electrons in each shell + atoms joined no bonding electrons = 1 IGNORE: inner shell electrons if correct (incorrect inner shell electrons = 1 max)		[2]
		(ii)	water purification OR treatment/killing bacteria etc./bleadmaking refrigerants/making organic chlorine compounds solvents/extracting titanium/detinning scrap tinplate/makacid/extraction of bromine from seawater/other suitable	(named)/ <u>making</u> ing hydrochloric	er)/ [1]

www.xtrapapers.com

Total = 13

	Pag	e 4	Mark Scheme	Syllabus	7	
	ı ay	C T	IGCSE – JUNE 2005	0620 W	1	
	(e)	(i)	A	"Can	L	
	(-)			Syllabus A.	1	
		(ii)	C	3	ò	
		(iii)	it contains ions; which can <u>move</u> /are free to <u>move</u> (OW reference to electrons = 0	ITE)		
	(f)	(i)	Period 6	[1]]	
		(ii)	85	[1]]	
		(iii)	<u>atoms</u> with (same number of protons and) different num different mass number/different nucleon number NOT: molecules with ALLOW: elements with	ber of neutrons/]	
		(iv)) 125	[1]]	
				Total = 19)	
_						
6	(a)	(i)	iron + sulphuric acid → iron sulphate + hydrogen -1 per error/omission NOT: iron(III) sulphate NOT: hydrogen sulphate	[2]	J	
		(ii)	lighted splint;			
		` ,	pop/small explosion etc. (consequential marking)	[2]]	
	(b)	(i)	cathode	[1]]	
		(ii)	allows conduction (of electricity)/allows charges or ions to flow through the solution			
		(iii)	gains layer of copper/coated with copper			
			NOT: gets bigger decreases in size/gets smaller/loses copper etc.	[1]		
			ALLOW: the copper dissolves NOT: breaks up/flakes off	[1]	J	
		(iv)	aqueous sodium hydroxide; light blue ppt; insoluble in e OR aqueous ammonia; light blue ppt; soluble in excess, (consequential marking)]	
	(-)	4	· · ·	it d		
	(C)	not NO NO	make them attractive/makes them shiny/protects the iron corrode OR oxidise easily/less reactive than iron or: chromium is unreactive etc. or: other properties of chromium e.g. hard or: corrosive	so it does not rust/does [1]]	
	/ a1\			*4*		
	(a)	iron	n > chromium > copper	[1]	J	