Centre Number

Candidate Number

Name

WANN, PAPAC AMBRIDGE, COM UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY

0620/05

Paper 5 Practical Test

May/June 2005

1 hour 15 minutes

Candidates answer on the Question Paper. Additional Materials: As listed in Instructions to Supervisors

READ THESE INSTRUCTIONS FIRST

Write your name, Centre number and candidate number in the spaces at the top of this page. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

The number of marks is given in brackets [] at the end of each question or part question. Practical notes are provided on page 8.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

FOR EXAMINER'S USE		
1		
2		
TOTAL		

This document consists of 6 printed pages and 2 blank pages.

1 You are going to investigate a mixture of calcium hydroxide and water.

Read **all** the instructions below carefully **before** starting the experiment.

Instructions

Shake the mixture of calcium hydroxide and water provided in the bottle.

After one minute of shaking, filter the mixture into a beaker.

Start Experiment 1 when enough solution has been collected. Continue to filter the mixture.

Experiment 1

By using a measuring cylinder, measure 25 cm³ of the solution (filtrate) into the conical flask provided.

Carry out the titration as follows.

Fill the burette to the 0.0 cm³ mark with the solution **M** of hydrochloric acid.

Add 3 or 4 drops of phenolphthalein to the flask.

Add solution M slowly to the flask until the colour just disappears. Record the burette readings in the table. Pour the solution away and rinse the conical flask.

Experiment 2

Empty the contents of the burette down the sink.

Rinse the burette with the solution **N** of hydrochloric acid.

Repeat Experiment 1 using the solution **N** of hydrochloric acid.

Record your results in the table.

Normally you would be required to carry out repeat titrations. However, owing to time considerations you are only required to carry out one titration for each experiment

Table of results

burette readings/cm ³	Experiment 1	Experiment 2
final reading		
initial reading		
difference		

	ດ	œ.

(a)	Describe the appearance of the mixture of calcium hydroxide and water.	
		[1]

3

(b)	Hov	v did the colour of the solu	ution in the flask chang	je?	Coll.
	from	1	to		Tong.
(c)		at type of chemical read roxide?	ction occurs when hy	drochloric acid reacts with	calcium
	•••••				[1]
(d)	(i)	In which experiment was	the greater volume of	hydrochloric acid used?	
	(ii)	Compare the volumes of	acid used in Experime	ents 1 and 2.	[1]
					[0]
((iii)	Suggest an explanation f	or the difference in vol	lumes.	
					[2]
(e)	Exp	dict the volume of hydroc eriment 1 was repeated v wer.	hloric acid M which wo with 50 cm³ of calcium	ould be needed to react com hydroxide solution and exp	npletely if plain your
	exp				[3]
(f)			ould make to the app	paratus used in the experi	
(g)	Fron	m the list below choose th		plete the sentence.	[1]
		not	slightly	very	
	Cald	cium hydroxide is		soluble in water.	[1]

	www.xtrapapers.co
	4 For Examiner's
You are provided with liquid A .	acan Use
Carry out the following tests on A , recorwrite any conclusions in the table.	4 For Examiner's Use ording all of your observations in the table. Do not observations
tests	observations
(a) Describe the appearance and smell of A.	
	[2]
(b) Test the pH of the solution using indicator paper.	colour
	pH [2]
(c) Divide the liquid into five test-tubes.	
(i) To the first portion, add the piece of magnesium ribbon provided. Note any observations and test the gas.	[3]
(ii) To the second portion of liquid A , add slowly a spatula measure of anhydrous sodium	
carbonate. Test the gas with limewater.	[2]
 (iii) To the third portion of liquid A, add a spatula measure of solid B. Boil gently for 2 minutes. Note any observations. 	
By using a teat pipette transfer the solution to another test tube. To this solution add excess aqueous ammonia.	[2]
	Carry out the following tests on A, reconvrite any conclusions in the table. tests (a) Describe the appearance and smell of A. (b) Test the pH of the solution using indicator paper. (c) Divide the liquid into five test-tubes. (i) To the first portion, add the piece of magnesium ribbon provided. Note any observations and test the gas. (ii) To the second portion of liquid A, add slowly a spatula measure of anhydrous sodium carbonate. Test the gas with limewater. (iii) To the third portion of liquid A, add a spatula measure of solid B. Boil gently for 2 minutes. Note any observations. By using a teat pipette transfer the solution to another test tube. To this

WWW. PapaCambridge.com 5 observations tests (iv) To the fourth portion of the liquid add about 1 cm³ of ethanol. Ask your supervisor to add a few drops of concentrated sulphuric acid to the mixture. Boil the mixture gently. Pour the mixture into a beaker half full of water. [2] Note your observations. (v) To the fifth portion of liquid **A** add a few drops of dilute sulphuric acid and about 1 cm³ of potassium dichromate solution. Boil gently and note any observation. [1] (d) (i) Name the gas given off in test (c)(i). (ii) Name the gas given off in test (c)(ii). (e) Use your observations in test (c)(iii) to say what ion is present in solid B.

(f) What conclusions can you draw about liquid A?

6

BLANK PAGE

7

BLANK PAGE

NOTES FOR USE IN QUALITATIVE ANALYSIS

Test for anions

NOTES FOR USE IN QUALITATIVE ANALYSIS Test for anions anion test test result carbonate (CO 2 add dilute acid effervescence, carbon dioxide			
Test for anions anion	test	test result	
carbonate (CO 3)	add dilute acid	effervescence, carbon dioxide produced	
chloride (Cl ⁻) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.	
iodide (I ⁻) [in solution]	acidify with dilute nitric acid, then aqueous lead(II) nitrate	yellow ppt.	
nitrate (NO ₃) [in solution]	add aqueous sodium hydroxide then aluminium foil; warm carefully	ammonia produced	
sulphate (SO ₄ ²⁻) [in solution]	acidify with dilute nitric acid, then aqueous barium nitrate	white ppt.	

Test for aqueous cations

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia
aluminium (Al 3+)	white ppt., soluble in excess giving a colourless solution	white ppt., insoluble in excess
ammonium (NH ₄ ⁺)	ammonia produced on warming	-
calcium (Ca ²⁺)	white., insoluble in excess	no ppt., or very slight white ppt.
copper(Cu ²⁺)	light blue ppt., insoluble in excess	light blue ppt., soluble in excess giving a dark blue solution
iron(II) (Fe ²⁺)	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) (Fe ³⁺)	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc (Zn ²⁺)	white ppt., soluble in excess giving a colourless solution	white ppt., soluble in excess giving a colourless solution

Test for gases

gas	test and test results	
ammonia (NH ₃)	turns damp red litmus paper blue	
carbon dioxide (CO ₂)	turns limewater milky	
chlorine (Cl ₂)	bleaches damp litmus paper	
hydrogen (H ₂)	"pops" with a lighted splint	
oxygen (O ₂)	relights a glowing splint	