UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2006 question paper

0620 CHEMISTRY

0620/03

Paper 3 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

The grade thresholds for various grades are published in the report on the examination for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2006 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

VOUS A / LA	xtrapaper	c com
VV VV VV	M li apapei	5. COIII
47.		

[1]

[1]

[1]

[2]

[TOTAL = 9]

Page 2			ark Scheme Syllabu Syllabu	per
		IGCSE - OCT/NOV 2006 0620		Dac
1	(i) (ii) (iii) (iv) (v) (vi)	noble gas acidic oxide can be polymerised active component treatment of water product of respiration	argon carbon dioxide ethene oxygen chlorine carbon dioxide	TOTAL = 6
2	More	than required number of	answers – [0]	
_	(i) (ii) (iii) (iv) (v) (v)	A, B, D D F C and E A E		[1 [1 [1 [1 [1
				[TOTAL = 6
3	(a)	limestone or marble or	chalk or coral or calcite or aragonite	[1
	(b)	(i) 100 56 ignore units i	in both cases	[1 [1
		(ii) 7.00kg is 1/8 of 5 1/8 of 100kg is 12 Give both marks but penalise wron	2.5kg for correct answer without explanation. Ignore missing un	[1 [1 its
	(c)	To increase crop Any ONE	pH about 7 w (well) in acidic soils/plants grow better	[1
			bonate, pH cannot go above 7	[
		It is not absorbed	away by the rain/remains longer in the soil I by the plant	[1
		OR		_

Any correct use - making steel/iron, making cement, making glass,

gases, (stone in) building, indigestion tablets, toothpaste, cosmetics etc

disposing of acid wastes, removing sulphur dioxide from flue

With calcium oxide, pH can go above 7

It is washed away by the rain

 $CH_4 + 2O_2 = CO_2 + 2H_2O$ Not balanced [1] **ONLY**

carbon monoxide is formed **COND** it is poisonous **NOT** incomplete combustion

Comment about acid rain/lung disease e.g. bronchitis

Burns to form sulphur dioxide

(iii)

(i)

(ii)

4 (a)

(b)

www	xtrap	paper	s.com
11			

Page 3	Mark Scheme	Syllabu	per
	IGCSE - OCT/NOV 2006	0620	No.

- (c) (i) Transition elements/metals or d block elements
 - (ii) carbon monoxide is changed into carbon dioxide hydrocarbons to carbon dioxide and water (by reacting with the oxygen)

[TOTAL =

[1]

[1]

[1]

[3]

[3] [1]

[1]

- 5 (a) (i) iron
 - (ii) advantage higher yield explanation lower temperature favours the exothermic reaction (that is the forward reaction)
 - (b) (i) Sent over the catalyst again **or** used to make more ammonia [1] **NOT** just reused
 - (ii) It has the highest boiling point [1]
 - (c) (i) $CO_2 + 2NH_3 = CO(NH_2)_2 + H_2O$ [2] Not balanced [1]
 - (ii) Any comment based on deficiency of PK/or ONLY provides Nitrogen as a nutrientNOT soil pH
 - (d) Correct diagram for urea one error ONLY [2] two errors ONLY [1] three errors 0

[TOTAL = 11]

6 (a)

	copper	iron	sulphur	
composition by mass/g	(4.80)	(4.20)	4.8	[1]
number of moles of atoms	0.075	0.075	0.15	[1]
simplest mole ratio of atoms	1	1	2	[1]

The empirical formula is CuFeS₂

- (b) (i) impure copper/blister copper/boulder copper etc
 (pure) copper
 copper sulphate **or** nitrate **or** chloride **or** contains Cu²⁺aq
 - (ii) $Cu^{2+} + 2e^{-} = Cu$ [1]
 - (iii) Zinc [1]
- (c) Copper has delocalised electrons [1

In sulphur the electrons are localised **or** cannot move in the piece of sulphur

In copper there are layers of copper atoms/ions

Which can slip In sulphur there are no layers

[TOTAL = 13]

www.xtrapapers.com

[1]

[1]

Page 4	Mark Scheme	Syllabu
	IGCSE - OCT/NOV 2006	0620
7 (a)	 (i) greater initial slope or levels off later Twice final volume (ii) smaller slope same final volume 	Syllabu Apper 0620
(b)	more particles in same volume/particles closer together greater collision rate	[1] [1]
	molecules move faster greater collision rate	[1] [1]
	OR molecules have more energy so more will have sufficient energy to react	[1] [1]
(c)	(i) glucose oxygen	[1] [1]
	(ii) chlorophyll	[1]
		[TOTAL = 11]
8 (a)	(i) biological catalyst	[1]

same unit as in glucose as on question paper that is rectangles

(ii)

(iii)

(b)

linkage ----O----

chromatography

(i) --NHCO—linkage
different units
-NH and -CO on same monomer unit

All three [2] two points [1] [2]

(ii) amino acids [1]

(c) (i) propanol + ethanoic acid = propyl ethanoate + water reactants [1] products [1]

(ii) ester linkage correct [1] rest of molecule correct [1]

(iii) bromine water [1

fat 1 orange **or** yellow **or** brown to colourless [1]
fat 2 remains orange **or** yellow **or** brown [1]

Accept Potassium Manganate(VII) with corresponding colour changes

(iv) seep or sedium salts (of carboxylic acids)/sedium stearsto

(iv) soap or sodium salts (of carboxylic acids)/sodium stearate [1] alcohol/glycerol [1] [TOTAL = 15]

[6+6+9+9+11+13+11+15 = 80]