



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
International General Certificate of Secondary Education

---

**CHEMISTRY****0620/01**

Paper 1 Multiple Choice

**May/June 2007****45 minutes**

Additional Materials:      Multiple Choice Answer Sheet  
   Soft clean eraser  
   Soft pencil (type B or HB is recommended)



---

**READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A, B, C** and **D**.Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.**Read the instructions on the Answer Sheet very carefully.**

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

You may use a calculator.

---

This document consists of **16** printed pages.



- 1 When there is no wind, the scent of flowers can be detected more easily on a warm day than on a cold evening.

This is because the molecules of the scent .....1..... .....2..... than in colder conditions.

Which words correctly complete gaps 1 and 2?

	gap 1	gap 2
<b>A</b>	condense	nearer to the flowers
<b>B</b>	condense	further from the flowers
<b>C</b>	diffuse	nearer to the flowers
<b>D</b>	diffuse	further from the flowers

- 2 A student investigates if, at 30 °C, the concentration of acid affects how rapidly it reacts with a known mass of magnesium.


The student has a beaker, concentrated acid, water and the apparatus below.

- P a balance
- Q a clock
- R a measuring cylinder
- S a thermometer

Which of these pieces of apparatus does the student use?

- A** P, Q and R only
  - B** P, Q and S only
  - C** Q, R and S only
  - D** P, Q, R and S
- 3 The boiling point of liquid X is lower than that of water. To test a student, a teacher covers up the numbers on a thermometer. The student places the thermometer in boiling liquid X.

The diagram represents part of the stem of this thermometer.



What could the temperature on the thermometer be?

- A** 75.5 °C
- B** 84.5 °C
- C** 104.5 °C
- D** 105.5 °C

- 4 Which mixture can be separated by adding water, stirring and filtering?
- A barium chloride and sodium chloride
  - B copper and magnesium
  - C diamond and graphite
  - D silver chloride and sodium nitrate


- 5 An atom has the symbol  ${}^p_qX$ .

Which value determines the position of the element in the Periodic Table?

- A  $p$
  - B  $q$
  - C  $p - q$
  - D  $p + q$
- 6 Element Y is in the second Period of the Periodic Table. An atom of element Z has six more protons than an atom of element Y.

Which statement **must** be correct?

- A Elements Y and Z are in the same Period.
  - B Elements Y and Z have the same number of electrons in the first shell.
  - C Element Z has six more electrons in its outer shell than element Y.
  - D The nucleon number of element Z is six more than that of element Y.
- 7 The diagram shows the structure of methane.




What is the total number of electrons used for bonding in this molecule?

- A 2
- B 4
- C 8
- D 10


4

- 8 The diagram shows the structure of a substance.



What is represented?

- A** diamond  
**B** ethane  
**C** graphite  
**D** poly(ethene)
- 9 In the diagrams, circles of different sizes represent atoms of different elements.  
 Which diagram can represent hydrogen chloride gas?



- 10 Boron, B, forms an oxide.

Which equation is correctly balanced?

- A**  $2\text{B} + 3\text{O}_2 \rightarrow \text{B}_2\text{O}_3$   
**B**  $2\text{B} + 3\text{O}_2 \rightarrow 2\text{B}_2\text{O}_3$   
**C**  $4\text{B} + 2\text{O}_2 \rightarrow 2\text{B}_2\text{O}_3$   
**D**  $4\text{B} + 3\text{O}_2 \rightarrow 2\text{B}_2\text{O}_3$

11 Students are asked to state

- the number of atoms in one molecule of ethanoic acid,
- the relative molecular mass,  $M_r$ , of this acid.

Which line is correct?

	number of atoms	$M_r$
<b>A</b>	8	32
<b>B</b>	8	60
<b>C</b>	9	26
<b>D</b>	9	46

12 A molten compound is electrolysed. Two atoms of X are deposited at the negative electrode at the same time as three atoms of Y are deposited at the positive electrode.

These results show that:

X is a ...1...;

Y is a ...2...;

the formula of the compound is ...3... .

How are gaps 1, 2 and 3 correctly completed?


	1	2	3
<b>A</b>	metal	non-metal	$X_3Y_2$
<b>B</b>	metal	non-metal	$X_2Y_3$
<b>C</b>	non-metal	metal	$X_3Y_2$
<b>D</b>	non-metal	metal	$X_2Y_3$

13 In which electrolyses are chlorine, hydrogen and sodium hydroxide all produced?

	aqueous sodium chloride	molten sodium chloride
<b>A</b>	✓	✓
<b>B</b>	✓	x
<b>C</b>	x	✓
<b>D</b>	x	x

6

14 The diagram shows a match.



By striking the match, a chemical reaction takes place.

Which statements about the chemical reaction are correct?

	type of reaction	reason
<b>A</b>	endothermic	because energy is used to strike the match
<b>B</b>	endothermic	because energy is given out as the match burns
<b>C</b>	exothermic	because energy is used to strike the match
<b>D</b>	exothermic	because energy is given out as the match burns

15 Which process is **not** exothermic?

- A** burning a fossil fuel
- B** obtaining lime from limestone
- C** radioactive decay of  $^{235}\text{U}$
- D** reacting hydrogen with oxygen

16 Three reactions used in the manufacture of sulphuric acid are shown.


- 1  $\text{S} + \text{O}_2 \rightarrow \text{SO}_2$
- 2  $2\text{SO}_2 + \text{O}_2 \rightarrow 2\text{SO}_3$
- 3  $\text{SO}_3 + \text{H}_2\text{O} \rightarrow \text{H}_2\text{SO}_4$

Which of these reactions are redox reactions?

- A** 1 only
- B** 3 only
- C** 1 and 2 only
- D** 2 and 3 only

- 17 In an experiment using dilute acid and a metal, the speed at which hydrogen is measured (curve X on graph).

The experiment is repeated but with one of the conditions changed (curve Y on graph).



Which changes in condition could result in curve Y?


	increase in concentration of acid	increase in particle size of metal	increase in temperature
<b>A</b>	✓	✓	✓
<b>B</b>	✓	✓	✗
<b>C</b>	✓	✗	✓
<b>D</b>	✗	✓	✓

- 18 Aqueous sodium hydroxide and aqueous ammonia each give a white precipitate when added to aqueous zinc sulphate.

What happens when an excess of each of these reagents is added?

	excess NaOH(aq)	excess NH <sub>3</sub> (aq)
<b>A</b>	precipitate dissolves	precipitate dissolves
<b>B</b>	precipitate dissolves	precipitate does not dissolve
<b>C</b>	precipitate does not dissolve	precipitate dissolves
<b>D</b>	precipitate does not dissolve	precipitate does not dissolve





19 Aqueous sodium hydroxide is added to two different solutions with the results shown.



What are the cations present in X and Y?

	X	Y
A	copper(II)	iron(II)
B	copper(II)	iron(III)
C	iron(II)	copper(II)
D	iron(III)	copper(II)

20 In which experiment does the limewater **not** turn milky?





21 Two indicators, bromophenol blue and Congo red, show the following colours in acid and in alkaline solutions.

indicator	acid	alkali
bromophenol blue	yellow	blue
Congo red	violet	red

A few drops of each indicator are added to separate samples of a solution of pH 2.

What are the colours of the indicators in this solution?


	in a solution of pH 2	
	bromophenol blue is	Congo red is
<b>A</b>	blue	red
<b>B</b>	blue	violet
<b>C</b>	yellow	red
<b>D</b>	yellow	violet

22 Aqueous lead(II) nitrate is added to a solution containing iodide ions. Lead(II) iodide is formed.

Which type of reaction takes place?

- A neutralisation
- B oxidation
- C precipitation
- D reduction

23 The diagram shows an outline of part of the Periodic Table.



Which two elements could form a covalent compound?

- A** W and X
- B** W and Y
- C** X and Y
- D** X and Z

24 Which substances react with aqueous potassium bromide to form bromine?

	chlorine	iodine
<b>A</b>	✓	✓
<b>B</b>	✓	x
<b>C</b>	x	✓
<b>D</b>	x	x

25 Why are some weather balloons filled with helium rather than hydrogen?

- A** Helium is found in air.
- B** Helium is less dense than hydrogen.
- C** Helium is more dense than hydrogen.
- D** Helium is unreactive.


26 The table shows the densities of some Group I metals.

Which of these metals sinks in benzene (density =  $0.88 \text{ g / cm}^3$ ) but floats in nitrobenzene (density =  $1.2 \text{ g / cm}^3$ )?

	metal	density, in $\text{g / cm}^3$
<b>A</b>	lithium	0.53
<b>B</b>	sodium	0.97
<b>C</b>	potassium	0.86
<b>D</b>	rubidium	1.53

27 The diagram shows the properties of four substances.

Which one could be magnesium?




28 In 'native' copper, the element occurs as the metal, not as a compound.

Gold is below copper in the reactivity series.

Which can be deduced about the properties of gold?

	it occurs 'native'	it reacts with dilute sulphuric acid
A	✓	✓
B	✓	x
C	x	✓
D	x	x

29 The diagram shows a method for displacing a metal from its oxide.



Which metal can be displaced from its oxide by using this method?


- A calcium
- B copper
- C magnesium
- D potassium

30 Stainless steel is used to make cutlery. Aluminium is used to make food containers.

Which property do **both** metals have that makes them suitable for these uses?

- A They are good conductors of electricity.
- B They are good conductors of heat.
- C They are resistant to corrosion.
- D They are very strong.


- 31 Which process takes place in the conversion of iron into steel?
- A Basic oxides are removed.
  - B Carbon is converted to carbon dioxide.
  - C Iron is oxidised.
  - D Iron oxide is reduced.
- 32 In which industrial process is the presence of water **not** essential?
- A the electrolytic purification of copper
  - B the production of ethanol from ethene
  - C the production of ethanol by fermentation
  - D the production of iron in the Blast Furnace
- 33 The pie chart represents the composition of air.



What is gas **X**?

- A carbon dioxide
- B hydrogen
- C nitrogen
- D oxygen

34 The diagram shows an experiment in which ammonia is released.



Which line in the table is correct?

	solution X	final colour of litmus paper
<b>A</b>	aqueous sodium hydroxide	blue
<b>B</b>	aqueous sodium hydroxide	red
<b>C</b>	dilute sulphuric acid	blue
<b>D</b>	dilute sulphuric acid	red

35 A bag of fertiliser 'Watch it grow' contains ammonium sulphate and potassium sulphate.

Which of the three elements N, P and K does 'Watch it grow' contain?

	N	P	K
<b>A</b>	✓	✓	x
<b>B</b>	✓	x	✓
<b>C</b>	x	x	✓
<b>D</b>	x	✓	x

36 When limestone is heated very strongly in air, lime is made.

What is the formula of limestone and of lime?

	limestone	lime
<b>A</b>	$\text{CaCO}_3$	$\text{CaO}$
<b>B</b>	$\text{CaCO}_3$	$\text{Ca(OH)}_2$
<b>C</b>	$\text{CaO}$	$\text{CaCO}_3$
<b>D</b>	$\text{Ca(OH)}_2$	$\text{CaCO}_3$

37 Bromine and steam each react with ethene.





Which of these reactions need a catalyst?

	$\text{Br}_2$ /ethene	steam/ethene
<b>A</b>	✓	✓
<b>B</b>	✓	x
<b>C</b>	x	✓
<b>D</b>	x	x


38 What are formed when glucose is fermented?

- A** ethanol and carbon dioxide
- B** ethanol and oxygen
- C** ethene and carbon dioxide
- D** ethene and oxygen

39 Which formula represents a compound that dissolves in water to form an acidic solution?



40 Butane reacts as shown.



What is this type of reaction?

- A combustion
- B cracking
- C polymerisation
- D reduction

**DATA SHEET**  
**The Periodic Table of the Elements**

		Group																																																																							
I	II	III	IV	V	VI	VII	0																																																																		
1 <b>H</b> Hydrogen 1												2 <b>He</b> Helium 2																																																													
3 <b>Li</b> Lithium 3	4 <b>Be</b> Beryllium 4	5 <b>B</b> Boron 5	6 <b>C</b> Carbon 6	7 <b>N</b> Nitrogen 7	8 <b>O</b> Oxygen 8	9 <b>F</b> Fluorine 9	10 <b>Ne</b> Neon 10	11 <b>B</b> Boron 11	12 <b>C</b> Carbon 12	13 <b>Al</b> Aluminium 13	14 <b>Si</b> Silicon 14	15 <b>P</b> Phosphorus 15	16 <b>S</b> Sulphur 16	17 <b>Cl</b> Chlorine 17	18 <b>Ar</b> Argon 18	19 <b>K</b> Potassium 19	20 <b>Ca</b> Calcium 20	21 <b>Sc</b> Scandium 21	22 <b>Ti</b> Titanium 22	23 <b>V</b> Vanadium 23	24 <b>Cr</b> Chromium 24	25 <b>Mn</b> Manganese 25	26 <b>Fe</b> Iron 26	27 <b>Co</b> Cobalt 27	28 <b>Ni</b> Nickel 28	29 <b>Cu</b> Copper 29	30 <b>Zn</b> Zinc 30	31 <b>Ga</b> Gallium 31	32 <b>Ge</b> Germanium 32	33 <b>As</b> Arsenic 33	34 <b>Se</b> Selenium 34	35 <b>Br</b> Bromine 35	36 <b>Kr</b> Krypton 36	37 <b>Rb</b> Rubidium 37	38 <b>Sr</b> Strontium 38	39 <b>Y</b> Yttrium 39	40 <b>Zr</b> Zirconium 40	41 <b>Nb</b> Niobium 41	42 <b>Mo</b> Molybdenum 42	43 <b>Tc</b> Technetium 43	44 <b>Ru</b> Ruthenium 44	45 <b>Rh</b> Rhodium 45	46 <b>Pd</b> Palladium 46	47 <b>Ag</b> Silver 47	48 <b>Cd</b> Cadmium 48	49 <b>In</b> Indium 49	50 <b>Sn</b> Tin 50	51 <b>Sb</b> Antimony 51	52 <b>Te</b> Tellurium 52	53 <b>I</b> Iodine 53	54 <b>Xe</b> Xenon 54	55 <b>Cs</b> Caesium 55	56 <b>Ba</b> Barium 56	57 <b>La</b> Lanthanum 57	72 <b>Hf</b> Hafnium 72	73 <b>Ta</b> Tantalum 73	74 <b>W</b> Tungsten 74	75 <b>Re</b> Rhenium 75	76 <b>Os</b> Osmium 76	77 <b>Ir</b> Iridium 77	78 <b>Pt</b> Platinum 78	79 <b>Au</b> Gold 79	80 <b>Hg</b> Mercury 80	81 <b>Tl</b> Thallium 81	82 <b>Pb</b> Lead 82	83 <b>Bi</b> Bismuth 83	84 <b>Po</b> Polonium 84	85 <b>At</b> Astatine 85	86 <b>Rn</b> Radon 86	87 <b>Fr</b> Francium 87	88 <b>Ra</b> Radium 88	89 <b>Ac</b> Actinium 89	†
9 <b>Li</b> Lithium 9	10 <b>Be</b> Beryllium 10	11 <b>B</b> Boron 11	12 <b>C</b> Carbon 12	13 <b>Al</b> Aluminium 13	14 <b>Si</b> Silicon 14	15 <b>P</b> Phosphorus 15	16 <b>S</b> Sulphur 16	17 <b>Cl</b> Chlorine 17	18 <b>Ar</b> Argon 18	19 <b>K</b> Potassium 19	20 <b>Ca</b> Calcium 20	21 <b>Sc</b> Scandium 21	22 <b>Ti</b> Titanium 22	23 <b>V</b> Vanadium 23	24 <b>Cr</b> Chromium 24	25 <b>Mn</b> Manganese 25	26 <b>Fe</b> Iron 26	27 <b>Co</b> Cobalt 27	28 <b>Ni</b> Nickel 28	29 <b>Cu</b> Copper 29	30 <b>Zn</b> Zinc 30	31 <b>Ga</b> Gallium 31	32 <b>Ge</b> Germanium 32	33 <b>As</b> Arsenic 33	34 <b>Se</b> Selenium 34	35 <b>Br</b> Bromine 35	36 <b>Kr</b> Krypton 36	37 <b>Rb</b> Rubidium 37	38 <b>Sr</b> Strontium 38	39 <b>Y</b> Yttrium 39	40 <b>Zr</b> Zirconium 40	41 <b>Nb</b> Niobium 41	42 <b>Mo</b> Molybdenum 42	43 <b>Tc</b> Technetium 43	44 <b>Ru</b> Ruthenium 44	45 <b>Rh</b> Rhodium 45	46 <b>Pd</b> Palladium 46	47 <b>Ag</b> Silver 47	48 <b>Cd</b> Cadmium 48	49 <b>In</b> Indium 49	50 <b>Sn</b> Tin 50	51 <b>Sb</b> Antimony 51	52 <b>Te</b> Tellurium 52	53 <b>I</b> Iodine 53	54 <b>Xe</b> Xenon 54	55 <b>Cs</b> Caesium 55	56 <b>Ba</b> Barium 56	57 <b>La</b> Lanthanum 57	72 <b>Hf</b> Hafnium 72	73 <b>Ta</b> Tantalum 73	74 <b>W</b> Tungsten 74	75 <b>Re</b> Rhenium 75	76 <b>Os</b> Osmium 76	77 <b>Ir</b> Iridium 77	78 <b>Pt</b> Platinum 78	79 <b>Au</b> Gold 79	80 <b>Hg</b> Mercury 80	81 <b>Tl</b> Thallium 81	82 <b>Pb</b> Lead 82	83 <b>Bi</b> Bismuth 83	84 <b>Po</b> Polonium 84	85 <b>At</b> Astatine 85	86 <b>Rn</b> Radon 86	87 <b>Fr</b> Francium 87	88 <b>Ra</b> Radium 88	89 <b>Ac</b> Actinium 89	†						

\*58-71 Lanthanoid series  
 †90-103 Actinoid series

a	X
b	X

Key  
 a = relative atomic mass  
 X = atomic symbol  
 b = proton (atomic) number

140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	144 <b>Nd</b> Neodymium 60	145 <b>Pm</b> Promethium 61	150 <b>Sm</b> Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	162 <b>Dy</b> Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	175 <b>Lu</b> Lutetium 71
232 <b>Th</b> Thorium 90	238 <b>Pa</b> Protactinium 91	238 <b>U</b> Uranium 92	238 <b>Np</b> Neptunium 93	244 <b>Pu</b> Plutonium 94	254 <b>Am</b> Americium 95	261 <b>Cm</b> Curium 96	267 <b>Bk</b> Berkelium 97	271 <b>Cf</b> Californium 98	285 <b>Es</b> Einsteinium 99	289 <b>Fm</b> Fermium 100	289 <b>Md</b> Mendelevium 101	289 <b>No</b> Nobelium 102	289 <b>Lr</b> Lawrencium 103

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).