

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page. Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid. DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the periodic table is printed on page 16.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use				
1				
2				
3				
4				
5				
6				
7				
Total				

This document consists of 16 printed pages.



	VEW WXX	rapapers.
	2 2 4 M. D 20	For Examine
Sor	me oxides are listed below.	Ca Use
	calcium oxide carbon dioxide carbon monoxide phosphorus trioxide sodium oxide sulphur dioxide water	nbridge.c.
(a)	Which one of these oxides is most likely to contribute to acid rain?	
		[1]
(b)	Which one of these oxides is a product of the reaction between an acid and a carbonate?	
		[1]
(c)	Which one of these oxides is formed by the incomplete combustion of carbon?	
		[1]
(d)	Which one of these oxides is a good solvent?	
		[1]
(e)	Which one of these oxides is used to neutralise acidic industrial waste products?	
		[1]
(f)	Which two of these oxides reacts with water to form an alkaline solution?	
		[1]
(g)	Complete the diagram to show the electronic structure of water. show hydrogen electrons by 'o' show oxygen electrons by 'x'	
	×O×	
	н н	

[1]



(h) The structure of phosphorus trioxide is shown below.



Write the **simplest** formula for phosphorus trioxide.

[1]

[Total: 8]

Www.papaCambridge.com 4 2 The diagram shows a bottle of mineral water. top made of poly(propene) label bottle made of poly(ethene) (a) The poly(propene) top is made by polymerising propene molecules, $CH_3CH=CH_2$. (i) Which one of the following best describes the propene molecules in this reaction? Put a ring around the correct answer. alkanes monomers polymers products salts [1] (ii) State the name of the homologous series to which propene belongs. [1] (iii) Propene is an unsaturated hydrocarbon. State the meaning of the following terms. unsaturated hydrocarbon [2] (iv) Describe a chemical test to distinguish between an unsaturated hydrocarbon and a saturated hydrocarbon. State the results. test result with saturated hydrocarbon result with unsaturated hydrocarbon [3]

(b) The poly(ethene) bottle is made by polymerising ethene.

 $nCH_2 = CH_2 \longrightarrow (-CH_2 - CH_2)_n$

Complete the following sentence about this reaction by filling in the blank space.

www.papaCambridge.com The formation of poly(ethene) is an example of an _____ polymerisation

[1]

reaction.

(c) The label on the bottle lists the concentration of ions dissolved in the water in milligrams per litre.

concentration of ions in milligrams per litre				
calcium	32	nitrate	1	
chloride	5	potassium	0.5	
hydrogencarbonate	133	sodium	4.5	
magnesium	8	sulphate	7	

- (i) State the name of two negative ions which appear in this list.
- [1] (ii) Which metal ion in this list is present in the highest concentration? [1] (iii) Calculate the amount of magnesium ions in 5 litres of this mineral water.
- [1] (iv) Which ion in the list reacts with aqueous silver nitrate to give a white precipitate? [1] (v) Which ion in the list gives off ammonia when warmed with sodium hydroxide and aluminium foil? [1] (vi) Complete the equation to show the formation of a potassium ion from a potassium atom.

$$K \rightarrow K^{+} +$$
[1]





- 3 This question is about metals.
- Www.PapaCambridge.com (a) Match up the metals in the boxes on the left with the descriptions in the boxes on the right. The first one has been done for you.



(b) Iron powder reacts rapidly with sulphuric acid to form aqueous iron(II) sulphate and hydrogen.

[4]

 $Fe(s) + H_2SO_4(aq) \rightarrow FeSO_4(aq) + H_2(q)$

Describe **two** things that you would see happening as this reaction takes place.

[2] (c) Alloys are often more useful than pure metals. (i) Complete the following sentences by filling in the blank spaces. An alloy is a ______ of a metal with other elements. The properties of ______can be changed by the controlled use of additives to form steel alloys. Increasing the amount of carbon in a steel makes it [3] (ii) Name one other alloy apart from steel. [1] (iii) Iron rusts very easily. Describe two methods of preventing rusting. 1. 2. [2] [Total:12]

8

Www.PapaCambridge.com 9 The diagram shows the changes in pH in a student's mouth after she has eaten a sw 4 8 7 6 pН 5 4 3 10 20 30 40 50 0 time/minutes (a) Describe how the acidity in the student's mouth changes after she has eaten the sweet. [2] (b) (i) Chewing a sweet stimulates the formation of saliva. Saliva is slightly alkaline. Use this information to explain the shape of the graph. [2] (ii) State the name of the type of reaction which occurs when an acid reacts with an alkali. [1] (c) Many sweets contain citric acid. The formula of citric acid is shown below. CO₂H ·Ċ—CO₂H HO-ĊH₂ CO₂H (i) Put a ring around the alcohol functional group on the above formula. [1] (ii) State the name of the $-CO_2H$ functional group in citric acid. [1] (iii) Ethanoic acid also has $a - CO_2H$ functional group. Write down the formula for ethanoic acid. [1]

	MAN WAY	trapapers.com
	10 A. D.	For
(d) Citr	ic acid can be extracted from lemon juice as follows:	Use
sta sta sta sta	ge 1: add calcium carbonate to hot lemon juice ge 2: filter off the precipitate which is formed (calcium citrate) ge 3: wash the calcium citrate precipitate with water ge 4: add sulphuric acid to the calcium citrate to make a solution of citric acid ge 5: crystallise the citric acid	mbridge.com
(i)	When calcium carbonate is added to lemon juice a fizzing is observed. Explain why there is a fizzing.	
		[1]
(ii)	Draw a diagram to show step 2. Label your diagram.	
		[2]
(iii)	Suggest why the calcium citrate precipitate is washed with water.	
		[1]
(iv)	Describe how you would carry out step 5.	
(v)	Nowadays, citric acid is usually made by the fermentation of sugars.	. [']
(-)	Which one of the following is required for fermentation? Put a ring around the correct answer.	
	acid high temperature light microorganisms nitrogen	
		[1]
	[Tota	: 14]

below. Some coal dust was heated with copper(II) oxide using the apparatus shown below. 5



- (a) Coal contains carbon and various hydrocarbons. The carbon reduces the copper(II) oxide when heated.
 - (i) What do you understand by the term reduction?

		[1]
(ii)	At the end of the experiment a reddish-brown solid remained in the tube. State the name of this reddish-brown solid.	
		[1]
(iii)	The reddish brown solid conducts electricity. How could you show that it conducts electricity?	
		[2]
(b) Du	ring the experiment, water collected on the cooler parts of the test tube.	
(i)	Suggest where the hydrogen in the water comes from.	
		[1]
(ii)	Water is a liquid. Describe the arrangement and motion of the particles in a liquid.	
		[2]
	[Total	: 7]

n Newla 6 The table below shows an early form of the Periodic Table made by John Newla 1866.

Н	F	C1	Co, Ni	Br
Li	Na	К	Cu	Rb
Be	Mg	Ca	Zn	Sr
В	Al	Cr	Y	
С	Si	Ti	In	
Ν	Р	Mn	As	
0	S	Fe	Sc	

(a) Newlands arranged the elements according to their relative atomic masses. What governs the order of the elements in the modern Periodic Table?

		[1]
(b)	Use your modern Periodic Table to suggest why Newlands put cobalt and nickel in t same place.	he [1]
(c)	Which group of elements is missing from Newlands' table?	[1]
(d)	Describe three other differences between Newlands' table and the modern Perior Table. You must not give any of the answers you mentioned in parts (a), (b) or (c).	dic
		[3]



- www.papacambridge.com Compounds and elements vary in their volatility, solubility in water and 7 conductivity depending on their bonding.
 - (a) Place copper, methane and water in order of their volatility.



(b) Complete the table to show the solubility in water and electrical conductivity of various solids.

solid	structure	soluble or insoluble	does it conduct electricity?
silver	metallic	insoluble	
sodium chloride	ionic		no
sulphur	covalent		no
copper sulphate	ionic	soluble	

[4]

[1]

(c) The apparatus shown below is used to electrolyse concentrated aqueous sodium chloride.



(i) Suggest a suitable substance which could be used for the electrodes.

[1] (ii) State the name of the gas given off at electrode **A**, at electrode **B**. [2]

	www.xtrapa	pers.com
	15	For Examiner's
(iii)	State the name given to electrode A .	Use
(iv)	Explain why aqueous sodium chloride conducts electricity but solid sodium chloride does not.	Con
	[2]	
	[Total: 11]	

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

DATA SHEET The Periodic Table of the Elements

										WWW N	xtrapapers.co
					1	6				1	Papa
	0	4 Helium 2	20 Neon 10	40 Ar Argon	84 Kypton 36	131 Xenon 54	86 Radon		175 Lu Lutetium 71	Lr Lawrencium 103	Canth
	١١٨		9 Fluorine 9	35.5 C1 17	80 Bromine 35	127 I I 53	At Astatine 85		173 Yb Ytterbium 70	Nobelium 102	age.co
	5		a Oxygen 0 8	32 Sulphur 16	79 Se Selenium	128 Te llurium 52	Polonium 84		169 Tm Thulium 69	Md Mendelevium 101	
	>		14 Nitrogen	31 Phosphorus	75 AS Arsenic 33	122 Sb Antimony 51	209 Bismuth 83		167 Er Erbium 68	Fermium 100	
	≥		Carbon Carbon	28 Silicon	73 Ge Germanium 32	50 III 110	207 207 Lead		165 HO Holmium 37	Einsteinium	rt.p.).
	≡		Beron 2	27 A1 Aluminium 3	70 Ga Gallium	115 Indium 19	204 T1 Thalium		162 Dysprosium 66	Californium 88	ressure (
			(J		65 Zinc Z 65	212 Cadmium 8	0 Mercury		159 Tb 5 5	BK Berkelium	ure and p
					64 Copper 3	108 Ag Silver 4	9 Gold 8		157 Gd Gadolinium 4	e orrium B	temperati
dı					² ² ² ² ²	106 Pd Palladium	195 Platinum 8		152 Eu Europium 3	Americium 5	at room
Grol					59 Co Cobait	103 Rhodium 5	192 Ir Iridium		150 Sm Samarium 2	Plutonium 9	is 24 dm ³
		Hydrogen			56 Iron Fe	Ruthenium 4	190 OS Osmium 7		Promethium 6	Neptunium 3	any gas
		~			55 Mn Aanganese 21	echnetium 4	186 Renium 7		444 Nd Veodymium 6	238 Uranium 9:	e mole of
					52 Chromium 26	96 Olybdenum 40	184 V Tungsten 75		141 Pr aseodymium 60	Pa rotactinium 92	ime of on
					51 Vanadium 24	93 Niobium M 42	181 Ta Tantalum 74		140 Cerium 59	232 Thorium 91	The volu
					48 Titanium 23	91 Zr Eirconium	178 Hafhium 73		<u>8</u>	number 90	
					45 Sc Scandium 22	89 Yttrium 40	139 La anthanum * 72	227 Actinium	es	ative atomic r omic symbol oton (atomic) i	
=	=		9 Be ^{3eryllium}	24 Mg agnesium	40 Caacium 21	88 Sr Mirontium 39	137 Ba Barium L ₄ 57	226 Rađium 89	hanoid se inoid serit	a = rel: X = atr b = prc	
	_		7 Li ithium 4	23 23 Sodium 12	39 K Xassium 20	85 Rb ^{ubidium} 38	133 CS iaesium 56	ancium 88	8-71 Lantl 1-103 Acti	م ۲	
			- ~	7	19 P	R 37	55 55	87 87	*56 †90	В	