

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY

Paper 1 Multiple Choice

0620/11 October/November 2009

45 Minutes

Additional Materials:

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. You may use a calculator.

This document consists of 16 printed pages.




2 1 Aqueous lead(II) nitrate and aqueous potassium iodide are added to a dish contain shown. yellow precipitate aqueous lead(II) nitrate

A yellow precipitate forms after a few minutes.

Which process occurs before the precipitate forms?

- A diffusion
- B distillation
- **C** fermentation
- **D** filtration
- 2 A student carries out an experiment to prepare pure magnesium sulfate crystals.

The diagram shows the first stage of the preparation.



He adds magnesium carbonate until no more reacts.

Which process should he use for the next stage?

- A crystallisation
- **B** evaporation
- **C** filtration
- D neutralisation



3 A student separates salt from a mixture of salt and sand.

What is the correct order of steps for the student to take?

- A filter \rightarrow evaporate \rightarrow shake with water
- $\textbf{B} \quad \text{filter} \rightarrow \text{shake with water} \rightarrow \text{evaporate}$
- $\textbf{C} \quad \text{shake with water} \rightarrow \text{evaporate} \rightarrow \text{filter}$
- $\textbf{D} \quad \text{shake with water} \rightarrow \text{filter} \rightarrow \text{evaporate}$
- 4 Atom X has 8 more electrons than atom Y.


Student 1 says they are in the same group.

Student 2 says they are unreactive.

Which students can be correct?

	student 1	student 2
Α	\checkmark	1
в	\checkmark	x
С	X	✓
D	X	X

- 5 Which number is different for isotopes of the same element?
 - A number of electrons
 - B number of full shells
 - C number of nucleons
 - D number of protons
- 6 Which atom has two more electrons than an atom of a noble gas?
 - A aluminium
 - **B** bromine
 - **C** calcium
 - D rubidium



Which words correctly complete gaps 1 and 2?

	1	2
Α	shared	high
В	shared	low
С	transferred	high
D	transferred	low

- 9 Which change to an atom occurs when it forms a positive ion?
 - A It gains electrons.
 - **B** It gains protons.
 - **C** It loses electrons.
 - D It loses protons.
- **10** For each atom of carbon present in a molecule, there is an equal number of atoms of oxygen but twice as many atoms of hydrogen.


What is the formula of the molecule?

 $\textbf{A} \quad C_2H_2O_2 \qquad \textbf{B} \quad C_2H_2O_4 \qquad \textbf{C} \quad C_2H_4O_2 \qquad \textbf{D} \quad C_2H_6O$

11 Water is formed when 48 g of oxygen combine with 6 g of hydrogen.

What mass of oxygen combines with 2g of hydrogen?


Α	12g	B 16g	C 96 g	D 144 g



What are the anode and cathode made of?


	anode	cathode
Α	aluminium	aluminium
в	aluminium	graphite
С	graphite	aluminium
D	graphite	graphite

13 The diagram shows the electrolysis of concentrated aqueous sodium chloride.




What is the colour of the Universal Indicator at each electrode after five minutes?

	colour at anode (+ electrode)	colour at cathode (– electrode)
Α	blue/purple	red
в	red	blue/purple
С	red	colourless
D	colourless	blue/purple



14 The diagram shows an electrical cable.



Which statement about the substances used is correct?

- The coating is plastic because it conducts electricity well. Α
- В The core is copper because it conducts electricity well.
- С The core is copper because it is cheap and strong.
- D The core is iron because it is cheap and strong.
- **15** Substance X requires oxygen in order to produce energy.

It does **not** form carbon dioxide as a result of this energy production.

What is substance X?

- Α hydrogen
- В natural gas
- С petrol
- ²³⁵U D
- 16 When an acid is added to an alkali the temperature rises.

Which words describe this reaction?

- Α decomposition and endothermic
- В decomposition and exothermic
- neutralisation and endothermic С
- neutralisation and exothermic D

17 When blue copper(II) sulfate is heated, a white solid and water are formed.The white solid turns blue and gives out heat when water is added to it.Which terms describe the blue copper(II) sulfate and the reactions?

	the blue copper(II) sulfate is	reaction
Α	a mixture	can be reversed
в	a mixture	cannot be reversed
С	hydrated	can be reversed
D	hydrated	cannot be reversed

18 The equations represent redox reactions.

In which equation is the underlined substance acting as a reducing agent?

A CaO + H₂O
$$\rightarrow$$
 Ca(OH)₂

- $\textbf{B} \quad \underline{CO}_2 + C \rightarrow 2CO$
- $\label{eq:cuoperturbative} \begin{array}{c} \textbf{C} & \underline{CuO} + H_2 \rightarrow Cu + H_2O \end{array}$
- **D** $3\underline{CO} + Fe_2O_3 \rightarrow 2Fe + 3CO_2$
- **19** Which change does **not** increase the speed of reaction between zinc and hydrochloric acid?
 - A adding a catalyst
 - B decreasing the temperature
 - **C** decreasing the particle size of the zinc
 - D using more concentrated acid

Www.xtrapapers.com

20 An aqueous solution Y contains both barium ions and silver ions.

dded to solut In separate experiments, dilute sulfuric acid and dilute hydrochloric acid are added to solute

Which of these acids causes a precipitate to form in solution Y?


	dilute sulfuric acid	dilute hydrochloric acid
Α	\checkmark	1
в	\checkmark	×
С	x	\checkmark
D	×	×


21 The diagram shows the pH values of four solutions.

1	2	3	4	5	6	7	8	9	10	11	12	13	14
			↑			↑		\uparrow				↑	
			Ρ			Q		R				S	

Which of these solutions are alkaline?

- A Ponly
- **B** P and Q only
- C Q, R and S only
- D R and S only





What is the correct classification of element X and its oxide?

	Х	oxide of X
Α	metal	acidic
В	metal	basic
С	non-metal	acidic
D	non-metal	basic

- 23 Salts can be prepared by reacting a dilute acid
 - 1 with a metal;
 - 2 with a base;
 - with a carbonate. 3

Which methods could be used to prepare copper(II) chloride?

- A 1 and 2 only
- **B** 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3

en prod 24 Astatine is an element in Group VII of the Periodic Table. It has only ever been proc small amounts.

What is the best description of its likely properties?

	colour	state	reaction with aqueous potassium iodide
Α	black	solid	no reaction
в	dark brown	gas	brown colour
С	green	solid	no reaction
D	yellow	liquid	brown colour

25 Elements in Group 0 of the Periodic Table have uses.

These noble gases are1..... and this explains why argon2..... be used in lamps.

Which words correctly complete gaps 1 and 2?


	1	2	
Α	reactive	can	
в	reactive	cannot	
С	unreactive	can	
D	unreactive	cannot	

26 The table gives information about four elements.

Which element is a transition metal?

	colour electrical conductivity of element of element		colour of oxide
Α	black	high	colourless
В	colourless	low	white
С	grey	high	red
D	yellow	low	colourless

- 27 Which statement about alloys is not correct?
 - Alloys are more expensive than the metals they are made from. Α
 - Alloys are mixtures of different metals. В
 - С Alloys are not as strong as the metals they are made from.
 - D Alloys conduct electricity well.



A brown solid is formed in the reaction tube and the limewater turns cloudy.

What is compound X?

- A calcium oxide
- **B** copper(II) oxide
- C magnesium oxide
- D sodium oxide
- **29** Some reactions of three metals are listed in the table.

metal	reacts with dilute hydrochloric acid	metal oxide is reduced by carbon
Р	yes	yes
Q	no	yes
R	yes	no

What is the order of reactivity of the metals?

	most reactive		least reactive
Α	Р	R	Q
в	R	Р	Q
С	R	Q	Р
D	Q	Р	R



- 30 Which property do all metals have?
 - A They are soluble in water.
 - B They conduct electricity.
 - **C** They have high melting points.
 - **D** They react with dilute sulfuric acid.
- 31 Which object is least likely to contain aluminium?
 - A a bicycle frame
 - B a hammer
 - C a saucepan
 - D an aeroplane body
- 32 A newspaper article claims that carbon dioxide is formed as follows.
 - 1 during respiration
 - 2 when calcium carbonate reacts with hydrochloric acid

12

3 when methane burns in air

Which statements are correct?

- **A** 1, 2 and 3
- **B** 1 and 2 only
- C 1 and 3 only
- D 2 and 3 only
- 33 Which iron nail rusts?







damp cloth

С

nail in



D


nail covered in grease

zinc coated nail

painted nail



34 A new planet has been discovered and its atmosphere has been analysed.



13

The table shows the composition of the atmosphere.

gas	percentage by volume
carbon dioxide	4
nitrogen	72
oxygen	24

Which gases are present in the atmosphere of the planet in a higher percentage than they are in the Earth's atmosphere?

- A carbon dioxide and oxygen
- B carbon dioxide only
- C nitrogen and oxygen
- D nitrogen only
- 35 Water must be purified before it is suitable for use in the home.


Which processes are used to remove solid impurities and bacteria?

	to remove solid impurities	to remove bacteria
Α	chlorination	chlorination
в	chlorination	filtration
С	filtration	chlorination
D	filtration	filtration

36 Fertilisers are used to provide three of the elements needed for plant growth.


Which two compounds would give a fertiliser containing all three of these elements?

- **A** $Ca(NO_3)_2$ and $(NH_4)_2SO_4$
- $\textbf{B} \quad Ca(NO_3)_2 \text{ and } (NH_4)_3 PO_4$
- C KNO₃ and (NH₄)₂SO₄
- **D** KNO₃ and (NH₄)₃PO₄



The bromine solution quickly becomes colourless.


What is the structure of gas X?



- 38 Which statement about petroleum is not correct?
 - A It can be separated into useful substances by fractional distillation.
 - **B** It consists mainly of hydrocarbons.
 - **C** It is found underground in many parts of the world.
 - **D** Its main use is for making lubricants and polishes.
- **39** Butene and hexene belong to the same homologous series.

What is the same for butene and hexene?

- A boiling point
- B functional group
- C number of hydrogen atoms per molecule
- D relative molecular mass



name of compound	formula
methane	CH ₄
ethane	C_2H_6
propane	?
butane	C_4H_{10}
pentane	C_5H_{12}

What is the formula of propane?

Α (C ₂ H ₈	В	C ₃ H ₇	С	C ₃ H ₈	D	C_3H_9
-----	-------------------------------	---	-------------------------------	---	-------------------------------	---	----------

Www.xtrapapers.com

											1	6									252	A a a a a a a a a a a a a a a a a a a a
	0	4	Helium			Neon 10	40	Ar Argon 18	84	Kropton Kropton	36	131 Xe	Xenon 54		Radon 86			175	Lutetium 71	-	Lawrencium 03	Papa Camp
-	١N		~		≞ ⊔	Θ	35.5	C1 Chlorine 17	80	Br Bromine		127 T	Ð		At Astatine 85			173	_	Q	Nobelium 102	
-	\geq			4	° C		32			Selenium		128 Te			Polonium 84			169	Thulium 69	2	Mendelevium 101	
	>			;	⁺ Z	Nitrogen 7	31	Phosphorus 15	75	AS Arsenic		122 Sh	Antimony 51	209	Bismuth 83			167	Erbium 68	ŝ	FIM Fermium 100	
	≥				2 0	Carbon 6	28	Silicon 14	73	Germanium	32	119 Sn	50 Tin	207	Pb Lead 82			165	Holmium 67		Einsteinium 99	e (r.t.p.).
	≡			;	= ¤	5 Boron	27	Auminium 13	20	Gallium	31	115 In	Indium 49	204	Tt Thallium 81			162	Dysprosium	č	Californium 98	The volume of one mole of any gas is 24 dm ³ at room temperature and pressure (r.t.p.).
									65	Zn Zinc	30	112 Cd	Cadmium 48	201	Mercury 80			159	E Terbium 65		Berkelium 97	irature an
									64	Cu	29	108 AG	Silver 47	197	Au Gold 79			157	Gadolinium 64		Curium 96	om tempe
Group									59	Nickel	28	106 Pd	4 ⁶	195	Platinum 78			152	Europium 63		Am Americium 95	dm ³ at roc
G				7					59	Cobatt Cobatt	27	103 Rh	45 F		Ir Iridium 77				m Samarium 62		94 P	gas is 24 o
		-	Hydrogen	-						E Fe	26	101 R	m Ruthenium 44	190	Osmium 76				m Promethium 61		Neptunium 93	le of any g
									55		25	Ч	43 Te		n Rhenium 75			144	ium Neodymium 60		92 U	of one mo
									52	m Chromium		96 MO	Mc 42		т 74			14 14	Pras 59		91 Pre	volume e
									51	eV.		03 ND 33	14		Im Tantalum 73			140	Cerium 58		06	Ч Т
									5 48		53	90 Z	40 Zi		a Hf Inum Hathium	~ U	iun †] ທ		a = relative atomic mass	A = atornic symbol b = proton (atomic) number	
	_					Beryllium	24	Mg agnesium		Calcium Scandium	10	88 Sr 89	39 [`]		Ba Lanthanum 57	226 227 Ra Ac	7 68	*58-71 Lanthanoid series	†90-103 Actinoid series	a = relative atomic	$\mathbf{\lambda} = \operatorname{atorinc}$ b = proton	
-	_				~ ::	4		Sodium Magnesium 12			20	⁸⁵ Rb S	% %		Caesium 56 Bari	Fr R 22	Francium Rad 7 88	71 Lantha	103 Actine	σ	٩	
						ື <u>ສ</u>		1 So Z	.,	Pota	19		Rub 37	-	55 Cae		Frar 87	*58-	†90-		VeV	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of