

**CANDIDATE** NAME

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

NS Canning Conn

*	
2	
9	
7	
9	
0	
7	
∞	
~	
9	

CENTRE NUMBER			CANDIDATE NUMBER		

0620/02 **CHEMISTRY** 

Paper 2 October/November 2009

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the periodic table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

	For Examiner's Use				
t	1				
	2				
	3				
	4				
	5				
	6				
	7				
	Total				

This document consists of 17 printed pages and 3 blank pages.



1 The list shows some non-metallic elements.

bromine carbon fluorine krypton nitrogen oxygen


	oxygen	
(a)	Which <b>two</b> elements in the list are in the same Group of the Periodic Table?	
	and	[1]
(b)	Which element in the list has the highest proton number?	[1]
(c)	Which <b>two</b> of these elements make up most of the air?	
	and	[1]
(d)	Bromine and fluorine form a compound with the formula BrF <sub>5</sub> . Calculate the relative molecular mass of BrF <sub>5</sub> .	
		[1]
(e)	The diagram shows the structure of some compounds containing oxygen.	
	A B C D	
0//	$O = C = O$ $(K^{+}) (K^{+}) (K^{+}) (K^{+})$ $(C^{2}) (C^{2}) (C^{2}) (C^{2})$ $(K^{+}) (K^{+}) (K^{+}) (K^{+}) (K^{+})$ $(C^{2}) (C^{2}) (C^{2}) (C^{2})$ $(K^{+}) (K^{+}) (K^{+}) (K^{+}) (K^{+})$ $(C^{2}) (C^{2}) (C^{2}) (C^{2})$ $(C^{2}) (C^{2}) (C^{2}$	)
	(i) What type of oxide is compound C?	

(ii)	Compound <b>A</b> is an atmospheric pollutant.
	Describe the source of compound A and state its effect on the environment

Source	
Effect on the environment	
	[2]

(iii) In the presence of air, compound **D** reacts with water to form nitric acid.

A student used the apparatus below to add an aqueous solution of nitric acid to an aqueous solution of potassium hydroxide. He added the acid until it was in excess.



Describe how the pH of the solution in the flask changes as the nitric acid is added until the acid is in excess.

•••••
•••••
[3]

(iv) Describe how you can measure this pH change.

(v) The equation for the reaction is

$$KOH + HNO_3 \rightarrow KNO_3 + H_2O$$


State the name of the salt formed in this reaction.

رانا [Total: 12]

2 (a) Link the terms in the boxes on the left with the definitions on the right. The first one has been done for you. a substance containing different atoms or ions atom bonded together a substance made up compound of one type of atom the smallest part of an element which takes part element in a chemical reaction the smallest group of covalently bonded atoms ion which can exist on its own a charged atom or molecule group of atoms [4] **(b)** Which **two** of the following are mixtures? Tick two boxes. air graphite sodium chloride steel [1]

(c)	(i)	Draw a labelled diagram to show the atomic structure of In your diagram include the structure of the nucleus.	an atom of helium.	Can
		in your diagram moduce the structure of the nucleus.		
				•
				F 43
				[4]
	(ii)	State a use for helium.		
				[1]
	(iii)	Which one of these statements about helium is correct?		
		helium is in Period 2 of the Periodic Table		
		Hollan 13 in 1 choa 2 of the 1 choale Table		
		helium is a liquid at room temperature		
		nonam to a liquid acrosm temperature		
		helium is unreactive		
		helium has an incomplete outer shell of electrons		
		Honam had an indemplate datal dreil of diodicine		
				[1]
			[Total:	11]

3 A student used the apparatus shown to calculate the energy released when ethanol



(a) Draw the structure of ethanol showing all atoms and bonds.

[1]

- **(b)** The energy released by the burning ethanol raises the temperature of the water in the copper calorimeter.
  - (i) Which one of these words best describes the energy change when ethanol burns? Put a ring around the correct answer.

electrolytic electronic endothermic exothermic [1]

(ii) When 4.6 g of ethanol is burnt, 5.4 g of water is formed.

Calculate the mass of water formed when 13.8 g of ethanol is burnt.

				7			`	.03	1
	(iii) Comp	lete the equat	ion for the co	mbustio	n of e	ethanol.		· Ogt	O.C.
	C <sub>2</sub> H <sub>5</sub> OH	+ 3O <sub>2</sub>	→	CO <sub>2</sub>	+	H₂C	)		
(c)		meter is made properties whi						als.	
(d)	When cop	per is left exp its surface.	posed to the	air for s	ome	time, a coati	ng of cop	per carbo	nate
	Cu	ıCO <sub>3</sub> (s) + 2	HC <i>l</i> (aq) →	CuC <i>l</i> <sub>2</sub> (a	ıq) -	+ CO <sub>2</sub> (g) +	$H_2O(I)$		
	(i) Descr	ibe two obser	vations that c	an be m	ade a	as this reactio	n happens	S.	
	1								
	2	the meaning o							
		_	-	,					[1]
(e)		meter lid is ma these sentend			) usi	ng words from	the list.		
	acids	addition	cond	ensatio	n	ethane	е	thene	
		monomers				polymer			
ı	Poly(ethene	) is a	forn	ned by th	ne		of ethene	e molecule	es.

In this reaction the ethene molecules can be described as

[Total: 12]

[3]


4	Caesium is	s a metal in	Group I	of the	Periodic	Table.

		www.xt	rapapers.c
			For iner
Ca	esiur	m is a metal in Group I of the Periodic Table.	For
(a)	Sta	te two physical properties of caesium.	TONTION THE
			Dridge C
			[2]
(b)	Sta	te the number of electrons in the outer shell of a caesium atom.	
()			[1]
	•••••		
(c)	An	isotope of caesium has a mass number of 133.	
	(i)	What do you understand by the term isotope?	
			[1]
	(ii)	Calculate the number of neutrons in this isotope of caesium.	
			[1]

(d) Complete the following table to estimate the boiling point of caesium and predict the reactivity of caesium with water.


Group I metal	density/ g/cm³	boiling point	reactivity with water
sodium	0.97	883	fizzes quickly, disappears gradually and does not burst into flame
potassium	0.86	760	fizzes very quickly, disappears quickly and bursts into flame with a little spitting
rubidium	1.53	686	fizzes extremely quickly, bursts into flame then spits violently and may explode
caesium	1.88		

(e) The diagram shows the structure of caesium chloride.




	Use this diagram to work out the simplest formula for caesium chloride.	
		[1]
( <b>f</b> )	Caesium chloride dissolves in water to form a neutral solution. State the pH of a neutral solution.	[1]
(g)	Describe a test for chloride ions.	
(3)	test	
	result	
		[2]
	[Total:	11]

Limonene is a colourless unsaturated hydrocarbon found in lemons. The structure of limonene is shown below.



(a) On the formula above, draw a circle around the bonds which make limonene an unsaturated compound. [1]
(b) Write the molecular formula for a molecule of limonene. [1]
(c) Describe the colour change which occurs when excess limonene is added to a few drops of bromine water. [2]

(d) Limonene can be extracted from lemon peel by steam distillation.





	(i)	State the name of the pieces of apparatus labelled <b>A</b> , <b>B</b> and <b>C</b> .	
		A	
		В	
		C	[3]
	(ii)	At point X on the diagram, the water is in the form of steam.  Describe the arrangement and the movement of the particles in steam.	
		arrangement	
		movement	[2]
(e)	Wh	en limonene undergoes incomplete combustion, carbon monoxide is formed.	
	(i)	What do you understand by the term incomplete combustion?	
			[1]
	(ii)	State an adverse effect of carbon monoxide on health.	
			[4]


[1]

(f) The structures of some compounds found in plants are shown below.

А	
CO <sub>2</sub> H	
CO <sub>2</sub> H	








(i) Which one of these compounds is a carboxylic acid?	
--	--

(	(ii)	Which one of these com	pounds is pr	roduced by the	fermentation of	alucose?
١.	· · · /	William one of those com	pourius is pr	loddocd by the	icinicination of	glucosci

[1]
 ין.

[Total: 14]

Aluminium is extracted by the electrolysis of aluminium oxide. 6



(a) Hydrated aluminium oxide is heated to produce pure aluminium oxide.

$$\text{A}\textit{l}_2\text{O}_3.3\text{H}_2\text{O}$$
  $\rightarrow$   $\text{A}\textit{l}_2\text{O}_3$  +  $3\text{H}_2\text{O}$  hydrated aluminium oxide

What type of reaction is this? Put a ring around the correct answer.

	decompositon	neutralisation	oxidation	reduction	
(b)	Explain why the electro		-	occur.	[1] [1]
(c)	What is the purpose of	the cryolite?			[1]
(d)	Which letter in the diag		•	node?	[1]
(e)	State the name of the pelectrolysis.			node during this	
	cathode				[2]
(f)	Why do the anodes have	ve to be renewed per	iodically?		
					 [2]

(g)	Complete the equation for the formation of aluminium from aluminium ions.	Cam	For iner's
	$Al^{3+}$ + $e^ \rightarrow$ $Al$		Tage
(h)	State one use of aluminium.		COM
		[1]	
		[Total: 10]	

WWW. Papa Cambridge.com 15 7 The diagram shows an experiment to investigate the rusting of some iron nails. В A airair. air. iron nail iron nail iron nail coated with zinc drying agent distilled distilled (calcium chloride) water water (a) For each tube A, B and C predict whether the nails will rust. In each case give a tube **A**: does the nail rust? reason tube **B**: does the nail rust? reason tube C: does the nail rust? reason [3] (b) Iron from the blast furnace contains impurities such as carbon, phosphorus, silicon and sulfur. Describe how the level of these impurities is decreased when steel is made from impure iron. [3]

(c) State a use for stainless steel.

(d)	Pure iron	can be pre	epared by t	the reduction	of iron(II)	oxide. FeO
(W)	i dic ilon	can be pre	parca by	ine reduction	01 11011(11)	oxide, i ee

	www.xt	rapa
	16  Pure iron can be prepared by the reduction of iron(II) oxide, FeO.  FeO + $H_2 \rightarrow$ Fe + $H_2$ O	1
(d)	Pure iron can be prepared by the reduction of iron(II) oxide, FeO.	Can
	FeO + $H_2 \rightarrow$ Fe + $H_2$ O	13
	Explain how this equation shows that the iron(II) oxide has been reduced.	
		[1]
(e)	Iron(II) oxide reacts with acids.	
	FeO + 2HC $l \rightarrow$ FeC $l_2$ + H <sub>2</sub> O	
	Write a word equation for this reaction.	
		[2]

[Total: 10]

17

**BLANK PAGE** 

Www.xtrapapers.com

## **BLANK PAGE**

Www.xtrapapers.com

19

**BLANK PAGE** 

Www.xtrapapers.com

								J	1	<b>www</b>	xtrapapers.com
					2	0			Ì	13	Palla
	0	4 <b>He</b> Helium	20 <b>Ne</b> 0n 10	40 <b>Ar</b> Argon	84 <b>Kr</b> Krypton 36	131 <b>Xe</b> Xenon 54	Radon 86		175 <b>Lu</b> Lutetium 71	Lr Lawrencium 103	Cambri
	II/		19 <b>T</b> Fluorine	35.5 <b>C1</b> Chlorine	80 <b>Br</b> Bromine 35	127 <b>I</b> lodine	At Astatine 85		173 <b>Yb</b> Ytterbium 70	No Nobelium	Astrapapers.com
	IN		16 Oxygen 8	32 <b>S</b> Sulfur	79 Selenium 34	128 <b>Te</b> Tellurium	Po Polonium 84		169 <b>Tm</b> Thulium	Md Mendelevium 101	13
	>		14 <b>N</b> Nitrogen 7	31 <b>P</b> Phosphorus 15	75 <b>AS</b> Arsenic 33	122 <b>Sb</b> Antimony 51	209 <b>Bis</b> Bismuth 83		167 <b>Er</b> Erbium 68	Fm Fermium	1
	<u>&gt;</u>		12 <b>C</b> Carbon 6	28 <b>Si</b> Silicon	73 <b>Ge</b> Germanium 32	Sn Tin 50	207 <b>Pb</b> Lead		165 <b>Ho</b> Holmium 67	<b>ES</b> Einsteinium 99	(r.t.p.).
	≡		11 Boron 5	27 <b>A1</b> Auminium 13	70 <b>Ga</b> Gallium 31	115 <b>In</b> Indium 49	204 <b>T 1</b> Thallium		162 <b>Dy</b> Dysprosium 66	Cf Californium 98	The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).
		,			65 <b>Zn</b> Zinc 30	Cd Cadmium 48	201 <b>Hg</b> Mercury 80		159 <b>Tb</b> Terbium 65	<b>BK</b> Berkelium 97	tture and
					64 Copper	108 <b>Ag</b> Silver 47	197 <b>Au</b> Gold		157 <b>Gd</b> Gadolinium 64	Curium 96	n tempera
Group					59 Nickel	106 Pd Palladium 46	195 <b>Pt</b> Platinum 78		152 <b>Eu</b> Europium 63	Am Americium 95	n³ at roon
Gro					59 <b>Cob</b> Cobalt	103 <b>Rh</b> Rhodium 45	192 <b>Ir</b> Iridium		Samarium 62	<b>Pu</b> Plutonium	is is 24 dn
		T Hydrogen			56 <b>Fe</b> Iron	Ru Ruthenium 44	190 <b>Os</b> Osmium 76		Pm Promethium 61	Neptunium 93	of any ga
					Mn Manganese 25	Tc Technetium 43	186 <b>Re</b> Rhenium 75		Neodymium Neodymium 60	238 <b>U</b> Uranium 92	one mole
					52 <b>Cr</b> Chromium 24	96 <b>Mo</b> Molybdenum 42	184 <b>W</b> Tungsten 74		141 <b>Pr</b> Praseodymium 59	<b>Pa</b> Protactinium	olume of c
					51 V Vanadium 23	93 Nobium 41	181 <b>Ta</b> Tantalum 73		140 <b>Ce</b> Cerium	232 <b>Th</b> Thorium	The vc
					48 <b>Ti</b> Titanium 22	2r Zrconium 40	178 <b>Hf</b> Hafnium 72			nic mass bol nic) number	
					45 Scandium 21	89 <b>×</b>	139 <b>La</b> Lanthanum *	227 <b>Ac</b> Actinium 89	series eries	a = relative atomic mass  X = atomic symbol b = proton (atomic) number	
	=		9 <b>Be</b> Beryllium	24 Mg Magnesium	40 <b>Ca</b> Calcium 20	Sr Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium 88	anthanoid Actinoid se	x a	
	_		7 <b>Li</b> Lithium	23 Na Sodium	39  R Potassium 19	Rb Rubidium	133 Csesium 55	Francium 87	*58-71 Lanthanoid series 190-103 Actinoid series	Key	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.