

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| CHEMISTRY | | 0620/11 |
|------------------------|--|---------------|
| Paper 1 Multiple Choic | e | May/June 2010 |
| Additional Materials: | Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended) | 45 Minutes |

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers A, B, C and D.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. You may use a calculator.

This document consists of 15 printed pages and 1 blank page.



1 The diagram shows a cup of tea.



Which row describes the water particles in the air above the cup compared with the water particles in the cup?

| | moving faster | closer together |
|---|---------------|-----------------|
| Α | \checkmark | 1 |
| в | \checkmark | X |
| С | x | 1 |
| D | × | x |

2 A fruit drink coloured orange contains a dissolved mixture of red and yellow colouring agents. One of these colouring agents is suspected of being illegal.

Which method could be used to show the presence of this illegal colouring agent?

- A chromatography
- **B** distillation
- **C** evaporation
- **D** filtration
- **3** A student carries out an experiment to find how fast 3 cm pieces of magnesium ribbon dissolve in 10 cm³ samples of sulfuric acid at different temperatures.


Which piece of apparatus does the student not need?

- A balance
- B measuring cylinder
- C stop-clock
- D thermometer

4 Which row shows the change that takes place when element X gains the new particle shown?

| | particle gained | change | | | | |
|---|-----------------|---|--|--|--|--|
| Α | electron | an isotope of element X is formed | | | | |
| в | electron | the element one place to the right of X in the Periodic Table is formed | | | | |
| С | proton | an isotope of element X is formed | | | | |
| D | proton | the element one place to the right of X in the Periodic Table is formed | | | | |

5 The diagram shows an atom.



What is the proton number and neutron number of the atom?

| | proton number | neutron number |
|---|------------------|-------------------|
| Α | 4 | 5 |
| В | 4 | 9 |
| С | 5 | 4 |
| D | 5 | 9 |


6 The symbols of two atoms may be written as shown.

 $^{52}_{23}X ~~^{52}_{24}Y$

Which statement about these atoms is correct?

- A They are different elements because they have different numbers of neutrons.
- **B** They are different elements because they have different numbers of protons.
- **C** They are isotopes of the same element because they have the same nucleon number.
- **D** They are isotopes of the same element because they have the same proton number.

- 7 Which name is given to mixtures of metals?
 - A alloys
 - **B** compounds
 - C ores
 - D salts
- 8 Element X has six electrons in its outer shell.



How could the element react?


- A by gaining two electrons to form a positive ion
- **B** by losing six electrons to form a negative ion
- **C** by sharing two electrons with two electrons from another element to form two covalent bonds
- D by sharing two electrons with two electrons from another element to form four covalent bonds
- 9 In which compounds are pairs of electrons shared between atoms?
 - 1 sodium chloride
 - 2 methane
 - 3 lead bromide
 - **A** 1 only **B** 2 only **C** 1 and 3 **D** 1, 2 and 3
- **10** Hydrogen and chlorine react as shown.

1 molecule + 1 molecule \rightarrow 2 molecules of hydrogen + of chlorine \rightarrow of hydrogen chloride

What is the equation for this reaction?

- **A** $2H + 2Cl \rightarrow 2HCl$
- **B** $2H + 2Cl \rightarrow H_2Cl_2$
- $\textbf{C} \quad H_2 + Cl_2 \rightarrow 2HCl$
- $\textbf{D} \quad H_2 + Cl_2 \rightarrow H_2 Cl_2$

11 The diagram shows apparatus for plating a spoon with silver.



Which statement is **not** correct?

- A Silver would stick to the spoon because it is a very reactive metal.
- **B** The electrolyte would be a silver salt dissolved in water.
- **C** The metal electrode would be made from silver.
- **D** The spoon would be connected to the negative of the power supply.
- **12** Aqueous copper(II) sulfate solution is electrolysed using inert electrodes.

Copper(II) ions (Cu²⁺), hydrogen ions (H⁺), hydroxide ions (OH⁻) and sulfate ions (SO₄²⁻) are present in the solution.

To which electrodes are the ions attracted during this electrolysis?

| | attracted to anode | attracted to cathode |
|---|---------------------------|------------------------------------|
| Α | Cu^{2+} and H^+ | OH^- and SO_4^{2-} |
| В | Cu^{2+} and SO_4^{2-} | H [⁺] and OH [−] |
| С | H^{+} and OH^{-} | Cu^{2+} and SO_4^{2-} |
| D | OH^- and $SO_4^{\ 2-}$ | Cu^{2+} and H^+ |

13 Three electrolysis cells are set up. Each cell has inert electrodes.

The electrolytes are listed below.


| cell 1 | aqueous sodium chloride |
|--------|-------------------------|
|--------|-------------------------|

- cell 2 concentrated hydrochloric acid
- cell 3 molten lead(II) bromide

In which cells is a gas formed at **both** electrodes?

| Α | 1 and 2 | В | 1 and 3 | С | 2 only | D 3 only |
|---|---------|---|---------|---|--------|----------|
|---|---------|---|---------|---|--------|----------|

14 Clouds are formed when water vapour evaporates from the sea.



What is the energy change and what name is given to the type of change when water evaporates?


| | energy change | type of change | | |
|---|------------------|----------------|--|--|
| Α | energy given out | endothermic | | |
| в | energy given out | exothermic | | |
| С | energy taken in | endothermic | | |
| D | energy taken in | exothermic | | |

- 15 Which process is not exothermic?
 - A burning a fossil fuel
 - **B** obtaining lime from limestone
 - C radioactive decay of ²³⁵U
 - D reacting hydrogen with oxygen

16 A student investigates the rate of reaction between marble chips and hydrochloric acid.

The loss in mass of the reaction flask is measured.

The graph shows the results of two experiments, P and Q.



Which change explains the difference between P and Q?

- A catalyst is added in P.
- **B** A higher temperature is used in P.
- **C** Bigger marble chips are used in Q.
- **D** Hydrochloric acid is more concentrated in Q.
- 17 When pink cobalt(II) sulfate crystals are heated, they form steam and a blue solid.

When water is added to the blue solid, it turns pink and becomes hot.

Which terms describe the pink cobalt(II) sulfate crystals and the reactions?

| | pink cobalt sulfate | reactions |
|---|---------------------|--------------|
| Α | aqueous | irreversible |
| в | aqueous | reversible |
| С | hydrated | irreversible |
| D | hydrated | reversible |

18 Iron is extracted from iron oxide using carbon monoxide as shown in the equation.

iron oxide + carbon monoxide \rightarrow iron + carbon dioxide

What does the equation show?

- A Carbon monoxide is oxidised to carbon dioxide.
- **B** Carbon monoxide is reduced to carbon dioxide.
- **C** Iron is oxidised to iron oxide.
- **D** Iron oxide is oxidised to iron.

19 Aqueous sodium hydroxide is added to a solid, X, and the mixture is heated.

A green precipitate is formed and an alkaline gas is given off.

Which ions are present in X?

- **A** NH_4^+ and Fe^{2+}
- $\textbf{B} \quad \textbf{NH}_{4}^{+} \text{ and } \textbf{Fe}^{3+}$
- \mathbf{C} OH⁻ and Fe²⁺
- **D** OH^- and Fe^{3+}
- 20 An aqueous solution of the organic compound methylamine has a pH greater than 7.

Which statement about methylamine is correct?

- **A** It neutralises an aqueous solution of sodium hydroxide.
- **B** It reacts with copper(II) carbonate to give carbon dioxide.
- **C** It reacts with hydrochloric acid to form a salt.
- **D** It turns blue litmus red.
- **21** The positions in the Periodic Table of four elements are shown.

Which element is most likely to form an acidic oxide?

| Α | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|---|--|---|
| | в | | | | | | | | | | | | | |
| | | | | | | | | | | | | С | | |
| | | | | | | | | | | | | | | D |
| | | | | | | | | | | | | | | |

www.xtrapapers.com

22 An excess of copper(II) oxide is added to dilute sulfuric acid to make crystals of hydrated copper(II) sulfate.


The processes listed may be used to obtain crystals of hydrated copper(II) sulfate.

- 1 concentrate the resulting solution
- 2 filter
- 3 heat the crystals
- 4 wash the crystals

Which processes are needed and in which order?


- **A** 1, 2, 3 and 4
- **B** 1, 2, 4 and 3
- **C** 2, 1, 2 and 3
- **D** 2, 1, 2 and 4
- 23 Which is not a property of Group I metals?
 - A They are soft and can be cut with a knife.
 - **B** They corrode rapidly when exposed to oxygen in the air.
 - **C** They produce an acidic solution when they react with water.
 - **D** They react rapidly with water producing hydrogen gas.
- **24** An element melts at $1455 \,^{\circ}$ C, has a density of $8.90 \,\text{g/cm}^3$ and forms a green chloride.

Where in the Periodic Table is this element found?



25 An element does not conduct electricity and exists as diatomic molecules.

In which area of the Periodic Table is the element to be found?



26 Solutions of a halogen and a sodium halide are mixed.

Which mixture darkens in colour because a reaction occurs?

- **A** bromine and sodium chloride
- **B** bromine and sodium fluoride
- **C** chlorine and sodium fluoride
- **D** chlorine and sodium iodide
- 27 Copper, iron and zinc are all used as pure metals.

Which of these three metals are also used in alloys?

| | copper | iron | zinc |
|---|--------------|--------------|--------------|
| Α | \checkmark | \checkmark | \checkmark |
| в | \checkmark | \checkmark | x |
| С | x | \checkmark | \checkmark |
| D | x | X | \checkmark |

28 Some properties of four elements are shown in the table.

Which element is a metal?

| | melting point/°C | electrical conductivity when liquid | electrical conductivity when solid | | |
|---|------------------|--|---------------------------------------|--|--|
| Α | -7 | low | low | | |
| в | 801 | high | low | | |
| С | 1535 | high | high | | |
| D | 3550 | low | low | | |

29 A student added dilute hydrochloric acid to four metals and recorded the results.


Not all of the results are correct.

| | results | | | | | | | | | | | |
|---|-----------|---------------|--|--|--|--|--|--|--|--|--|--|
| | metal | gas given off | | | | | | | | | | |
| 1 | copper | yes | | | | | | | | | | |
| 2 | iron | yes | | | | | | | | | | |
| 3 | magnesium | no | | | | | | | | | | |
| 4 | zinc | yes | | | | | | | | | | |

Which two results are correct?

A 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

30 The diagram shows the manufacture of steel.



What is gas X?

- A carbon dioxide
- B chlorine
- C hydrogen
- D oxygen

31 Aluminium is an important metal with many uses.

Some of its properties are listed.

- 1 It is a good conductor of heat.
- 2 It is a reactive metal.
- 3 It has a low density.
- 4 It has an oxide layer that prevents corrosion.

Which set of properties help to explain the use of aluminium for cooking and storing food?

A 1, 2 and 3 **B** 1, 2 and 4 **C** 1, 3 and 4 **D** 2, 3 and 4

- 32 Which statements about water are correct?
 - 1 Water is treated with chlorine to kill bacteria.
 - 2 Household water may contain salts in solution.
 - 3 Water is used in industry for cooling.
 - 4 Water for household use is filtered to remove soluble impurities.
 - **A** 1, 2 and 3 **B** 1 and 4 **C** 2, 3 and 4 **D** 1, 2, 3 and 4
- 33 Which compound in polluted air can damage stonework and kill trees?
 - A carbon dioxide
 - B carbon monoxide
 - C lead compounds
 - D sulfur dioxide
- 34 Which statement about methane is not correct?
 - A It is a liquid produced by distilling petroleum.
 - **B** It is produced as vegetation decomposes.
 - **C** It is produced by animals such as cows.
 - D It is used as a fuel.

www.xtrapapers.com

35 To grow roses, a fertiliser containing nitrogen, phosphorus and potassium is needed.

For the best flowers, the fertiliser should contain a high proportion of potassium.

Which fertiliser is best for roses?


| fertiliser | proportion by mass | | | | | | | | | | |
|------------|--------------------|----|----|--|--|--|--|--|--|--|--|
| | Ν | Р | К | | | | | | | | |
| Α | 9 | 0 | 25 | | | | | | | | |
| В | 13 | 13 | 20 | | | | | | | | |
| С | 29 | 5 | 0 | | | | | | | | |
| D | 29 | 15 | 5 | | | | | | | | |

36 The diagram shows three types of item.




Which method of rust prevention can be used for all three types of item?

- **A** coating with plastic
- **B** covering with grease
- **C** galvanising
- D using stainless steel
- 37 Which structure is incorrect?



38 Which structure shows a compound that belongs to a **different** homologous series to propane?



39 A macromolecule is a very large molecule.

Macromolecules can be made by joining smaller molecules together. This is called polymerisation.

Which row in the table describes the formation of a polymer?

| | monomer | polymer |
|---|---------|--------------|
| Α | ethane | poly(ethane) |
| в | ethene | poly(ethene) |
| С | ethane | poly(ethene) |
| D | ethene | poly(ethane) |

- 40 Diesel, petrol and bitumen are all
 - A fuels.
 - B hydrocarbons.
 - C lubricants.
 - D waxes.

BLANK PAGE

| | | 0 | 4 | 2 Helium | 00 | Ne | Neon 10 | 40 | Ar | Argon 18 | 84 | Кr | Krypton 36 | 131 | Xe | Xenon 54 | | Rn | Radon 86 | | | | 175 | Lu | Lutetium 71 | | Ļ | Lawrencium 103 | | | | | | | | | | | | | | | | | | | | |
|--|-------|----|---|----------|----|---------|----------------|------|---------------|-----------------|----|------------------|-----------------|----------------|---------------|------------------|------------------|----------------|-------------------|----------------|---------------|------------------|--------------------------|-------------------------|------------------|--------------------------|-------------------|----------------------------|--------------------|-----------------|----|---------|-----------------|-----|--|--------|-----|----|------------|--|--|--|-----|---|---------------|--|----|-------------------|
| | | M | | | 19 | Ľ | Fluorine | 35.5 | C1 | Chlorine 17 | 80 | Ŗ | Bromine 35 | 127 | Ι | lodine 53 | | At | Astatine 85 | | | | 173 | Υb | Ytterbium 70 | | No | Nobelium 102 | | | | | | | | | | | | | | | | | | | | |
| | | ٨I | | | 16 | 2 0 | Oxygen 8 | 32 | S | Sulfur 16 | 79 | Se | Selenium 34 | 128 | Te | Tellurium 52 | | | Polonium 84 | | | | 169 | | Thulium 69 | | Md | Mendelevium 101 | | | | | | | | | | | | | | | | | | | | |
| | | > | | | 14 | 14 | 14 | z | Nitrogen 7 | 31 | ٩ | Phosphorus 15 | 75 | As | Arsenic 33 | 122 | Sb | Antimony 51 | 209 | | Bismuth 83 | | | | 167 | ц | Erbium 68 | | | Fermium 100 | | | | | | | | | | | | | | | | | | |
| | | 2 | | | | | | | | | | | | | | | | | | | | | - | | 12 | ະ ບ | Carbon 6 | 28 | Si | Silicon 14 | 73 | 9 Ge | Germanium 32 | 119 | | 50 Tin | 207 | РЬ | Lead 82 | | | | 165 | Ч | Holmium 67 | | Es | Einsteinium 99 |
| | | ■ | | | 11 | ŝ | 5 5 | 27 | ٩ı | Aluminium 13 | 70 | Ga | Gallium 31 | 115 | In | Indium 49 | 204 | Τl | Thallium 81 | | | | 162 | D | Dysprosium 66 | | ç | Californium 98 | | | | | | | | | | | | | | | | | | | | |
| ints | | | | | | | | | | | 65 | Zn | Zinc 30 | 112 | Cd | Cadmium 48 | 201 | Hg | Mercury 80 | | | | 159 | Tb | Terbium 65 | | | Berkelium 97 | | | | | | | | | | | | | | | | | | | | |
| DATA SHEET The Periodic Table of the Elements | | | | | | | | | | | | | 64 | Cu | Copper 29 | 108 | Ag | | 197 | Au | Gold 79 | | | | 157 | Gd | Gadolinium 64 | | Cm | 96 Curium | | | | | | | | | | | | | | | | | | |
| DATA SHEET lic Table of th | Group | | | | | | | 20 | | | | | Nickel 28 | 106 | Ъd | Palladium 46 | 195 | F | Platinum 78 | | | | 152 | Eu | Europium 63 | | Am | Americium 95 | | | | | | | | | | | | | | | | | | | | |
| DAT∕ iodic Ta | Gro | | | | | | | | | | | | 59 | ပိ | Cobatt 27 | 103 | Rh | Rhodium 45 | 192 | Ir | Iridium 77 | | | | 150 | | Samarium 62 | | | Plutonium 94 | | | | | | | | | | | | | | | | | | |
| The Per | | | - | Hydrogen | | | | | | | 56 | Fe | lron 26 | 101 | | Ruthenium 44 | | 0s | Osmium 76 | | | | | Pm | Promethium 61 | | Np | Neptunium 93 | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 55 | Mn | Manganese 25 | | Ц | Technetium 43 | 186 | | Rhenium 75 | | | | 144 | Nd | Neodymium 60 | 238 | | Uranium 92 | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 52 | ບັ | Chromium 24 | 96 | Мо | Molybdenum 42 | 184 | ≥ | Tungsten 74 | | | | 141 | Pr | Praseodymium 59 | | Ра | Protactinium 91 | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 51 | > | Vanadium 23 | 93 | Νb | Niobium 41 | 181 | Та | Tantalum 73 | | | | 140 | Ce C | Cerium 58 | 232 | | Thorium 90 | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 48 | F | Titanium 22 | 91 | Zr | Zirconium 40 | 178 | Ħ | Hafnium 72 | | | | | | | nic mass | bol | nic) number | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | 1 | | | 45 | Sc | Scandium 21 | 68 | | Yttrium 39 | 139 | La | Lanthanum 57 * | 227 | Ac | Actinium 89 † | cariae | ariae | 20100 | a = relative atomic mass | X = atomic symbol | b = proton (atomic) number | | | | | | | | | | | | | | | | | | | | |
| | | = | | | σ | Be B | Beryllium 4 | 24 | Mg | Magnesium 12 | 40 | ca | Calcium 20 | 88 | Ś | Strontium 38 | 137 | | Barium 56 | 226 | | Radium 88 | *58-71 Lanthanoid cariac | †90-112 Actinoid series | | a | × | ة P | | | | | | | | | | | | | | | | | | | | |
| | | _ | | | 7 | I | Lithium 3 | 23 | Na | Sodium 11 | 39 | × | Potassium 19 | 85 | | Rubidium 37 | 133 | cs | Caesium 55 | | F | Francium 87 | *58-711 | + 00-103 | 00-00- | | Key | ٩ | | | | | | | | | | | | | | | | | | | | |

16

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).