

#### MARK SCHEME for the May/June 2013 series

# 0620 CHEMISTRY

0620/21

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	2 Mark Scheme	Syllabus r
	IGCSE – May/June 2013	0620
(a) (i)	E	amp
(ii)	В	113
(iii)	E	[1]
(iv)	Α	[1]
(v)	Α	[1]
(vi)	D	[1]
<b>(b)</b> 1 n	mark for each correct word	
ato	om;	
two CO\	o; valent <b>ALLOW</b> : atom;	
tra	ansition;	[4]
		[Total: 10]
(a) me AL	elting point below (34 °C) <u>and</u> boiling point above (34 °C) L <b>LOW</b> : its melting point is 29 °C <u>and</u> its boiling point is 669	9°C
(b) AL	L <b>LOW</b> : 740–800 °C (actual is 760 °C)`	[1]
(c) (i)	increases (down the group) ALLOW: goes up/goes up except for potassium	[1]
(ii)	sodium/Na	[1]
<b>(d)</b> 1 n	mark for each of:	
• • •	shiny (when freshly cut) <b>ALLOW</b> : silvery/silver colour conducts heat/conducts electricity/conducts ductile/can be drawn into wires malleable/can be shaped <b>ALLOW</b> : can be bent	
• • IGI	ALLOW: solid at room temperature soft (for 1 mark) NORE: sonorous/it is a metal	[3]



Page 4		Mark Scheme	Syllabus	V.
		IGCSE – May/June 2013	0620	
(d) b I	oromine GNOR	e water/aqueous bromine/bromine/ <b>ALLOW</b> : correc E: Br ed_bydrocarbon)_no_reaction/stays_the_same	t formula;	ambrid
L L L L	ALLOV ALLOV GNOR REJEC	brown /: remains brown /: remains yellow (if aqueous bromine used)/remain E: remains yellow (if bromine used) T: incorrect colour, e.g. stays same blue colour, does	is red (if bromine used)	[1]
(   	unsatu GNOR GNOR	rated hydrocarbon) decolourises/goes colourless E: goes clear E: initial incorrect colour of bromine		[1]
( ç	acidifie goes co	d) potassium permanganate/potassium manganate lourless/purple to colourless (1 mark)	(VII) (1 mark)	
I	F: inco	rrect reagent 0 for this question		
			[Tot	tal: 10
(a) t r N	wo ma hitrogei <b>NOT</b> : N any two	ks for names of elements present: + phosphorus + potassium (or correct symbols) = 2 of nitrogen, phosphorus or potassium (or symbols) =	2 marks = 1 mark	[2]
+	, 			c.
2	any two	of:		[2]
•	soi or AL to i	depleted of minerals/depleted of essential element ( L <b>OW</b> : plants use up minerals / use up essential elem ncrease the nitrogen or phosphorus or potassium in	ts / depleted of any of N or I nents / use up N or P or K the soil	P
•	AL inc AL AL	LOW: to increase the nitrates in the soil / to increase eased growth/more growth/better growth (idea of <u>n</u> LOW: more rapid growth/quicker growth LOW: produce more crops	the phosphates in the soil <u>nore</u> growth needed)	
•	IGI IGI (for	IORE: produce more unqualified IORE: for growth/to grow/to keep plants healthy/fo making) more protein	or healthier growth	
1	NOTE:	to increase the nitrogen (or N) in the soil = 1 0 mark for elements and 1 for increase of that eleme o increase the N + P in the soil = 2 1 mark for two of the elements and one for idea of ir	ent) ncrease)	
(b) (	(i) CC AL	N₂H₄ L <b>OW</b> : any order		[1
(i	ii) 60 if 2 N = NC	marks not scored: <b>ALLOW</b> 1 mark for correct atomic 14, O = 16, H = 1, C = 12 anywhere in working <b>TE</b> : no e.c.f.	c masses	[2]

Page !	5	Mark Scheme	Syllabus	N. S.
		IGCSE – May/June 2013	0620	1230
(c) reg NC	gular a <b>DTE</b> : r	arrangement; minimum of 2 rows of 3 molecules required		ambrid
mc NC RE	olecule OTE: r EJEC	es touching each other minimum of 6 (O) are required all of which are touchi <b>r</b> : molecules in a single row touching	ng or very close	e together.
d) (da AL	amp re _ <b>LOW</b>	ed) litmus (paper); /: pH paper		[1]
tur NC	rns blu DTE: s	ue second mark dependent on first being correct		[1]
AL AL	LOW	/: universal indicator/full range indicator (paper) (1 m turns purple/blue (1 mark) /: hydrochloric acid (1) gives white fumes (1)	nark)	
				[Total: 11]
ı) (i)	D			[1]
(ii)	С			[1]
(iii)	Α			[1]
b) (i)	loss	s of carbon dioxide/loss of gas		[1]
(ii)	acc ALL	ept values from 360–380 <b>_OW</b> : 6 min to 6 min 20 s / 6 ⅓ min		[1]
(iii)	0.5	(g)		[1]
(iv)	(init sam	ial) gradient greater/slope greater and starts at 0, 0; ne final volume		[1] [1]
(v)	(rate IGN ALL	e) increases IORE: more carbon dioxide per second _OW : (rate) faster		[1]
				[Total: 9]
(a) (i)	Any	three of:		[3]
	•	add propanol to the mixture <u>and</u> shake (or stir) implication of filtration of solution/diagram of filter fu	unnel <u>and</u> filter (	paper

- **REJECT**: diagram of filter paper circle on top of funnel
- sugar solution goes through the filter paper/sugar solution is the filtrate/diagram shows sugar solution (labelled) passing through filter paper salt or sodium chloride remains on filter paper/diagram shows salt or sodium •
- chloride (labelled) remaining on filter paper

			www.xtrapapers.com
Pa	ige 6	Mark Scheme S	Syllabus C
		IGCSE – May/June 2013	0620 23
	(ii)	evaporate the water/evaporation IGNORE: heat ALLOW: distillation	ambridge.c.
(b)	(i)	NaC <i>l</i> ALLOW: Na <sup>+</sup> C <i>l<sup>-</sup></i> REJECT: Na <sup>+</sup> + C <i>l<sup>-</sup></i> /multiples, e.g. 2NaC <i>l</i>	[1]
	(ii)	ionic	[1]
(c)	(i)	D	[1]
	(ii)	positive electrode $\rightarrow$ chlorine / C $l_2$ IGNORE: C $l$	[1]
		negative electrode $\rightarrow$ hyrdrogen/H <sub>2</sub> IGNORE: H	[1]
		<b>IF</b> : correct electrode products reversed = 1 mark	
			[Total: 9]
7 (a)	Any	/ four of:	
	•	evaporates or evaporation (of hydrogen chloride)	
	•	movement of particles	
	•	hydrogen chloride particles (move) / HCl particles (move)	
	•	diffusion	
	•	particles collide (with each other)	
	•	spreading out of particles	
	•	random (movement of particles)	
	•	<b>ALLOW</b> : (HC $l$ ) particles (move from higher) to lower concert	tration
	AL	LOW: molecules or atoms in place of particles	
	NO	TE: no mark for acid turning damp blue litmus red	
	NO NO	<b>TE</b> : hydrogen chloride particles move = 2 mark <b>TE</b> : random movement of hydrogen chloride particles = 3 mar	ks [4]
(b)	am RF:	monium chloride JECT: ammonia chloride	[1]

age 7	Mark Scheme	Syllabus
	IGCSE – May/June 2013	0620
(c) (i)	iron + hydrochloric acid $\rightarrow$ iron(II) chloride + hydrogen <b>IGNORE</b> : symbol equation	Cambrie
	REJECT: iron chloride	
(ii)	add sodium hydroxide (solution/aqueous) ammonia; <b>ALLOW</b> : add ammonium hydroxide	[1]
	greyish- <u>green precipitate</u> ALLOW: green ppt. IGNORE: what happens in excess reagent NOTE: second mark dependent on first being correct	[1]
(d) (i)	control/standard/idea of making fair comparison	[1]
(ii)	water/H <sub>2</sub> O	[1]
	air/oxygen/O <sub>2</sub> IGNORE: O APPLY: listing for other incorrect substances	[1]
(iii)	air not present/oxygen not present/water not present	[1]
(iv)	air <u>and</u> water can get to the surface of the iron/oxygen ar iron <b>IGNORE</b> : ideas that not all surface is protected	nd water can get to the [1]
		[Total: 13]
(a) (i)	better conductor ORA IGNORE: it conducts/good conductor IGNORE: it is softer/easier to draw into wire	[1]
(ii)	too expensive/higher cost IGNORE: it has a low melting point	[1]
(iii)	higher melting point; IGNORE: high melting point	[1]
	cheaper	[1]
(iv)	(plastic) is an <u>insulator;</u> explanation of insulator, e.g. does not conduct electricity <b>ALLOW</b> : so you don't get an electric shock	[1] [1]
(b) B		[1]
		[Total: 7]