

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

0620/13 **CHEMISTRY**

October/November 2016 Paper 1 Multiple Choice (Core)

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 20.


Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 17 printed pages and 3 blank pages.



© UCLES 2016






1 'Particles moving **very slowly** from an area of higher concentration to an area of lower concentration.'

Which process is being described?

- A a liquid being frozen
- B a solid melting
- C a substance diffusing through a liquid
- **D** a substance diffusing through the air
- **2** A student mixes 25 cm³ samples of dilute hydrochloric acid with different volumes of aqueous sodium hydroxide.


In each case, the student measures the change in temperature to test if the reaction is exothermic.

Which piece of apparatus is **not** needed?



3 A solid X is purified in five steps.

The first four steps of the purification are shown in the diagram.



In **step 5**, how is a pure sample of solid X obtained from mixture Y?

- A dissolving
- **B** distillation
- **C** evaporating
- **D** filtering
- 4 An atom has three electron shells. There are three electrons in the outer shell.

How many protons and how many neutrons are in this atom?

	protons	neutrons			
Α	13	14			
В	13	27			
С	14	13			
D	21	24			

5 Boron nitride is a compound of the elements boron and nitrogen.

It has a similar structure to diamond.

What is likely to be a property of boron nitride?

- A It conducts electricity.
- **B** It is soluble in water.
- C It is used as a lubricant.
- **D** It is very hard.

6 Which row describes the formation of single covalent bonds in methane?

Α	atoms share a pair of electrons	both atoms gain a noble gas electronic structure
В	atoms share a pair of electrons	both atoms have the same number of electrons in their outer shell
С	electrons are transferred from one atom to another	both atoms gain a noble gas electronic structure
D	electrons are transferred from one atom to another	both atoms have the same number of electrons in their outer shell


- 7 Which elements are in the compound BaCO₃?
 - A barium and cobalt
 - B boron, actinium and oxygen
 - C carbon, oxygen and barium
 - **D** oxygen, calcium and boron
- 8 Concentrated aqueous sodium iodide is electrolysed using platinum electrodes.

The solution contains the ions Na^+ , I^- , H^+ and OH^- .

Which electrodes are the ions attracted to during this electrolysis?

	cathode	anode				
Α	H⁺ and Na⁺	$\mathrm{I}^{\scriptscriptstyle{-}}$ and $\mathrm{OH}^{\scriptscriptstyle{-}}$				
В	H⁺ and OH⁻	I⁻ and Na⁺				
С	$ extsf{I}^{ extsf{-}}$ and $ extsf{Na}^{ extsf{+}}$	H⁺ and OH⁻				
D	I^{-} and OH^{-}	H [⁺] and Na [⁺]				

9 Which apparatus could be used to electroplate an iron nail with copper?




10 10 g of ammonium nitrate are added to water at 25 °C and the mixture stirred. The ammonium nitrate dissolves and, after one minute, the temperature of the solution is 10 °C.

Which word describes this change?

- A endothermic
- **B** exothermic
- **C** neutralisation
- **D** reduction
- 11 What is always produced when a fuel is burnt?
 - A carbon dioxide
 - B carbon monoxide
 - C heat energy
 - **D** oxides of nitrogen


12 An experiment X is carried out between a solid and a solution using the apparatus shown.



The volume of gas given off is measured at different times and the results plotted on a graph.

In a second experiment Y, the surface area of the solid is increased but all other factors remain the same.

Which graph shows the results of experiments X and Y?



13 Hydrated cobalt(II) chloride crystals are pink.

When they are heated, they lose water and form blue anhydrous cobalt(II) chloride.

 $hydrated cobalt(II) chloride \rightleftharpoons anhydrous cobalt(II) chloride + water$

A few drops of vinegar were added to anhydrous cobalt(II) chloride.

There was a colour change from blue to pink.

What does this colour change show about vinegar?

- A It contains an acid.
- **B** It contains water.
- C It is an alkali.
- **D** It is anhydrous.
- **14** The equations for three reactions are shown.

$$1 \quad CuO + H_2 \rightarrow Cu + H_2O$$

2 Fe₂O₃ + 3CO
$$\rightarrow$$
 2Fe + 3CO₂

$$3 \quad 2H_2 + O_2 \rightarrow 2H_2O$$

Which statement about the reactions is **not** correct?

- **A** In reaction 1, copper(II) oxide is reduced to copper.
- **B** In reaction 2, carbon monoxide is oxidised to carbon dioxide.
- **C** In reactions 1 and 3, hydrogen is oxidised to water.
- **D** In reaction 2, iron(III) oxide is oxidised to iron.

15 Part of the Periodic Table is shown.

Х							Υ	

Which type of oxides do X and Y form?

	Х	Y			
Α	acidic	acidic			
В	acidic	basic			
С	basic	acidic			
D	basic basic				

16 Compound T is added to dilute hydrochloric acid and warmed gently.

The mixture gives off a gas which turns acidified aqueous potassium manganate (VII) from purple to colourless.

A flame test on compound T gives a lilac flame.

What is compound T?

- A sodium sulfate
- B sodium sulfite
- C potassium sulfate
- **D** potassium sulfite
- 17 Acids can react with metal oxides, carbonates and metals.

Which reactions produce a gas?


	acid with metal oxide	acid with carbonate	acid with metal
Α	✓	✓	✓
В	✓	X	X
С	X	✓	✓
D	x	✓	X

key

√ = gas is produced

x = no gas is produced

18 The apparatus shown is used to prepare aqueous copper(II) sulfate.



What are X and Y?

	Х	Υ			
Α	copper	aqueous iron(II) sulfate			
В	copper(II) chloride	sulfuric acid			
С	copper(II) oxide	sulfuric acid			
D	sulfur	aqueous copper(II) chloride			

19 Elements P and Q are in the same period of the Periodic Table.

P is a metal and Q is a non-metal.

Which statement is correct?

- A P has a greater nucleon number than Q.
- **B** P is to the right of Q in the period.
- **C** Q has more electron shells than P.
- **D** Q has more protons than P.
- **20** What is **not** a property of Group I metals?
 - **A** They are soft and can be cut with a knife.
 - **B** They react when exposed to oxygen in the air.
 - **C** They produce an acidic solution when they react with water.
 - **D** They react rapidly with water producing hydrogen gas.

21 A flammable gas needs to be removed from a tank at an industrial plant.

For safety reasons, an inert gas is used.

Which gas is suitable?

- **A** argon
- **B** hydrogen
- **C** methane
- **D** oxygen

22 Which element is a transition element?

	colour of chloride	melting point of element/°C				
Α	orange	113				
В	orange	1535				
С	white	113				
D	white	1535				

- 23 Which statement about the element bromine is correct?
 - **A** It displaces chlorine from aqueous potassium chloride.
 - **B** It has a higher density than chlorine.
 - C It is a diatomic metal.
 - **D** It is a green gas at room temperature.
- 24 Four metals are listed in decreasing order of reactivity.

magnesium

zinc

iron

copper

Titanium reacts with acid and cannot be extracted from its ore by heating with carbon.

Where should titanium be placed in the list?

- A below copper
- **B** between iron and copper
- **C** between magnesium and zinc
- **D** between zinc and iron

25	Basic	oxides	and	oxvaen	are	used	to	convert	iron	into	steel

Which statement is **not** correct?

- **A** Carbon is converted into carbon dioxide.
- **B** Silicon is converted into silicon(IV) oxide.
- **C** The basic oxides react with acidic impurities to form slag.
- **D** The oxygen reacts with the iron to produce hematite.

26 A student added dilute hydrochloric acid to four metals and recorded the results.

Some of the results are **not** correct.

	results						
	metal	gas given off					
1	copper	yes					
2	iron	yes					
3	magnesium	no					
4	zinc	yes					

Which **two** results are correct?

_		_		_		_	
Α	1 and 3	В	1 and 4	С	2 and 3	D	2 and 4


- 27 Some properties of aluminium are listed.
 - 1 It conducts heat.
 - 2 It has a low density.
 - 3 It is mechanically strong.
 - 4 It is resistant to corrosion.

Which properties make aluminium suitable for making food containers for chilled food products?

Α	1, 2 and 4	В	1, 3 and 4	C 1 only	D 4 only

28 The diagram represents the water cycle.

At which stage during the cycle are soluble impurities removed from the water?



29 Air is a mixture of gases.

Which gas is present in the largest amount?

- **A** argon
- B carbon dioxide
- C nitrogen
- **D** oxygen


30 Which information about carbon dioxide and methane is correct?

		carbon dioxide	methane	
Α	formed when vegetation decomposes	✓	X	key
В	greenhouse gas	✓	✓	✓ = true
С	present in unpolluted air	×	×	x = false
D	produced during respiration	X	✓	

31 Calcium oxide and ammonium salts are used by farmers to treat soils.

Why are these two substances added at different times?

- A They are both acidic.
- **B** They are both basic.
- **C** They react with each other to produce ammonia.
- **D** They react with each other to produce hydrogen.
- **32** The chart shows how a gas, G, is formed in four reactions, from glucose or from a solid, S.



What are the formulae of gas G and solid S?

	gas G	solid S
Α	CH₄	Ca
В	CH ₄	CaCO ₃
С	CO ₂	Ca
D	CO_2	CaCO₃

33 Slaked lime is used to neutralise an acidic soil.

How does the pH of the soil change?

	from	to
Α	6	7
В	7	8
С	8	7
D	8	6

- 34 Which list shows the fractions obtained from distilling petroleum, in order of increasing boiling point?
 - **A** bitumen \rightarrow diesel oil \rightarrow fuel oil \rightarrow lubricating oil
 - **B** diesel oil \rightarrow gasoline \rightarrow naphtha \rightarrow kerosene
 - **C** gasoline \rightarrow naphtha \rightarrow kerosene \rightarrow diesel oil
 - **D** kerosene \rightarrow lubricating oil \rightarrow naphtha \rightarrow refinery gas
- 35 Butane reacts as shown.

What is this type of reaction?

- A combustion
- **B** cracking
- **C** polymerisation
- **D** reduction
- **36** The structure of a compound, X, is shown.

To which homologous series does X belong?

- A alcohols
- **B** alkanes
- C alkenes
- **D** carboxylic acids


37 An organic compound has the following properties.

colour	effect on Universal Indicator	flammability	effect on aqueous bromine	state at room temperature
colourless	none	highly flammable	decolourises	gas

To which homologous series does this organic compound belong?


- A alcohols
- **B** alkanes
- **C** alkenes
- D carboxylic acids

38 The diagram shows some apparatus.



What is made using this apparatus?

- A ethane
- B ethanoic acid
- **C** ethanol
- **D** ethene
- **39** Which molecule can be polymerised?



40 Ethanol is used as a biofuel.

Which equation shows the complete combustion of ethanol?

- $\textbf{A} \quad C_2H_5OH \ + \ 3O_2 \ \rightarrow \ 2CO_2 \ + \ 2H_2O$
- $\textbf{B} \quad C_2H_5OH \ + \ 3O_2 \ \rightarrow \ 2CO_2 \ + \ 3H_2O$
- $\textbf{C} \quad 2C_2H_5OH \ + \ 6O_2 \ \rightarrow \ 4CO_2 \ + \ 4H_2O$
- $\textbf{D} \quad 2C_2H_5OH \ + \ 7O_2 \ \rightarrow \ 4CO_2 \ + \ 6H_2O$

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	III/	2	He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	ᅐ	krypton 84	54	Xe	xenon 131	98	R	radon			
	II/				6	Щ	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	П	iodine 127	85	¥	astatine -			
	I				80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	<u>P</u>	tellurium 128	84	Ъ	molouium -	116	_	livermorium -
	^				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ξ	bismuth 209			
	<u>N</u>				9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	90	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium
	≡				2	Ш	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
								•			30	Zu	zinc 65	48	S	cadmium 112	80	Нg	mercury 201	112	C	copemicium
											29	Cn	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium -
dno											28	Z	nickel 59	46	Pd	palladium 106	78	₹	platinum 195	110	Ds	darmstadtium -
Group											27	ပိ	cobalt 59	45	몺	rhodium 103	77	'n	iridium 192	109	¥	meitnerium
		-	I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium
					-						25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium
						loc	1SS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	Ср	dubnium
						ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	꿉	rutherfordium -
								•			21	လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				3	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ᇁ	francium -

7.1	Γn	lutetium 175	103	Ļ	lawrencium	I
		ytterbium 173			_	
69	Тш	thulium 169	101	Md	mendelevium	ı
89	ш	erbium 167	100	Fm	ferminm	ı
29	웃	holmium 165	66	Es	einsteinium	I
99	۵	dysprosium 163	86	ŭ	califomium	ı
65	Д	terbium 159	6	益	berkelium	ı
64	P G	gadolinium 157	96	Cm	cunium	I
63	En	europium 152	92	Am	americium	I
62	Sm	samarium 150	94	Pu	plutonium	I
61	Pm	promethium -	93	ď	neptunium	ı
09	PΝ	neodymium 144	92	\supset	uranium	238
69	ď	praseodymium 141	91	Ра	protactinium	231
58	Ce	cerium 140	06	H	thorium	232
25	Га	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.)