



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CHEMISTRY 0620/22

Paper 2 Multiple Choice (Extended) October/November 2016

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 20.

Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.




1 'Particles moving **very slowly** from an area of higher concentration to an area of lower concentration.'

Which process is being described?

- A a liquid being frozen
- B a solid melting
- C a substance diffusing through a liquid
- D a substance diffusing through the air
- **2** A student mixes 25 cm³ samples of dilute hydrochloric acid with different volumes of aqueous sodium hydroxide.

In each case, the student measures the change in temperature to test if the reaction is exothermic.

Which piece of apparatus is **not** needed?



3 A sample contains a mixture of powdered limestone (calcium carbonate), sugar and wax.

What is the correct way to obtain a pure sample of sugar?

- **A** Dissolve the mixture in dilute hydrochloric acid, filter and wash the residue.
- **B** Dissolve the mixture in hexane, filter and evaporate the filtrate.
- **C** Dissolve the mixture in water, filter and evaporate the filtrate.
- **D** Dissolve the mixture in water, filter and wash the residue.

4 The table shows information about four different particles.

particle	proton number	nucleon number	number of protons	number of neutrons	number of electrons
Na	11	23	11	W	11
Na⁺	11	23	11	12	Х
0	8	16	8	Y	8
O ²⁻	8	16	8	8	Z

What are the values of W, X, Y and Z?


	W	Х	Y	Z
Α	11	10	10	8
В	11	11	8	10
С	12	10	8	10
D	12	11	10	8

- 5 In which ionic compound do the metal ion and the non-metal ion have the same electronic structure?
 - A CaO
- **B** KBr
- **C** MgO
- **D** NaCl

6 The structure of methanal is shown.



Which diagram shows the arrangement of outer shell electrons in a molecule of methanal?



7 Iron is a metal. Its structure consists of a giant lattice of positive ions in a 'sea of electrons'.

Which statements about solid iron are correct?

- 1 Iron conducts electricity because the electrons are free to move.
- 2 Iron conducts heat because the positive ions are free to move.
- 3 Iron has a high melting point due to the strong covalent bonds.
- 4 Iron is malleable because the layers of ions can slide over one another.
- **A** 1 and 3
- **B** 1 and 4
- C 1 only
- **D** 2, 3 and 4


- 8 Which sample contains the greatest number of molecules?
 - A 4g of hydrogen
 - B 18g of water
 - C 24 dm³ of oxygen
 - D 66 g of carbon dioxide
- **9** Sodium carbonate solution reacts with dilute hydrochloric acid. The equation for the reaction is shown.


$$Na_2CO_3(aq) + 2HCl(aq) \rightarrow 2NaCl(aq) + CO_2(g) + H_2O(l)$$

Excess sodium carbonate is added to 10.0 cm³ of 0.10 mol/dm³ hydrochloric acid.

Which volume of carbon dioxide gas is made?

- **A** 12 cm³
- **B** 24 cm³
- **C** 12000 cm³
- **D** $24\,000\,\mathrm{cm}^3$
- 10 Which apparatus could be used to electroplate an iron nail with copper?






11 A student sets up a number of simple cells by putting strips of two different metals into dilute sulfuric acid.

Which cell produces the highest voltage?

- A copper and magnesium
- B copper and zinc
- **C** iron and copper
- **D** magnesium and zinc
- 12 Which experiment is the most exothermic?

	initial temperature/°C	final temperature/°C
Α	20	5
В	20	32
С	25	12
D	25	34

13 The energy level diagram for a reaction is shown.



Which row is correct?


	sign of ΔH	overall energy change	sign of $E_{\rm a}$
Α	_	exothermic	_
В	+	endothermic	+
С	+	endothermic	_
D	_	exothermic	+

14 Zinc granules are reacted with excess dilute hydrochloric acid.

The volume of hydrogen given off is measured at different times.

The results are shown on the graph, labelled experiment 1.

The results for a second experiment are also shown on the graph, labelled experiment 2.



Which change to the conditions was made in experiment 2?

- A The concentration of the hydrochloric acid was decreased.
- **B** The size of the zinc granules was decreased.
- **C** The surface area of the zinc granules was increased.
- **D** The temperature was increased.
- 15 In an experiment nitric acid is added to excess marble chips and the volume of carbon dioxide formed is measured.

The experiment is repeated using smaller marble chips. All other conditions remain the same.

Which statement about the second experiment is correct?

- **A** The collisions are more frequent and higher energy.
- **B** The collisions are more frequent and the same energy.
- **C** The collisions are the same frequency and the same energy.
- **D** The collisions are the same frequency and higher energy.

16 At 400 °C the reaction between hydrogen and iodine reaches an equilibrium. The reaction is exothermic.

$$H_2(g) + I_2(g) \rightleftharpoons 2HI(g)$$
 $\Delta H = -13 \text{ kJ/mol}$

Which change in conditions would increase the percentage of hydrogen iodide in the equilibrium mixture?

- A a decrease in pressure
- **B** a decrease in temperature
- C an increase in pressure
- **D** an increase in temperature
- 17 Chromium forms the compound chromium(III) sulfate.

What does the (III) represent?

- A the charge on a sulfate ion
- **B** the number of chromium ions combined with one sulfate ion
- **C** the number of sulfate ions combined with one chromium ion
- **D** the oxidation state of chromium
- **18** Germanium oxide is a white powder.

Germanium oxide reacts with concentrated hydrochloric acid.

Germanium oxide reacts with concentrated aqueous sodium hydroxide.

Germanium oxide does not dissolve when added to water.

Which type of oxide is germanium oxide?


- A acidic
- **B** amphoteric
- **C** basic
- **D** neutral


19 Hydrogen chloride gas reacts with water to produce an acidic solution. The equation for the reaction is shown.

$$HCl + H_2O \rightarrow Cl^- + H_3O^+$$

Which statement describes what happens during the reaction?

- **A** The chloride ion is formed by accepting an electron from the water.
- **B** The hydrogen chloride loses an electron to form the chloride ion.
- **C** The water accepts a proton from the hydrogen chloride.
- **D** The water donates a proton to the hydrogen chloride.
- 20 The apparatus shown is used to prepare aqueous copper(II) sulfate.





What are X and Y?

	X	Y
Α	copper	aqueous iron(II) sulfate
В	copper(II) chloride	sulfuric acid
С	copper(II) oxide	sulfuric acid
D	sulfur	aqueous copper(II) chloride

21 Information about some silver compounds is shown in the table.

compound	formula	solubility in water
silver carbonate	Ag ₂ CO ₃	insoluble
silver chloride	AgC1	insoluble
silver nitrate	$AgNO_3$	soluble
silver oxide	Ag ₂ O	insoluble

Which equation shows a reaction which cannot be used to make a silver salt?

A AgNO₃(aq) + HC
$$l$$
(aq) \rightarrow AgC l (s) + HNO₃(aq)

B
$$Ag_2O(s) + 2HNO_3(aq) \rightarrow 2AgNO_3(aq) + H_2O(l)$$

C
$$Ag_2CO_3(s) + 2HNO_3(aq) \rightarrow 2AgNO_3(aq) + H_2O(l) + CO_2(g)$$

D
$$2Ag(s) + 2HCl(aq) \rightarrow 2AgCl(s) + H2(g)$$

- **22** What is **not** a property of Group I metals?
 - **A** They are soft and can be cut with a knife.
 - **B** They react when exposed to oxygen in the air.
 - **C** They produce an acidic solution when they react with water.
 - **D** They react rapidly with water producing hydrogen gas.

23 Aqueous sodium hydroxide was added slowly, until in excess, to separate solutions of W, X, Y and Z.

The results are shown.


solution	initial observation with aqueous sodium hydroxide	final observation with excess aqueous sodium hydroxide	
W	white precipitate formed	precipitate dissolves	
Х	white precipitate formed	no change	
Y	pale blue precipitate formed	no change	
Z	green precipitate formed	no change	

Which row identifies the metal ions in the solutions?

	metal ion in solution W	metal ion in solution X	metal ion in solution Y	metal ion in solution Z
Α	aluminium	calcium	copper(II)	iron(II)
В	aluminium	calcium	iron(II)	copper(II)
С	aluminium	iron(II)	calcium	copper(II)
D	calcium	aluminium	copper(II)	iron(II)

24 Part of the Periodic Table is shown.

Which element has two electrons in its outer shell and three electron shells?



25 Impurities in iron obtained from the blast furnace include carbon, phosphorus and silicon.

Which impurities are removed from the molten iron as gases when it is made into steel?

- A carbon and phosphorus
- **B** carbon and silicon
- C carbon only
- **D** phosphorus and silicon

26 Y displaces X from its aqueous sulfate.

X does not displace W from its aqueous sulfate.

X displaces Z from its aqueous sulfate.

What is the order of reactivity of elements W, X, Y and Z?

	most reactive		-	least reactive
Α	W	Х	Y	Z
В	W	Y	X	Z
С	Z	Х	Y	W
D	Z	W	Y	X

27 Which statement about the industrial extraction of aluminium from aluminium oxide is correct?

- **A** Aluminium is extracted by heating its oxide with carbon.
- **B** Aluminium is extracted using electrolysis and is collected at the anode.
- **C** Aluminium is extracted using platinum electrodes and direct current.
- **D** Molten cryolite is used as a solvent for aluminium oxide.

28 The alloy brass is a mixture of copper and another metal.

Brass is used to make the pins of electrical plugs.

Copper is used to make electrical wiring.

Which row about brass is correct?

	hardness	electrical conductivity	other metal
Α	harder than copper	better than copper	tin
В	harder than copper	worse than copper	zinc
С	softer than copper	better than copper	tin
D	softer than copper	worse than copper	zinc


29 Air is a mixture of gases.

Which gas is present in the largest amount?

- A argon
- B carbon dioxide
- C nitrogen
- **D** oxygen
- 30 Which information about carbon dioxide and methane is correct?

		carbon dioxide	methane	
Α	formed when vegetation decomposes	✓	X	key
В	greenhouse gas	✓	✓	✓ = true
С	present in unpolluted air	×	×	x = false
D	produced during respiration	×	✓	

31 Boats made from steel can be protected from rusting by attaching blocks of a more reactive metal to the hull of the boat.



Which statement is correct?

- A Copper is used for the blocks because it does not react with water.
- **B** Magnesium is not used for the blocks because it reacts with steel.
- **C** The metal used for the blocks loses electrons more easily than steel.
- **D** This form of protection from rusting is called galvanising.

32 Ammonia is manufactured by the Haber process, using an iron catalyst.

$$N_2 + 3H_2 \rightleftharpoons 2NH_3$$

It is not possible to obtain 100% yield.

What is the reason for this?

- A A high pressure is used.
- **B** Ammonia decomposes at high temperature.
- **C** Some of the ammonia is recycled.
- **D** The ammonia reacts with the catalyst.
- **33** Sulfuric acid is manufactured by a series of chemical reactions, one of which is catalysed by vanadium(V) oxide.

What is the equation for the reaction catalysed by vanadium(V) oxide?

- A S + $O_2 \rightarrow SO_2$
- $\mathbf{B} \quad 2S + 3O_2 \rightarrow 2SO_3$
- $\textbf{C} \quad 2SO_2 \, + \, O_2 \, \rightarrow \, 2SO_3$
- $\mathbf{D} \quad \mathsf{SO}_3 \, + \, \mathsf{H}_2\mathsf{O} \, \rightarrow \, \mathsf{H}_2\mathsf{SO}_4$
- 34 Which substance gives off carbon dioxide on heating?
 - A lime
 - **B** limestone
 - **C** limewater
 - D slaked lime
- **35** Petroleum is separated into fractions.

Which statement is **not** correct?

- **A** Each fraction contains a mixture of hydrocarbon molecules.
- **B** Fuel oil burns easily and is used as fuel in cars.
- **C** Refinery gas is the fraction containing the smallest molecules.
- **D** The fractions are separated depending on their boiling point range.

36 Butane reacts as shown.

What is this type of reaction?

- **A** combustion
- **B** cracking
- **C** polymerisation
- **D** reduction
- **37** Substance Z has the following characteristics.
 - 1 It burns in an excess of oxygen to form carbon dioxide and water.
 - 2 It is oxidised by air to form a liquid smelling of vinegar.
 - 3 It reacts with carboxylic acids to form esters.

What is substance Z?


- A ethane
- **B** ethanoic acid
- **C** ethanol
- **D** ethyl ethanoate
- **38** Ethanol is manufactured by the catalytic addition of steam to ethene and by fermentation.


Which row shows an advantage and a disadvantage of using the catalytic addition of steam to ethene compared to fermentation?


	advantage	disadvantage	
Α	fast	the product is impure	
В	fast	uses non-renewable materials	
С	the product is pure slow		
D	uses renewable materials	slow	


39 Chloroethene, $CH_2=CHCl$, can be polymerised.

Which diagram represents a section of the polymer?









40 *Terylene* is a synthetic polymer.

Which statement about *Terylene* is **not** correct?

- A It contains amide linkages.
- **B** It contains carbon and oxygen atoms.
- **C** It is made from small units called monomers.
- **D** It is formed by condensation polymerisation.

© UCLES 2016

17

BLANK PAGE

18

BLANK PAGE

19

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

		2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	牊	radon			
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	At	astatine -			
	5			8	0	oxygen 16	16	S	sulfur 32	34	Se	elenium 79	52	_e	ellurium 128	84	Po	olonium -	116		ermorium
	>								shosphorus 31												——
	≥			9	O	carbon 12	14	S	silicon 28	32	Ge	germaniu 73	20	S	tin 119	82	Pb	lead 207	114	Fl	fleroviur
	=			2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	lΤ	thallium 204			
										30	Zn	zinc 65	48	В	cadmium 112	80	Hg	mercury 201	112	Ö	copernicium
										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium
Group										28	Z	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium
Gro										27	ပိ	cobalt 59	45	돈	rhodium 103	77	'n	iridium 192	109	¥	meitnerium
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Η̈́	hassium
				J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	pohrium
					loc	SS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	Q N	niobium 93	73	<u>n</u>	tantalum 181	105	Op	dubnium
				a	atol	relat				22	F	titanium 48	40	ZĽ	zirconium 91	72	Ξ	hafnium 178	104	꿉	rutherfordium
							1			21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	26	Ba	barium 137	88	Ra	radium
	_			8	:=	lithi um 7	1	Na	sodium 23	19	メ	potassium 39	37	R _o	rubidium 85	55	Cs	caesium 133	87	ъ.	francium

71	Ρſ	lutetium 175	103	۲	lawrencium	I
70	Υb	ytterbium 173	102	%	nobelium	I
69	T	thulium 169	101	Md	mendelevium	ı
89	ш	erbium 167	100	Fm	fermium	ı
29	운	holmium 165	66	Es	einsteinium	I
99	٥	dysprosium 163	86	ర	californium	ı
65	Д	terbium 159	26	BK	berkelium	I
64	G d	gadolinium 157	96	Cm	curium	ı
63	En	europium 152	95	Am	americium	ı
62	Sm	samarium 150	94	Pn	plutonium	ı
61	Pm	promethium -	93	ď	neptunium	ı
09	ΡN	neodymium 144	92	\supset	uranium	238
69	ď	praseodymium 141	91	Ра	protactinium	231
28	Ce	cerium 140	06	T	thorium	232
22	La	lanthanum 139	89	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.)