

No Additional Materials are required.

9

N

To be taken together with Paper 1 in one session of 2 hours 15 minutes.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in blue or black pen. You may use a soft pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid. DO **NOT** WRITE IN ANY BARCODES.


Section A Answer all questions in this section. Section B Answer one question in this section.

You may use a calculator.

The total of the marks for this paper is 50. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
Section A	
Section B	
Total	

This document consists of **17** printed pages and **3** blank pages.



1

2





Fig. 2

Add a sketch of a try square to Fig. 2 to show how the try square would be used to test for squareness. [2]



www.papacambridge.com 4 Fig. 4 shows a small wheel. The wheel could be made from a single piece of wood, 6 plastic. Ø80 Fig. 4 Name a suitable method of manufacture for the wheel when made from: (a) wood; (b) metal; (c) plastic.[1] 7 Fig. 5 shows a corner bracket made from solid wood. During fixing, it snapped at A.



(a) Give one reason why the corner bracket snapped at ${\bf A}$ during fixing.

......[1]

- (b) State how the corner bracket could be made and fixed without snapping.
-[1]





Fig. 7




(b) Give **one** reason why the bend lines would be marked on the acrylic using a felt marker rather than a scriber.

[2]

Www.papaCambridge.com 7 Section B Answer one question from this section. 11 Fig. 9 shows an incomplete design for a post box used by young children in school. The lid for the post box has been removed. POSTBOX 500 NEXT COLLECTION manufactured board 15 mm thick <u>?</u>00 Fig. 9 Name a suitable manufactured board for the post box. (a) (i)[1] Give two advantages of using a manufactured board rather than a solid wood for the (ii) post box.

(b) Use sketches and notes to show how the side and back could be joined at **A** using KD (knock-down) fittings.



(i) Name two tools used to mark out the shape of the slot.

1	I	[1]
2	2	[1]

(ii) Use sketches and notes to show how the slot could be cut out and the edges smoothed. Name the tools used.

[6] (d) The post box will be painted. Give one advantage of spray painting rather than brush painting. (i) (ii) State one safety precaution you would take when spray painting.[1]

- 9 (e) Use sketches and notes to design a lid for the post box. Include details of any fittings you might use.
- (f) Fig. 11 shows details of the holder for the 'next collection' time card, positioned on the front of the post box.




Fig. 11

Use sketches and notes to show how the holder could be formed from 1 mm thick mild steel sheet.





Fig. 12

(a) Use sketches and notes to show how bend A can be produced on the Ø3 mild steel rod.



(e) An alternative method of producing the balance weights would be to saw them length of steel rod.

WANN, PapaCambridge.com Use sketches and notes to show how one balance weight could be marked out then sawn to length.

Name two marking out tools and the name of the saw used.

[5]

(f) The joint in Fig. 12 will be made by brazing.


Use sketches and notes to show how the figure would be brazed to the Ø3 mild steel rod.

Include details of preparation before brazing.


(g) An epoxy resin adhesive could be used to join the balance weights to the man rod.

the miner's prepared and Use sketches and notes to show how the epoxy resin adhesive would be prepared and how the balance weights are held securely while the adhesive sets.

[4]




former (d) Fig. 16 shows three blocks made from manufactured board used as the former plastic tray.





(i) Describe what needs to be done to the blocks to ensure that the plastic tray can be released from the former when vacuum formed.

		[0]
		[2]
(ii)	State two stages in the process of vacuum forming the plastic tray.	
	1	[1]
	2	[1]



base c. For miner's (g) Use sketches and notes to show how a 4 mm thick manufactured board base fitted to the box. The edges of the base must not be seen.

- [4]
- (h) Sketch and name a suitable catch that could be used to secure the lid of the box when closed.

[4]



BLANK PAGE

18



BLANK PAGE

19



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of

20

BLANK PAGE