

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

MARK SCHEME for the May/June 2010 question paper
for the guidance of teachers

0445 DESIGN AND TECHNOLOGY

0445/23

Paper 23 (Graphic Products), maximum raw mark 50

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	
	IGCSE – May/June 2010	0445	

- A1** Rectangular screen 50×4 (2)
 $\varnothing 50$ circle (1)
Triangle $45^\circ \times 90^\circ$ size (1) pos(1) (2×1)
Complete outline 70×120 (2)
Radius to min two corners (2) [9]

[Total: 9]

- A2** Accuracy and proportion of:

A (1)

Y (1)

E (1)

R (1)

Spacing (1)

Height (1) [6]

[Total: 6]

- A3 (a)** Development (net)

4 sides (1)

Regular square 64 side (1)

4 semi-circles min 2 drawn accurately (2×2) [6]

[6]

(b) Correct side folded box 3 (1)

Overlap correct box 3 (1)

Overlap correct box 4 (1)

Tuck in shown correctly (1) [4]

[4]

[Total: 10]

Page 3	Mark Scheme: Teachers' version	Syllabus
	IGCSE – May/June 2010	0445

- B4 (a)** Division by construction (evident) (2)
Verticals 93/95 spacing (1)
- (b)** 77 × 70 rectangle (2)
Ø26 for head & body (2)
Body correct height (41 +/-1) (1)
Ø12 on hand (1) correct position (1) (2 × 1)
Shoulder (1)
Arm (two parts 1 + 1) (2)
Arm angle 60° (1)
MP3 pr 0–3 (3)
Headphones (1) [15]
- (c) (i)** Suitable chart/graph type 0–2 (2)
Data represented accurately 0–2 (2) [4]
- (ii)** Suitable chart/graph type 0–2 (2)
Data represented correctly (1) [3]
- [Total: 25]**

- B5 (a) (i) Front View**
Length of stand 150 (1)
Height of stand 20 (1)
Top of stand to Centre line 20mm (1)
Major axis correct size 50 (1)
Minor axis correct size 30 (1)
Construction for ellipse (0–2pr) (2)
Curve line quality (0–2pr) (2)
Fuselage 30 high (1)
Rear fuselage 15° × 45 (1)
Tail fin R35 (1)
R50 evident (1) [13]
- (ii) Plan**
Width of stand 60 (1)
Wing 30 wide at fuselage (1)
Wing 55 from nose (1)
Wing 55 fuselage to centre of radius ×2 (2)
Wing tip R10 ×2 (2) [7]
- (b) Symbol**
Symbol matching projection (1)
Quality drawing (1) [2]
- (c) Joint at A**
Slot (1)
Shouldered tab (0–2 pr) (2) [3]

[Total : 25]