

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2010 question paper
for the guidance of teachers**

0607 CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/03

Paper 3 (Core), maximum raw mark 96

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus
	IGCSE – October/November 2010	0607

1	(a)	2.76×10^5	B1 [1]	
	(b)	135 930 (allow 135 900 and 136 000)	B2 [2]	If B0, M1 for $276000 \div 400 \times 197$
	(c) (i)	287040 (allow 287000)	B2 [2]	If B0, M1 for 276000×1.04 oe SC1 for 11040
	(ii)	290000 ft	B1ft [1]	ft their (i) , if at least 6 figures [6]
2	(a) (i)	7, 5, 5, 9, 6, 9 9, 5, 3, 1	B1 B1 [2]	
	(ii)	5, 5, 6, 7, 8, 9, 9 1, 1, 3, 4, 4, 5, 5, 5, 5, 9, 9 0	B1 ft [1]	
	(iii)	23.5	B1 ft [1]	Correct or ft their (ii)
	(b)	Columns for 23, 24, 25, 29 and 30 all correct	B3 ft [3]	B2 for 4 correct, B1 for 3 correct Correct or ft their (ii)
	(c)	10 ft	B2 ft [2]	ft their value in (a) (either (i) or (ii) if different) If B0, M1 for their frequency in (a) $\div 20 \times 100$ [9]
	3	(a) (i)	Triangle with vertices $(-4, 4), (0, 4), (-4, 6)$	B2 [2]
(ii)		Triangle with vertices $(8, 2), (4, 2), (8, 4)$	B2 [2]	If B0, SC1 for reflection in x -axis
(iii)		Triangle with vertices $(8, -2), (4, -2), (8, -4)$	B2 [2]	If B0, SC1 for any other rotation by 180°
(b)		Enlargement, (centre) $(-8, 6)$ (scale factor) 3	B1, B1, B1 [3]	Each B1 independent All 0 if combination of transformations [9]
4	(a)	08 10	B1 [1]	Allow any reasonable form e.g. 8h 10
	(b) (i)	44.7 (44.73 – 44.74)	B2 [2]	If B0, M1 for $850 \div 19$
	(ii)	2.68 (2.682 to 2.684....) ft	B2 ft [2]	ft their (i) $\times 60 \div 1000$ If B0, M1 for their (i) $\times 60 \div 1000$
	(c)	8.5	B2 [2]	SC1 for 4.25 or M1 for 10×850 (implied by 8500) [7]
5	(a)	$f(x)$ parabola shape, vertex $(0, 0)$ $g(x)$ parabola shape, vertex $(1, 0)$	B1, B1 B1, B1 [4]	
	(b)	Translation $\begin{pmatrix} 1 \\ 0 \end{pmatrix}$	B1, B1 [2]	Must be translation but vector can be described The two B1's are independent
	(c)	$x^2 + 3$	B2 [2]	B1 for $f(x) + 3$ [8]

Page 3	Mark Scheme: Teachers' version	Syllabus
	IGCSE – October/November 2010	0607

6	(a) (i)	Accurate graph ruled for full domain	B2 [2]	If B0, SC1 for correct short line or correct full domain but freehand or gradient 0.5 y – intercept 2
	(ii)	Points (0, 2) and (6, 5) correctly plotted	B1, B1 [2]	ft if B2 or SC1 in (i)
	(b)	(6, 2) plotted (condone absence of R) and triangle drawn	B1 [1]	Condone freehand and absence of labels
	(d)	26.6	B3 [3]	If B0, M1 for $\tan = \frac{3}{6}$ oe, A1 for accurate answer to at least 2 dp (26.56 to 26.57 implies M1A1) [8]
7	(a)	Pentagon	B1 [1]	
	(b)	108	B1 [1]	
	(c)	540	B2 [2]	If B0, M1 for $(n - 2) \times 180$ oe seen or 540 seen
	(d)	120	B2 [2]	If B0, M1 for their $((c) - 180) \div 3$
	(e) (i)	CD and AE drawn and meeting	B1 [1]	Condone absence of label and accept freehand
	(ii)	Trapezium	B1 [1]	
	(iii)	60 ft	B2 ft [2]	ft their $180 - 2 \times (180 - \text{their (d)})$ if positive If B0 M1 for $180 - 2 \times (180 - \text{their (d)})$ if positive
(iv)	Equilateral dep or ft	B1 ft [1]	Dependent on (iii) correct or if (d) incorrect ft is isosceles [11]	
8	(a) (i)	a, e, f	B1 [1]	
	(ii)	P'	B1 [1]	
	(iii)	$\{e, f\}$	B1 [1]	
	(iv)	6	B1 [1]	
	(b)	P but not Q shaded	B1 [1]	
	(c) (i)	$\frac{1}{7}$ oe	B1 [1]	
	(ii)	0	B1 [1]	Allow zero or $\frac{0}{7}$
	(d)	$\frac{1}{3}$ oe	B1 [1]	
	(e)	30	B2 [2]	If B0, M1 for $\frac{3}{7}$ soi or $\frac{1}{7} \times 70$ (implied by 10) [10]

Page 4	Mark Scheme: Teachers' version	Syllabus
	IGCSE – October/November 2010	0607

9 (a)	$\frac{1}{5}$	B2 [2]	If B0, allow B1 for any correct fraction
(b) (i)	6	B1 [1]	
(ii)	22.07 (allow 22.1)	B1 [1]	
(iii)	22.5	B1 [1]	
(iv)	23	B1 [1]	
(c)	111.6 (or 112)	B2 [2]	If B0, M1 for $31 \div 100 \times 360$ oe [8]
10 (a)	100	B1 [1]	
(b) (i)	0.9	B3 [3]	If B0, M1 for 1.2×0.8 , M1 for $0.5 \times 0.4 \times 0.3$ (or $0.5 \times 400 \times 300$), If collecting areas, M1 for a rectangle, M1 for a triangle or trapezium
(ii)	90 ft	B1 ft [1]	ft their (i) \times their (a)
(c) (i)	3.8	B4 [4]	If B0, M1 for $0.3^2 + 0.4^2$ seen (or $300^2 + 400^2$), A1 for 0.5 (or 500) M1 for adding 5 lengths in same units. If 0, SC1 for 4 or 3.3
(ii)	1710 ft	B1 ft [1]	ft their (i) \times 450 [10]
11 (a)	Rectangular hyperbola	B3 [3]	B1 for curve through origin B1 for two branches B1 for Roughly having asymptotes parallel to axes
(b)	$x = 2, y = 1$	B1, B1 [2]	
(c)	$y \in R, y \neq 1$	B1, B1 [2]	Independent. Can accept either answer in words.
(d) (i)	Line through origin sketched to meet hyperbola twice	B1 [1]	Can be freehand
(ii)	0, 4 cao	B1, B1 [2]	[10]