

# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Tidde Con



NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

#### **CAMBRIDGE INTERNATIONAL MATHEMATICS**

0607/01

Paper 1 (Core)

October/November 2010

45 minutes

Candidates answer on the Question Paper

Additional Materials:

Geometrical Instruments

### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO **NOT** WRITE IN ANY BARCODES.

Answer all the questions.

#### CALCULATORS MUST NOT BE USED IN THIS PAPER.

All answers should be given in their simplest form.

You must show all the relevant working to gain full marks and you will be given marks for correct methods even if your answer is incorrect.

The number of marks is given in brackets [ ] at the end of each question or part question.

The total number of marks for this paper is 40.

For Examiner's Use

This document consists of 10 printed pages and 2 blank pages.



## Formula List

Area, $A$ , of triangle, base $b$ , height $h$ .	$A = \frac{1}{2}bh$
Area, $A$ , of circle, radius $r$ .	$A = \pi r^2$
Circumference, $C$ , of circle, radius $r$ .	$C = 2\pi r$
Curved surface area, $A$ , of cylinder of radius $r$ , height $h$ .	$A = 2\pi rh$
Curved surface area, $A$ , of cone of radius $r$ , sloping edge $l$ .	$A = \pi r l$
Curved surface area, $A$ , of sphere of radius $r$ .	$A=4\pi r^2$
Volume, $V$ , of prism, cross-sectional area $A$ , length $l$ .	V = Al
Volume, $V$ , of pyramid, base area $A$ , height $h$ .	$V = \frac{1}{3}Ah$
Volume, $V$ , of cylinder of radius $r$ , height $h$ .	$V = \pi r^2 h$
Volume, $V$ , of cone of radius $r$ , height $h$ .	$V = \frac{1}{3}\pi r^2 h$
Volume, $V$ , of sphere of radius $r$ .	$V = \frac{4}{3}\pi r^3$

# Answer **all** the questions.

Answer(a)  Answer(b)  Answer(a) Samir and Josef divide \$250 in the ratio 2:3.  Calculate how much money each receives.  Answer(a) Samir \$  Josef \$  Work out how much pasta is needed for 8 people.				WWW.X	trapa
(b) Work out 5 <sup>2</sup> – 2 <sup>3</sup> .  Answer(b)			3	W. D.	1
(b) Work out 5 <sup>2</sup> – 2 <sup>3</sup> .  Answer(b)			Answer all the que	estions.	SC.
(b) Work out 5 <sup>2</sup> – 2 <sup>3</sup> .  Answer(b)	1	(a)	Find the lowest common multiple of 6 and 9.	`	13
(b) Work out 5 <sup>2</sup> – 2 <sup>3</sup> .  Answer(b)					
(b) Work out 5 <sup>2</sup> – 2 <sup>3</sup> .  Answer(b)					[1]
Answer(b)					
2 (a) Samir and Josef divide \$250 in the ratio 2 : 3.  Calculate how much money each receives.  Answer(a) Samir \$  Josef \$  (b) A recipe for 3 people needs 600 g of pasta.		<b>(b)</b>	Work out $5^2 - 2^3$ .		
2 (a) Samir and Josef divide \$250 in the ratio 2 : 3.  Calculate how much money each receives.  Answer(a) Samir \$  Josef \$  Moderate State of the ratio 2 : 3.					
Calculate how much money each receives.  Answer(a) Samir \$  Josef \$  Marcipe for 3 people needs 600 g of pasta.				Answer(b)	[2]
Calculate how much money each receives.  Answer(a) Samir \$  Josef \$  Marcipe for 3 people needs 600 g of pasta.					
Answer(a) Samir \$  Josef \$  (b) A recipe for 3 people needs 600 g of pasta.	2	(a)	Samir and Josef divide \$250 in the ratio 2 : 3.		
Josef \$  (b) A recipe for 3 people needs 600 g of pasta.			Calculate how much money each receives.		
Josef \$  (b) A recipe for 3 people needs 600 g of pasta.					
Josef \$  (b) A recipe for 3 people needs 600 g of pasta.					
Josef \$  (b) A recipe for 3 people needs 600 g of pasta.				( ) G	
<b>(b)</b> A recipe for 3 people needs 600 g of pasta.					
				Josef \$	[2]
Work out how much pasta is needed for 8 people.		<b>(b)</b>			
			Work out how much pasta is needed for 8 people.		
				Answer(b) g	[2]


(a) Find the gradient of the line joining P and Q.

4	F 0 7
Answer(a)	 [2]

**(b)** Find the co-ordinates of the midpoint of the line joining P and Q.

Answer(b) ( , , , )

4




NOT TO **SCALE** 

A circle, centre O, has an area of 600 cm<sup>2</sup>.

Find the area of the shaded sector.

[2]



(a) How many students were measured?

Answer(a) [1]

**(b)** Find the interquartile range.

..... Answer(b) [2]

				•	•	•	•	•
	•	•	•		•	•	•	
•		•				•		

Diagram 1 Diagram 2 Diagram 3

Diagram 4

(a) Draw Diagram 4 in this sequence.

[1]

**(b) (i)** Write down, as a sequence, the number of dots in each diagram.

Answer(b)(i) \_\_\_\_\_ , \_\_\_\_ , \_\_\_\_ [1]


(ii) Write down the *n*th term of this sequence.

Answer(b)(ii) [1]

Solve the simultaneous equations 2x = y + 8 and 3x + 2y = 5. 7

$$Answer x =$$

$$y =$$
 [4]




NOT TO SCALE

In the diagram DE is parallel to BC. AD = DE and angle  $ABC = 70^{\circ}$ .

Find the value of x.

$$Answer(a) x =$$
 [2]

**(b)** 



NOT TO SCALE

The diagram shows a circle, centre O, with a tangent drawn at P. Angle  $OQP = 20^{\circ}$ .

Find the values of y and z.


$$Answer(b) y =$$
 [1]

$$z =$$
 [1]

9 (	(a)	Evnand	tha	brackets	and	aima	1;£,
9 (	(a)	Expand	uie	Drackets	anu	SIIIIP	шу

$$3(x-y)-2(x-5y)$$

(a) Expand the bracke	ts and simplify. $(x-y) - 2(x-5y)$	8	WWW. Pak	For iner's
(b) Factorise complete	ely. $x^2 + 9xy^2$	Answer(a)		[2]
(c) Write as a single find $\frac{2}{3}$		Answer(b)		[2]
		Answer(c)		[2]



NOT TO SCALE

A cuboid has a square base of side 5 m and a height of 4 m.

(a) Calculate the volume of the cuboid.


Answer(a)	$m^3$	Г11
miswer (a)	 111	LIJ

**(b)** Calculate the total surface area of the cuboid.

Answer(b)  $m^2$  [2]

				10		•		**WW	xtrapapers.com  For iner's
Student	A	В	C	D	E	F	G	Н	OH:
Test 1	25	20	40	25	50	20	30	40	Ste. C.
Test 2	30	25	35	25	40	30	35	40	N STATE OF THE STA

The table shows the marks scored by 8 students in two mathematics tests. The marks for students A to F are shown on the scatter diagram below.



(a) On the diagram, plot the marks for students G and H.

[1]

**(b)** The mean for Test 1 is 31.25.

Calculate the mean for Test 2.

[2]

(c) Plot the mean point on the scatter diagram.

[1]

(d) Draw the line of best fit on the scatter diagram.

[1]

**BLANK PAGE** 

**BLANK PAGE** 

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.