

**UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

**MARK SCHEME for the May/June 2012 question paper**  
**for the guidance of teachers**

**0607 CAMBRIDGE INTERNATIONAL MATHEMATICS**

**0607/43**

Paper 4 (Extended), maximum raw mark 120

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus
	IGCSE – May/June 2012	0607
1 (a)	510	2
(b) (i)	12.5	2
(ii)	155 www 3	3
(c)	3000	2
		<b>M1</b> for $0.85 \times 600$
		<b>M1</b> for $\frac{17500}{20000} \times 100$ soi or $\frac{20000 - 17500}{20000}$
		<b>M2</b> for $\frac{161.2}{1.04}$ oe or <b>M1</b> for 1.04 or 104 seen
		<b>M1</b> for $\div 14 \times 5$ [9]
2 (a) (i)	125	1
(ii)	35	1
(b) (i)	35	1
(ii)	80 www 2	2
(c) (i)	40	2
(ii)	110	2
(iii)	9.40 (9.396 – 9.397)	3
		<b>M1</b> line extended from $R$ parallel to $ST$ or for line extended from $TS$ parallel to $QP$ <b>with</b> one extra angle found or extending $PQ$ and one angle found
		<b>M1</b> for recognising $OAT$ or $OBT = 90^\circ$
		<b>M1</b> for $220^\circ$ seen at centre or $70^\circ$ seen as angle on circumference in alternate segment
		<b>M2</b> for $2 \times 5 \times \sin 70^\circ$ or $5^2 + 5^2 - 2.5.5 \cos 140$ oe or <b>M1</b> for identifying correct trig ratio or implicit cosine formula oe [12]
3 (a)	$9.95 \times 10^{-5}$	1
(b)	$1.1 \times 10^{-5}$	1
(c)	$9.9 \times 10^{-5}$	2
(d)	$1.05 \times 10^{-4}$ or $1.06 \times 10^{-4}$	3
		<b>M1</b> for figs 595 seen (can be implied by 9.92 or 9.916 to 9.917)
		<b>M2</b> for $(1.0 \times 10^{-4}) \times 7$ – their $\Sigma x$ or <b>M1</b> for $(1.0 \times 10^{-4}) \times 7$ soi or (sum of 6 values + $x$ ) $\div 7 = 1.0 \times 10^{-4}$ [7]

Page 3	Mark Scheme: Teachers' version	Syllabus
	IGCSE – May/June 2012	0607

4 (a)	-1	1	
(b)	3, -3	2	<b>B1</b> for 3, <b>B1</b> for -3
(c)	$(x-2)^2 - 5$ or $(x-2)(x-2) - 5$ $x^2 - 2x - 2x + 4 - 5$	<b>M1</b> <b>A1</b>	-4x can be allowed for -2x - 2x
(d)	1	2	<b>B1</b> for $-4x - 1 = -5$ or better <b>or M1</b> for using intersection on reasonable sketch [7]
5 (a) (i)	13.4 (13.41 to 13.42)	2	<b>M1</b> for $18^2 - 12^2$ soi
(ii)	48.1 or 48.2 (48.11 - 48.19)	2	<b>M1</b> for $\cos[A] = \frac{12}{18}$ oe
(b)	Angle $FBE = \frac{1}{2}$ their (a)(ii) $\tan(\text{their } FBE \text{ or } \frac{1}{2} \text{ their (a)(ii)}) = \frac{\text{their (a)(i)}}{BE}$ oe $BE = 29.95$ to $30.05$ at least 4 figs	<b>M1</b> <b>M1</b> <b>A1</b>	
(c)	art 32.8 or 32.9	2	<b>M1</b> for $[FB^2 =]$ their $13.4(16..)^2 + 30.0^2$ oe
(d)	14.3 (14.28 to 14.30....)	3	<b>M1</b> for $20^2 + 30^2 - 2 \times 20 \times 30 \cos(\frac{1}{2} \text{ their (a)(ii)})$ <b>A1</b> for 204.1 to 204.6 [12]

Page 4	Mark Scheme: Teachers' version	Syllabus
	IGCSE – May/June 2012	0607

6 (a)	Correct sketch	3	<b>B1</b> for two branches with correct shape <b>B1</b> for lower crossing $y$ -axis at approximately $(0, -6)$ <b>B1</b> for upper crossing or touching $x$ -axis to right of $(1, 0)$ and left of $(4, 0)$
(b)	$x = 1$	1	
(c)	$y \leq -5.83$ ( $-5.828\dots$ ) $y \geq -0.172$ ( $-0.1716$ to $-0.1715$ )	<b>B1</b> <b>B1</b>	If <b>B0</b> , <b>SC1</b> for $y \leq -5.8$ and $y \geq -0.17$
(d)	2, 3	1	
(e)	Correct sketch	2	<b>B1</b> for straight line with positive gradient, <b>B1</b> for line crossing $y$ -axis at approximately $-2$
(f)	$(-1.414, -6.243)$ $(1.414, 2.243)$	2	<b>B1</b> , <b>B1</b> for each correct pair of co-ordinates If <b>B0</b> award <b>SC1</b> for answers given to other accuracy at least 2 or 4 or more decimal places [11]
7 (a)	4 www	3	<b>B1</b> for interest = 63 soi <b>M1</b> for correctly substituted simple interest formula oe <b>or</b> <b>M1</b> for $\frac{588}{525}$ <b>A1</b> for 112% soi
(b)	14800	3	<b>M1</b> for $10000 \times 1.05^n$ where $n$ is an integer $>1$ oe <b>A1</b> for 14770 to 14780 [6]
8 (a) (i)	12	1	
(ii)	5	1	
(iii)	10	1	
(b) (i)	Correct Venn diagram	3	<b>B1</b> for 0 in centre <b>B1</b> for 7, 2, 12 in correct positions <b>B1</b> for 5, 10, 4 in correct positions
(ii)	40	1ft	ft from their Venn diagram [7]

Page 5	Mark Scheme: Teachers' version	Syllabus	
	IGCSE – May/June 2012	0607	
<b>9 (a)</b>	2410 (2411 to 2414)	<b>2</b>	<b>M1</b> for $\pi \times 8^2 \times 12$
<b>(b)</b>	804 (803.8 to 804.4)	<b>3</b>	<b>M1</b> for $\pi \times 8^2$ (200.9 to 201.1) <b>M1</b> for $\pi \times 16 \times 12$ oe (602.8 to 603.3)
<b>(c)</b>	2.5 www 3	<b>3</b>	<b>M1</b> for $500 = \pi \times 8^2 \times h$ or better or $\frac{x}{500} = \frac{12}{\text{their (a)}}$ oe <b>A1</b> for 2.486 to 2.488 or 2.49
<b>(d)</b>	4	<b>2</b>	<b>M1</b> for scale factor $\sqrt[3]{\frac{1}{8}}$ oe <b>[10]</b>
<b>10 (a)</b>	29 www 2	<b>2</b>	<b>M1</b> for 18 or 47 seen
<b>(b)</b>	Frequency 4, 5, 10, 5, 6 Frequency density 1, 0.5, 0.5, 0.3	<b>2</b> <b>2ft</b>	<b>B1</b> for at least 3 correct ft from their frequency values <b>B1</b> for at least 2 correct ft
<b>(c)</b>	Correct histogram	<b>3ft</b>	<b>B1</b> for correct widths with vertical lines consistently placed from 9 to 10, 14 to 15 etc. <b>B2</b> for their heights ft dep on 5 columns <b>B1</b> for 3 or 4 heights ft dep on 5 cols <b>[9]</b>
<b>11 (a)</b>	$\frac{1}{4}$ (0.25, 25%)	<b>1</b>	
<b>(b)</b>	$\frac{1}{6}$ oe (0.167, 16.7%) www 2	<b>2</b>	<b>M1</b> for $\frac{2}{4} \times \frac{1}{3}$ oe
<b>(c)</b>	$\frac{1}{4}$ oe (0.25, 25%) www 3	<b>3</b>	<b>M2</b> for $\frac{3}{4} \times \frac{1}{3}$ oe or <b>M1</b> for $\frac{a}{b} \times \frac{1}{3}$
<b>(d)</b>	$\frac{1}{12}$ oe (0.0833..., 8.33...%) www 2	<b>2</b>	<b>M1</b> for $\frac{1}{4} \times \frac{1}{3}$ oe <b>[8]</b>

Page 6	Mark Scheme: Teachers' version	Syllabus
	IGCSE – May/June 2012	0607

<b>12 (a)</b>	Correct quadrilateral drawn	<b>1</b>	
<b>(b) (i)</b>	Correct reflection	<b>1ft</b>	ft their <b>(a)</b>
<b>(ii)</b>	Correct translation	<b>2ft</b>	<b>SC1</b> for any other translation $\begin{pmatrix} 2 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -3 \end{pmatrix}$
<b>(iii)</b>	Correct enlargement	<b>3ft</b>	<b>SC2</b> for other enlargement scale factor $\frac{1}{2}$ with correct orientation or <b>SC1</b> for any other enlargement centre (0,0) <span style="float: right;"><b>[7]</b></span>
<b>13 (a)</b>	$\frac{x}{360} \times \pi \times 10^2$ or better	<b>2</b>	<b>M1</b> for $\frac{x}{360}$ used <b>SC1</b> for $\frac{360-x}{360} \times \pi \times 10^2$ or better
<b>(b)</b>	$0.5 \times 10 \times 10 \times \sin x$ or better	<b>2</b>	<b>M1</b> for expression from more complicated method
<b>(c)</b>	$\frac{x}{360} \times \pi \times 10^2 - 0.5 \times 10 \times 10 \times \sin x$	<b>1ft</b>	Both expressions must have 10 (not just $r$ ) for the radius
<b>(d)</b>	their (b) = 25 $\sin x = \frac{1}{2}$ oe $x = 180 - 30$ oe	<b>M1</b> <b>A1</b> <b>E1</b>	ft <b>M1</b> for equating their area of triangle to 25 <b>SC2</b> for $0.5 \times 10 \times 10 \sin 150$ (or $50 \sin 150 = 50 \times 0.5 = 25$ )
<b>(e)</b>	106 (105.8 – 105.9....)	<b>2ft</b>	ft from their <b>(c)</b> (or their <b>(a) – (b)</b> ) if working seen. Could re-start. ft only if answer positive <b>M1</b> ft for 150 substituted in their <b>(c)</b> (or their <b>(a) – (b)</b> or re-start) <span style="float: right;"><b>[17]</b></span>
<b>14 (a)</b>	Sketch drawn	<b>1</b>	Allow freehand
<b>(b)</b>	3.4(0) (3.402 – 3.403) www 4	<b>4</b>	<b>M3</b> for $r = \frac{2}{\sin 36}$ or $\frac{4 \sin 54}{\sin 72}$ or $\sqrt{\frac{8}{1 - \cos 72}}$ oe i.e explicit expression or <b>M2</b> for correct implicit expression <b>If M0, B1</b> for 72, 36, 54 or 108 seen in correct position <span style="float: right;"><b>[5]</b></span>