

MARK SCHEME for the October/November 2013 series

0444 MATHEMATICS (US)

0444/21

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus 7 Syllabus
	IGCSE – October/November 2013	0444
bbreviations		Can.
	answer only	ambridge
cso correct solution only		20
dep dependent		-e.
ft follow through after error		2
isw ignore subsequent working		
oe or equivalent		
C Special Case		

www.xtrapapers.com

Abbreviations

cao	correct answer only
cso	correct solution only

- dep
- ft
- dependent follow through after error ignore subsequent working or equivalent isw
- oe
- Special Case SC
- without wrong working www

Qu	Answer	Mark	Part marks
1	80	1	
2	2.5 oe	2	B1 for 0.5/0.2
3	125	2	B1 for 55 or 125 in any other correct position on diagram or M1 for 180 – 55
4	6.8	2	M1 for 40× 0.17 oe
5	4.8 oe	2	M1 for $5 + 19 = 3x + 2x$ oe or better or B1 for $24 - 2x = 3x$ oe or $5 = 5x - 19$ oe
6 (a)	$\frac{2}{6}$ oe	1	
(b)	200	1FT	FT 600 × <i>their</i> (a) providing <i>their</i> (a) is a probability
7	9×10^{12}	2	B1 for correct answer but not in scientific notation e.g. 0.9×10^{13} or M1 for 11×10^{12} or 0.2×10^{13}
8	3 120	1 1	
9	130	3	M2 for $\frac{26 \times 100}{4 \times 5}$ oe or M1 for $\frac{x \times 4 \times 5}{100} = 26$ or 4% = 5.2 oe If 0 scored SC1 for figs 130
10 (a)	$\frac{n}{n+2}$ final answer	1	
(b)	$n^2 - 1$ oe final answer	2	B1 for any quadratic in final answer

Pa	age 3	Mark	Scheme		Syllabus	r
		IGCSE – Octob		er 2013	0444	030
11	$[\pm] \sqrt{c^2 - a}$	2 final answer	3	M1 for correc M1 for correc M1 for correc	ct square ct re-arrangement ct square root	Sambrid
12	40		3	SyllabusrSyllabusof 2013O444M1 for correct squareM1 for correct re-arrangementM1 for correct square rootM1 for m ² to cm ² or cm ² to m ² M1 for square root of $\frac{figs 32}{figs 2}$ or $\frac{figs 2}{figs 32}$		
13 (a)	110		1			
(b)	79 cao		2	B1 for <i>DAC</i> =	= 42 or $ACB = 79$ or ACD	= 28
14 (a)	$\frac{5}{4}$ oe		1			
(b)	$4y^6$		2	B1 for ky^6 or j as final answe		
15	$\frac{2t-5}{t-1}$ cao	final answer	3		1) or better (1) $-(t+2)$ oe or better C1 for $\frac{3t-1-t-2}{t-1}$ oe or	better
16 (a)	$\frac{2}{3}$		2	M1 for $\frac{9}{12}$ –	$-\frac{1}{12}$ oe	
(b)	$\frac{2}{5}$		2	M1 for $\frac{5}{2} \times \frac{5}{2}$	4/25 oe	
17 (a)	$\begin{pmatrix} 8\\6 \end{pmatrix}$		1			
(b)	10		2	M1 for (<i>their</i>	$(8)^{2} + (their 6)^{2}$	
(c)	(15, 13)		1FT	FT <i>their</i> 8 and (7 + <i>their</i> 8, 7	d 6. 7 + <i>their</i> 6) correctly evalu	ated
18 (a)	(a+b)(1+t))	2	B1 for 1(a + b	b)+ $t(a + b)$ or $a(1 + t) + b$	(1+t)
(b)	(x-6)(x+4))	2	SC1 for answ $ab = -24$ or $ab = -24$	ver of $(x + a)(x + b)$ where a + b = -2	
19	486 cao		4	M1 for $\frac{1}{2} \times 4$. A1 for $[r =] 9$ M1 for $\frac{1}{2} \times \frac{4}{3}$		

www.xtrapapers.com

Page 4		Mark Sche	eme	Syllabus
	IGCSE – October/November 2013		per 2013 0444 23	
20 (a) (b)	20 7		2 2FT	Syllabus r ber 2013 0444 M1 for $72 \times 1000 \div 60 \div 60$ o.e FT 140 ÷ their (a) M1 for dist ÷ their (a) or dist ÷ 20 or dist ÷ 72 × 1000 ÷ 60 ÷ 60 or B1 for 140 seen
21 (a)		°	2	or dist \div 20 or dist \div 72 \times 1000 \div 60 \div 60 or B1 for 140 seen B2 for correct bisector with correct arcs or B1 for correct bisector with no arcs
	∠	× + + •		
(b)	A.	X	2	B2 for correct bisector with correct arcs or B1 for correct bisector with no arcs
22 (a)	150		2	M1 for $\frac{1}{2} \times 25 \times 12$ o.e.
(b)	$2\sqrt{3}$		3	M1 for $\tan 60 = \frac{6}{BX}$ oe or better
				B1 for tan60 = $\sqrt{3}$ or tan30 = $\frac{1}{\sqrt{3}}$ o.e.
23 (a)	$\frac{56}{110}$ oe		3	M2 for $\frac{4}{11} \times \frac{7}{10} + \frac{7}{11} \times \frac{4}{10}$ o.e. M1 for one of these products
(b)	$\frac{168}{990}$ oe		2	M1 for $\frac{7}{11} \times \frac{6}{10} \times \frac{4}{9}$