



**Cambridge International Examinations**  
Cambridge International General Certificate of Secondary Education

---

**MATHEMATICS (US)**

**0444/11**

Paper 1 Core

**May/June 2016**

MARK SCHEME

Maximum Mark: 56

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2016 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

<b>Page 2</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – May/June 2016</b>	<b>0444</b>	<b>11</b>

**Abbreviations**

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

Question	Answer	Mark	Part marks
1	8(h) 52 (min)	1	
2	12	1	
3	[0].72	1	
4	[0].00127	1	
5	60	1	
6 (a)	1	1	
(b)	5	1	
7 (a)	Acute	1	
(b)	Pentagon	1	
8 (a)	4, 5	1	
(b)	They are the same oe	1	
9 (a)	3	1	
(b)	All three correct lines of symmetry drawn	1	
10	540	2	<b>M1</b> for $2000 \times 0.27$ or better
11	144	2	<b>M1</b> for finding a correct product of prime factors or correctly listing a minimum of 3 multiples of 36 <b>and</b> 48 or for answer $2^4 \times 3^2$ oe or $144k$
12	11	2	<b>M1</b> for $-2 \times -7 - 3$ soi
13	$\frac{py}{q}$ final answer	2	<b>M1</b> for multiplying correctly by $p$ or <b>M1</b> for dividing correctly by $q$
14	$[a =] 70^\circ$ $[b =] 40^\circ$	2	<b>B1</b> for each

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2016	0444	11

Question	Answer	Mark	Part marks
15	20	2	<b>M1</b> for $\frac{15}{6}$ oe or $\frac{6}{15}$ oe or $\frac{8}{6}$ or $\frac{6}{8}$
16	$\frac{18}{35}$ cao	3	<b>M2</b> for $\frac{6}{7} \times \frac{3}{5}$ or $\frac{18}{21} \div \frac{35}{21}$ oe or <b>B1</b> for $\frac{3}{5}$ oe or <b>M1</b> for $\frac{6}{7} \times their \frac{3}{5}$
17 (a)	19	1	
(b)	-2	1	
(c)	81	1	
18 (a)	Negative	1	
(b)	4	1	
(c) (i)	Ruled line of best fit	1	
(ii)	250 000 to 380 000	1	
19 (a)	Correct ruled angle bisector with all correct arcs	2	<b>M1</b> for accurate angle bisector with no / wrong arcs or for all correct arcs with no / wrong line
(b)	Correct ruled perpendicular bisector with two pairs of correct arcs	2	<b>M1</b> for accurate bisector with no / wrong arcs or for two pairs of correct intersecting arcs with no / wrong line
20	Correctly equating one set of coefficients Correct method to eliminate one variable [x =] -3 [y =] 7	<b>M1</b> <b>M1</b> <b>A1</b> <b>A1</b>	Dependent on first <b>M1</b> scored If zero scored, <b>SC1</b> for 2 values satisfying one of the original equations or 2 correct answers given but no working shown
21 (a) (i)	0, 1	1	
(ii)	2	2	<b>M1</b> for a correct rise $\div$ run eg $4 \div 2$ or for right-angled triangle marked on graph with run = 1 and rise = 2 oe
(iii)	[y =] 2x + 1 final answer	<b>2FT</b>	<b>FT</b> <i>their</i> (a)(i) for <i>c</i> and <i>their</i> (a)(ii) for <i>m</i> <b>B1</b> for $y = 2x + c$ ( $c \neq 1$ ) or $y = mx + 1$ ( $m \neq 2$ or 0)
(b)	$y = 5x + b$ oe final answer	1	where $b \neq -3$

<b>Page 4</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – May/June 2016</b>	<b>0444</b>	<b>11</b>

<b>Question</b>	<b>Answer</b>	<b>Mark</b>	<b>Part marks</b>
<b>22 (a)</b>	672	<b>2</b>	<b>M1</b> for $12 \times 8 \times 7$
<b>(b)</b>	12	<b>2</b>	<b>M1</b> for $648 \div (6 \times 9)$
<b>(c)</b>	600	<b>3</b>	<b>M2</b> for $(5 \times 10 \times 24) \div 2$ oe or <b>M1</b> for $(5 \times 10) \div 2$ or 25 nfww