

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

VS ATTACON TO THE TOTAL CONTROL OF THE TOTAL CONTRO



CANDIDATE NAME

CENTRE NUMBER

CANDIDATE NUMBER

MATHEMATICS

Paper 4 (Extended)

May/June 2012

0580/41

2 hours 30 minutes

Candidates answer on the Question Paper.

Additional Materials:

Electronic calculator

Mathematical tables (optional)

Geometrical instruments Tracing paper (optional)

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.


The total of the marks for this paper is 130.

This document consists of 16 printed pages.



		2	Way A	rapapers.
The	y sha	obby and Carl receive a sum of money. are it in the ratio 12:7:8. ceives \$504.		rapapers. C
(a)	Cal	culate the total amount.		36.0
(b)	(i)	Anna uses 7% of her \$504 to pay a bill. Calculate how much she has left.	Answer(a) \$	[3]
	(ii)	She buys a coat in a sale for \$64.68. This was 23% less than the original price. Calculate the original price of the coat.	Answer(b)(i) \$	[3]
(c)	Thi Cal	oby uses \$250 of his share to open a bank accounts account pays compound interest at a rate of 1. culate the amount in the bank account after 3 years your answer correct to 2 decimal places.	6% per year.	[3]
(d)		l buys a computer for \$288 and sells it for \$324 culate his percentage profit.	Answer(c) \$	[3]
			Answer(d) %	[3]

2



Three buoys K, L and M show the course of a boat race. MK = 4 km, KL = 9 km and angle $MKL = 108^{\circ}$.

(a) Calculate the distance ML.

$$Answer(a) ML = km [4]$$

- **(b)** The bearing of L from K is 125°.
 - (i) Calculate how far L is south of K.

Answer(b)(i) km [3]

(ii) Find the three figure bearing of K from M.

Answer(b)(ii) _____ [2]


The table shows some values for the equation $y = x^3 - 2x$ for $-2 \le x \le 2$. 3

									1	₩ww	xtrap	papers.cor
						4			`	4.	Og.	
e tab	le show	s some va	alues fo	r the equa	ation $y =$	$= x^3 - 2$	x for -	$-2 \le x \le 1$	2.		S.C.	For iner's
х	-2	-1.5	-1	-0.6	-0.3	0	0.3	0.6	1	1.5	2	Tide
у	-4	-0.38			0.57		-0.57			0.38	4	COM
Ca	14.0	the table	a C a 1		l	I	l	l		1	[2]	

(a) Complete the table of values.

[3]

(b) On the grid below, draw the graph of $y = x^3 - 2x$ for $-2 \le x \le 2$. The first two points have been plotted for you.




- (c) (i) On the grid, draw the line y = 0.8 for $-2 \le x \le 2$.
 - (ii) Use your graph to solve the equation $x^3 2x = 0.8$.

(d) By drawing a suitable tangent, work out an estimate for the gradient of the graph of $y = x^3 - 2x$ where x = -1.5.

You must show your working.

Answer(d) [3]

4



NOT TO SCALE

A, B, C and D lie on a circle, centre O. AB = 7 cm, BC = 10 cm and angle $ABD = 77^{\circ}$. AOC is a diameter of the circle.

(a) Find angle ABC.

$$Answer(a)$$
 Angle $ABC =$ [1]

(b) Calculate angle ACB and show that it rounds to 35° correct to the nearest degree.

Answer(b)

[2]

(c) Explain why angle ADB = angle ACB.

Answer(c) [1]

www.xtrapa	pers.com
To By	
S.Collin	For iner's
	Tide
	.COM

(i) (b	Calculate the length of	AD


(ii) Calculate the area of triangle ABD.

(e) The area of triangle $AED = 12.3 \,\mathrm{cm}^2$, correct to 3 significant figures.

Use similar triangles to calculate the area of triangle BEC.

5 Felix asked 80 motorists how many hours their journey took that day. He used the results to draw a cumulative frequency diagram.





- (a) Find
 - (i) the median,
 - (ii) the upper quartile,
 - (iii) the inter-quartile range.

- Answer(a)(i)
- Answer(a)(ii)

Answer(a)(iii) h [1]

	•				
/\^/\	Yti	ran	an	ers	.con
	THE L	чр	up	CIS	.001
The same		•			

Answer(b)	
111101101	

Time in hours (t)	$0 < t \le 2$	$2 < t \le 3$	3 < <i>t</i> ≤ 4	4 < <i>t</i> ≤ 5	5 < <i>t</i> ≤ 6	6 < t ≤ 8
Frequency	20	25	18			


(i) Use the cumulative frequency diagram to complete the table above.

[2]

(ii) Calculate an estimate of the mean number of hours the 80 journeys took.

Answer(c)(ii) h [4]

(d) On the grid, draw a histogram to represent the information in your table in part (c).



www.xtrapa	
Tabaca.	For
13	For iner's
·	COM

- 6 (a) A parallelogram has base (2x 1) metres and height (4x 7) metres. The area of the parallelogram is 1 m^2 .
 - (i) Show that $4x^2 9x + 3 = 0$.

Answer (a)(i)

[3]

(ii) Solve the equation $4x^2 - 9x + 3 = 0$.

Show all your working and give your answers correct to 2 decimal places.

(iii) Calculate the height of the parallelogram.

Answer(a)(iii) m[1]


www.x	trapapers.com
The same	
0	
	For

(b) (i) Factorise $x^2 - 16$.

4 (1)(:)	Г17
Answer(b)(i)	111
111151101 (0)(1)	 L + J

(ii) Solve the equation
$$\frac{2x+3}{x-4} + \frac{x+40}{x^2-16} = 2.$$

$$Answer(b)(ii) x =$$
 [4]



(a) Describe fully

(i)	the single transformation which maps triangle P onto triangle Q ,
	Answer(a)(i)

- [3]
- (ii) the **single** transformation which maps **triangle** Q onto triangle R, Answer(a)(ii) [3]
- (iii) the single transformation which maps triangle R onto triangle P.

Answer(a)(iii)	[3]

- (b) On the grid, draw the image of
 - (i) **triangle P** after translation by $\begin{pmatrix} -4 \\ -5 \end{pmatrix}$,

(ii) triangle **P** after reflection in the line x = -1.

- (c) (i) On the grid, draw the image of triangle P after a stretch, scale factor 2 and the y-axis as the invariant line.
 - (ii) Find the matrix which represents this stretch.

Answer(c)(ii)

[2]

 $E = \{x : x \text{ is an even number}\}$

$$F = \{2, 5, 7\}$$

$$G = \{x : x^2 - 13x + 36 = 0\}$$

(a) List the elements of set E.

$$Answer(a) E = \{ \} [1]$$


(b) Write down n(F).

$$Answer(b) \ n(F) =$$
 [1]

(c) (i) Factorise $x^2 - 13x + 36$.

(ii) Using your answer to part (c)(i), solve $x^2 - 13x + 36 = 0$ to find the two elements of G.

(d) Write all the elements of \mathscr{C} in their correct place in the Venn diagram.



[2]

(e) Use set notation to complete the following statements.

(i)
$$F \cap G =$$
 [1]

(iii)
$$n(E_{max} F) = 6$$
 [1]

$$f(x) = 3x + 5$$

$$f(x) = 3x + 5$$
 $g(x) = 7 - 2x$

$$h(x) = x^2 - 8$$

(a) Find

(i)	f(3)
(1)	I(J)

(ii) g(x - 3) in terms of x in its simplest form,

$$Answer(a)(ii)$$
 [2]

(iii) h(5x) in terms of x in its simplest form.

(b) Find the inverse function $g^{-1}(x)$.

Answer(b)
$$g^{-1}(x) =$$
 [2]


(c) Find hf(x) in the form $ax^2 + bx + c$.

$$Answer(c) hf(x) =$$
 [3]

(d) Solve the equation ff(x) = 83.

$$Answer(d) x =$$
 [3]

(e) Solve the inequality 2f(x) < g(x).



A solid metal cone has base radius 9 cm and vertical height 24 cm.

(a) Calculate the volume of the cone.

[The volume, V, of a cone with radius r and height h is $V = \frac{1}{3} \pi r^2 h$.]

Answer(a) cm³ [2

16cm NOT TO SCALE

A cone of height 8 cm is removed by cutting parallel to the base, leaving the solid shown above. Show that the volume of this solid rounds to 1960 cm³, correct to 3 significant figures.

Answer (b)

[4]

WWW. Papa Cambridge.com

(c) The 1960 cm³ of metal in the solid in **part** (b) is melted and made into 5 identical cylinders, each of length 15 cm.

Show that the radius of each cylinder rounds to 2.9 cm, correct to 1 decimal place.

Answer (c)

[4]