

MARK SCHEME for the May/June 2013 series

0580 MATHEMATICS

0580/21

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Www.xtrapapers.com

			Syllabus 4.0 r
Page 2 Mark Scl		Mark Scheme	Syllabus
		IGCSE – May/June 2013	0580
			· Ca
Abbro	viations		ambridge
Abbre		_	The second second
cao	correct answer	only	10
cso	correct solution	n only	e.
dep	dependent		-On
ft	follow through	after error	2
isw	ignore subsequ	ent working	
oe	or equivalent		

Abbreviations

- correct answer only cao correct solution only cso
- dep dependent
- follow through after error ft
- ignore subsequent working isw
- or equivalent oe
- SC Special Case
- without wrong working www
- seen or implied soi

Qu.		Answers	Mark	Part Marks
1		11 or –11	1	
2	(a)	1.32656	1	
	(b)	1.327	1ft	
3		72	2	M1 for 84 ÷ 7
4		105	2	M1 for $180 - 55 - 50$ or B1 for 55 or 75 seen in the correct angle inside the triangle
5		correct working; e.g. $\frac{3k}{2k} \times \frac{16n}{3n} = 8$	2	M1 for $\frac{3k}{2k}$ and A1 for $\frac{3k}{2k} \times \frac{16n}{3n} = 8$
6		3x(4y-x) final answer	2	B1 for $3(4xy - x^2)$ or $x(12y - 3x)$
7	(a)	Equidistant from <i>A</i> and <i>B</i> (or <i>C</i> and <i>D</i> or <i>AD</i> and <i>BC</i>)	1	
	(b)		1	
8		$x \ge -\frac{3}{8}$ oe	2	M1 for $-3 \le 8x$ oe If 0 then SC1 for $-\frac{3}{8}$ with incorrect inequality.
9		48.15, 48.45 cao	2	B1 B1 If 0 then M1 for 16.0 and 16.15 soi
10		(a+b)(p-2)	2	B1 $p(a+b) - 2(a+b)$ or $a(p-2) + b(p-2)$
11		$3x^4$	2	B1 for kx^4 or $3x^k$

PA CAMBRIDGE

www.xtrapapers.com

	Page 3	Mark S	cheme	Syllabus
	Ŭ	IGCSE – Ma		3 0580 23
12	(a)	$\frac{3}{11}$	1	Syllabus 3 0580
	(b)		1	
13		175 cao final answer	3	B2 for 175.4 or M1 for 200 ÷ 1.14
14		454.27 cao final answer	3	M1 for $420 \times (1 + \frac{4}{100})^2$ oe and A1 for 454 or 454.2 to 454.3 or SC2 for answer 34.27 or SC1 for answer 34.2 to 34.3
15		2.67 or 2.672 to 2.67301	3	M2 for $\sqrt[3]{(80 \div \frac{4}{3}\pi)}$ oe or M1 for $80 \div \left(\frac{4}{3}\pi\right)$ oe
16		35.4 or 35.36 to 35.37	3	M2 for $1000 \div (\pi \times 0.75^2 \times 16)$ oe or M1 for $\pi \times 0.75^2 \times 16$ oe or $1000 \div (\pi \times 0.75^2)$
17		y = 2x - 1	3	B2 for $y = mx - 1$ or $y = 2x + c$ or $2x - 1$ or B1 for gradient = 2, B1 for $c = -1$ or SC1 for $\frac{6}{3}$ or $\frac{51}{3[-0]}$
18	(a)	(x+6)(x-5)	2	SC1 for $(x + a)(x + b)$ where $ab = -30$ or $a + b$
	(b)	$\frac{x+4}{x+6}$ final answer	1	
19		$\frac{6}{7}$ or 0.857[1]	3	M1 for $t = \frac{k}{\sqrt{u}}$ oe A1 for $k = 6$
20	(a) (i)	$\mathbf{p} + \frac{1}{2}\mathbf{r}$	1	
	(ii)	$2\mathbf{p} + \mathbf{r}$	1ft	$2 \times their$ (i)
	(b)	Midpoint of RQ	1	

PA CAMBRIDGE

Page 4 Mark Sch IGCSE – May/s				Syllabus 0580 Abb
				Can .
21	52.3 or 52.27 to 52.28	3	SC2 for 28.3 or If 0, M2 for $\frac{135}{360}$ or M1 for $\frac{135}{360}$	$\frac{5}{0} \times \pi \times 24 + 2 \times 12$
22	$\frac{5x+13}{(x+3)(x+2)}$ of final answer	3	B1 for common M1 for $2(x + 2)$	denominator $(x + 3)(x + 2)$ seen + $3(x + 3)$ soi
23	24.8 or 24.77 to 24.78	4	M1 for recognit M1 for $\sqrt{12^2 + 5}$ M1 for tan = $\frac{1}{1000}$	
24 (a)	$\left(\begin{array}{cc} 6 & 7\\ 16 & 17 \end{array}\right)$	2	B1 for 1 correct	row or 1 correct column
(b)	$ \begin{pmatrix} 6 & 7 \\ 16 & 17 \end{pmatrix} $ $ \frac{1}{5} \begin{pmatrix} 2 & -3 \\ -1 & 4 \end{pmatrix} $	2	B1 for $k \begin{pmatrix} 2 \\ -1 \end{pmatrix}$	$ \begin{array}{c} -3 \\ 4 \end{array} \right) \text{ or } \frac{1}{5} \left(\begin{array}{c} a & b \\ c & d \end{array} \right) $
25 (a)	2.8 oe	1		
(b)	700	3	M2 for $\frac{1}{2}(20 + 3)$ or M1 for a corr	$30) \times 28$ oe rect area statement
26	420	5	M1 for $[2 \times] \frac{1}{2}($	from Pythagoras \times 15

PA CAMBRIDGE