

## MARK SCHEME for the May/June 2013 series

## **0580 MATHEMATICS**

0580/23

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

**PA CAMBRIDGE** 

		Mark Calorea	Sullahur D	trapapers.com
P	age 2		Syllabus	
		IGCSE – May/June 2013	0580	20
Abbrev cao	viations	nswer only		anny.
cso	correct so	blution only		196
dep	dependen	t		40
ft	follow through after error			"On
isw	w ignore subsequent working			17
oe	or equiva	lent		
SC	2 Special Case			
WWW	www without wrong working			
soi	seen or in	nplied		

Qu	Answers	Mark	Part Marks
1	£ or pound[s] Correct working must be shown	2	<b>M1</b> for 425 ÷ 1.14 or 365 × 1.14
2	$\frac{30}{300}$ oe www	2	<b>M1</b> for 30 seen or $\frac{k}{300}$ seen
3	1500 or 3 <u>pm</u>	2	<b>B1</b> for 1h50 or 2h[0]5 or <b>SC1</b> for 1255 + <i>their</i> 1h50 + 15mins correctly evaluated
4 (a)	[±] <b>2.28</b> or 2.282 to 2.2822	1	
(b)	<b>0.109</b> or 0.1094[3]	1	
5	$\left(\frac{2}{3}\right)^{1.5}  \left(-\frac{2}{3}\right)^{\frac{2}{3}}  \left(1.5\right)^{\frac{2}{3}}  \left(\frac{2}{3}\right)^{-1.5}$	2	M1 for at least 2 correct decimals seen 1.3[1] 0.5[4] 1.8[3] or 1.84 0.7[6]
6	6	3	<b>M2</b> for $3 \times \sqrt[3]{\frac{288\pi}{36\pi}}$
			or <b>M1</b> for $3 \times \sqrt[3]{\frac{286\pi}{36\pi}}$ or $3 \times \sqrt[3]{\frac{56\pi}{288\pi}}$
7	260	3	<b>M2</b> for $[2 \times ](4 \times 10 + 18 \times 5)$ oe
			or M1 for a correct area statement
8	2500	3	<b>M1</b> for $m = kr^3$ <b>A1</b> for $k = 20$
9 (a)	$1.1 \times 10^{5}$	2	<b>B1</b> for 110 000 oe e.g. $11 \times 10^4$
(b)	$5 \times 10^3$	2	<b>B1</b> for 5000 oe e.g. $0.5 \times 10^4$

## **PA CAMBRIDGE**

www.xtrapapers.com

Page 3		3	Mark Scheme		Syllabus Syllabus	
			IGCSE – May/June 2013		0580 230	
10		25		4	M1 for correct method to eliminate variable A1 for $x = 11$ A1 for $y = 3$ B1 FT for $2 \times their x + their y$ correctly evaluated	
11	(a)	77		2	M1 for 11,13,17,19 clearly identified, ignore numbers less than 8 with no other numbers greater than or equal to 8 besides possibly an extra 17	
	(b)	eithe	r 18 or 19 or both	2FT	M1 for 11,13,17 clearly identified, ignore numbers less than 8 with no other numbers greater than or equal to 8 besides possibly an extra 17 or for <i>their</i> (a) – 58	
12	(a) (b)	$\frac{5}{25}$ $\frac{4}{25}$	oe oe	2 2	<b>B1</b> for answer $\frac{5}{k}$ or $\frac{k}{25}$ <b>B1</b> for answer $\frac{4}{k}$ or $\frac{k}{25}$	
13		<u>(</u> <i>x</i> -	$\frac{8x}{-3)(x+1)}$	4	<b>B1</b> for co seen <b>B1</b> for ( <i>x</i> <b>B1</b> for <i>x</i> <sup>2</sup>	common denominator $(x - 3)(x + 1)$ (x + 3)(x + 1) - (x - 1)(x - 3) soi $x^{2} + 3x + x + 3$ or $x^{2} - 3x - x + 3$ soi
14	(a)	n < 9	)	2	M1 for 2 If 0 score inequalit	2n < 18  or  2n - 18 < 0  oe ed <b>SC1</b> for 9 with incorrect ty.
	(b)	(b +	d)(a+c)	2	<b>B1</b> for <i>b</i> ( or <i>a</i> (	(a + c) + d(a + c) (b + d) + c (b + d)
15	(a)	4		2	M1 for a terms eq	attempt at sum of all numeric and $x$ uated to 74
	(b)	26		1FT	=18+2	× their (a)
	(c)	8		1		
16	(a)	1.5		2	<b>B1</b> for [g	g(18) = ]4
	(b)	2(x +	(+5) or $2x + 10$	2	<b>M1</b> for c	correct first step e.g. $x = \frac{y}{5} - 5$ or
					$\frac{x}{2} = y + 3$	5 or $2y = x - 10$



www.xtrapapers.com	
4	

Page 4		4 Mark Schem	ie 0010	Syllabus r
		IGCSE – May/Jun	e 2013	0580 30
17	(a)	$\begin{pmatrix} 7 & 23 & 16 \\ 12 & 45 & 27 \end{pmatrix}$	2	<b>B1</b> for any one row or column correction be in a 2 by 3 matrix
	(b)	$\frac{1}{3} \begin{pmatrix} 6 & -3 \\ -3 & 2 \end{pmatrix}$	2	<b>B1</b> for $k \begin{pmatrix} 6 & -3 \\ -3 & 2 \end{pmatrix}$ or $\frac{1}{3} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$
18		<b>15.4</b> or 15.35 to 15.36	4	M1 for $\frac{120}{360} \times \pi \times 5^2$ oe
				M1 for $\frac{1}{2} \times 5^2 \times \sin 120$ oe
				<b>M1</b> for $\frac{120}{360} \times \pi \times 5^2 - \frac{1}{2} \times 5^2 \times \sin 120$ oe
19	(a)	hexagon	1	
	(b) (i)	$-\mathbf{b} + \mathbf{c}$	1	
	(ii)	$\mathbf{b} = \frac{1}{2}\mathbf{c}$	2	<b>B1</b> for <b>OB</b> + <b>BA</b> or any correct route
	(iii)	$-\mathbf{b} + \mathbf{c}$	1FT	= <i>their</i> (b)(i)
20	(a)	[±] 3.1623 cao	2	<b>M1</b> for $\sqrt{10}$ seen
	(b)	$\frac{4}{v^2-8}$ of final answer	4	M1 first move completed correctly
				M1 second move completed correctly
				M1 third move completed correctly
				M1 final move completed correctly on answer line

## **PA CAMBRIDGE**