

MARK SCHEME for the May/June 2013 series

0580 MATHEMATICS

0580/42

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

F	Page 2	Mark Scheme	Syllabus 0580
		IGCSE – May/June 2013	0580
Abbre	eviations		Cambridge.com
cao	correct answer or	hly	104:
cso	correct solution of	nly	8
dep	dependent	-	-ee
ft	follow through at	ter error	-On
isw	ignore subsequer	t working	1
oe	or equivalent	-	
SC	Special Case		
www	without wrong w	orking	
art	anything roundin	g to	
soi	seen or implied	-	

Qu	Answers	Mark	Part Marks
1 (a) (i)	$\frac{6}{5+6+3} \times 560 [= 240]$	2	Accept 'of' used instead of × M1 for $560 \div (5+6+3)$
(ii)	120	1	
(b)	90	2	M1 for $\frac{3}{8} \times 240$ oe
(c) (i)	96120 final answer	2	M1 for <i>their</i> (<i>a</i>)(ii) × 75 + (560 - <i>their</i> (<i>a</i>)(ii)) × 198 oe
(ii)	187.5[0] final answer	3	M2 for $\frac{198}{1+0.056}$ oe
(d)	184[.2]	3	or M1 for $(100 + 5.6)[\%] = 198$ oe seen M2 for $\frac{36 \times 0.75 - 9.5}{9.5} \times 100$ oe or M1 for $\frac{36 \times 0.75}{9.5} \times 100$ or $36 \times 0.75 - 9.5$ [17.5]
(e)	69.4 and 69[.0] cao	3	9.5 used implied by answer 84.2 or SC1 for final answer 284[.2] SC2 for one correct or both correct but reversed M1 for two of 10.85, 10.95, 23.65 or 23.75 seen or 2(23.7 + 10.9) + 4(0.05) or 2(23.7 + 10.9) - 4(0.05)

	www.xtrapapers.com
	Syllabus r
2013	0580

IGCSE – N			- May/June	2013 0580 2020
2	(a) (i)	Translation, $\begin{pmatrix} -5\\ 8 \end{pmatrix}$ oe	1,1	Oynabus20130580Brackets needed for vector Not (-5, 8), (-5 8)SC1 for reflection in $x = -1$ or vertices only
	(ii)	correct trapezium at (2, 2 (4, 3) (4, 5) (2, 5)) 2	SC1 for reflection in $x = -1$ or vertices only
	(iii)	correct trapezium at $(4, 2) (5, 4) (7, 4) (7, 2)$	3	M2 for 4 correct vertices on grid or in working or M1 for $\begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 2 & 2 & 4 & 4 \\ -4 & -7 & -7 & -5 \end{pmatrix}$
				or SC1 for 3 vertices correct or complete shape in correct orientation but wrong position
	(b) (i)	Shear	1	
		<i>x</i> -axis (oe) invariant	1	
		2	1	
	(ii)	rectangle at (-3, 2) (1, 2) (1, 8) (-3, 8)	2	SC1 for all vertices only or correct orientation and size, wrong position
3	(a)	0, 2, 0, -3	3	B2 for 3 correct or B1 for 2 correct
	(b)	Correct curve	B4	B3FT for 8 points B2FT for 7 or 6 points B1FT for 5 or 4 points
	(c)	y = -1 indicated	B1	e.g. Could be mark[s] on curve
		x = 1.3 to 1.4 and 4.1 to 4.2	B1	isw other lines if not clearly used
	(d) (i)	line drawn from $(0, 2)$ to touch curve	M1	No daylight at point of contact If short, must cross at $(0, 2)$ within $\frac{1}{2}$ small square when extended
		(2.5 to 2.75, 3 to 3.4)	A1	
	(ii)	rise/run e.g. (their $y - 2$)/their x	M1	dep on attempt at a tangent from (0, 2) in (d)(i) and uses scales correctly Can be implied from answer– check on tangent for their rise for a run of 1 (¹ / ₂ small square)
		0.4 to 0.48	A1	ww2 dep on attempt at a tangent from $(0, 2)$ in $(d)(i)$

Mark Scheme

Page 3

Page 4 Mark Schem			eme	Syllabus 7.0 r
	IGCSE – May/June			0580
				ann,
	(a)	227 or 226.95 to 227.01	2	M1 for $\pi \times 8.5^2$
	(b)	5.35	1	M1 for sin [MOB] = $\frac{their b}{ce}$ oe
	(c)	39.0[0] to 39.0[1]	2	M1 for sin [<i>MOB</i>]= $\frac{their \ b}{8.5}$ oe Dep on their $b < 8.5$
	(d)	30.2 or 30.3 or 30.24 to 30.27	3	M2 for $\frac{360-4\times39}{360} \times 2 \times \pi \times 8.5$ oe or M1 for $\frac{a}{360} \times 2 \times \pi \times 8.5$ oe
				where $0 < a < 360$ Implied by 5.78 to 5.79 or 11.5 to 11.6 or 23.14 to 23.15 or 23.1 or 23.2 or 41.83 to 41.84 or 41.8
	(e)	AB = BC $TA = TC$ $TB = TB$	1 1 1	isw comments or reasons If 0 scored SC1 for "all <u>three sides</u> the same"
	(a)	$\frac{27}{x}$ final answer	1	oe [SSS] and no mention of angles
	(b)	$\frac{25}{x-2}$ final answer	1	
	(c)	$\frac{25}{x-2} - 4 = \frac{27}{x}$ oe	M1	FT <i>their</i> (b) $-4 = their (a)$ oe must be eqn in x
		25x - 4x(x - 2) = 27(x - 2) oe	M1	FT $\frac{25}{x-2} + 4 = \frac{27}{x}$ or <u>only</u> for 2 nd and 3 rd M mark If all on one side then condone omission of '= 0'
		$4x^2 + 27x - 25x - 8x - 54[=0] \text{ oe}$	M1dep	Dep on 2 nd M1 Must see brackets expanded before this award and terms on one side of eqn
		$2x^2 - 3x - 27 = 0$ without error seen	A1	Must see $4x^2 - 6x - 54 = 0$ first
	(d)	-3, 4.5	3	B2 for $(2x-9)(x+3)$ or SC1 for $(2x+a)(x+b)$ where <i>a</i> and <i>b</i> are integers and $a + 2b = -3$ or $ab = -27$
	(e)	6 cao	1	

www.xtrapapers.com

	Page 5 Mark Schem IGCSE – May/Jun			Syllabus 7 Syllabus
			ne 2013	0580 230
6	(a) (i)	$\frac{12^2 + 21^2 - 15^2}{2}$	M2	Syllabus r 0580 0580 M1 for $15^2 = 12^2 + 21^2 - 2.12.21 \cos M$ A1 for $[\cos =] 0.714$ or 0.7142 to 0.7143 or $\frac{360}{504}$ oe
		2×12×21 44.41 to 44.42	A2	A1 for $[\cos =] 0.714$ or 0.7142 to 0.7143 or $\frac{360}{20}$ oe
		44.41 10 44.42		$\left \frac{360}{504}\text{oe}\right $
	(ii)	88.2 or 88.15 to 88.19	2	M1 for $0.5 \times 12 \times 21 \times \sin(44.4)$ oe
	(b)	7.74 or 7.736 to 7.737 www	4	B1 for 55 soi M2 $\frac{6.4}{\sin(their R)} \times \sin 82$ oe
				or M1 for $\frac{6.4}{\sin(theirR)} = \frac{PR}{\sin 82}$ oe
7	(a) (i)	$\begin{pmatrix} 15\\21 \end{pmatrix}$	1	
	(ii)	not possible oe	1	
	(iii)	(2) final answer	2	M1 for 30 – 28
	(iv)	$ \begin{pmatrix} 4 & 13 \\ 0 & 0 \end{pmatrix} $ $ \begin{pmatrix} -5 & -9 \\ 1 & 0 \end{pmatrix} $	1	
	(v)		2	B1 for one correct row or column
	(b)	$\frac{1}{2} \begin{pmatrix} 3 & -4 \\ -1 & 2 \end{pmatrix}$ or better isw	2	B1 for $k \begin{pmatrix} 3 & -4 \\ -1 & 2 \end{pmatrix}$ seen or implied
				or $\frac{1}{2} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$ seen
8	(a)	hat $\frac{5}{8}, \frac{3}{8}$	1	1 mark per pair in correct place
		scarf $\frac{2}{3}$ $\frac{1}{3}$	1	
		hat $\frac{5}{8}$, $\frac{3}{8}$ scarf $\frac{2}{3}$, $\frac{1}{3}$ $\frac{1}{6}$, $\frac{5}{6}$	1	
	(b) (i)	$\frac{15}{48}$ oe $\left[\frac{5}{16}\right]$	2FT	FT their $\frac{3}{8} \times \frac{5}{6}$ correctly evaluated
				M1 $\frac{3}{8} \times \frac{5}{6}$ FT from <i>their</i> tree
	(ii)	$\frac{5}{24}$	2FT	FT their $\frac{5}{8} \times \frac{1}{3}$ correctly evaluated
				M1 $\frac{5}{8} \times \frac{1}{3}$ FT from <i>their</i> tree

www.xtrapapers.com

Page 6	Mark Scher	no	Syllabus 7.0 r	
i age u	IGCSE – May/Jul		0580	
(iii)	$\frac{13}{48}$ cao	2	SyllabusO580M1 for their $\frac{3}{8} \times \frac{1}{6}$ + their (b)(ii) soiM2 for $1 - \frac{5}{8} \times \frac{2}{3} \times \frac{7}{10}$ FT their tree orSolution 1 - $\frac{5}{8} \times \frac{2}{3} \times \frac{7}{10}$ FT their tree or	
(c)	$\frac{170}{240}$ or $\frac{85}{120}$ or $\frac{34}{48}$ or $\frac{17}{24}$ cao	3	M2 for $1 - \frac{5}{8} \times \frac{2}{3} \times \frac{7}{10}$ FT <i>their</i> tree or 3 5 1 5 2 3	
			$\frac{3}{8} + \frac{5}{8} \times \frac{1}{3} + \frac{5}{8} \times \frac{2}{3} \times \frac{3}{10} \text{ oe}$ or M1 for 5 - 2 = 7	
			["wears all" =] $\frac{5}{8} \times \frac{2}{3} \times \frac{7}{10}$ FT <i>their</i> tree seen	
9 (a)	371 or 371.1	4	M3 for $(6 \times 4 \times 12) + (2 \times 6 \times 0.5 \times 4 \times 4 \times \sin 60)$ oe or M2 for area of 1 or 2 hexagons	
			or M1 for area of one relevant triangle or trapezium or rectangle within hexagon	
			If 0 scored SC1 for 288 shown	
(b) (i)	1740 or 1743.6 to 1744.2	4	M3 for $\frac{12000}{4} \div (\pi \times 0.74^2)$ oe or SC2 for figs 174[3] or 174[4]	
			or B1 for $\pi \times 0.74^2$ seen [1.72]	
			or B1 for 12000 / 4 soi by 3000	
(ii)	87 cao www 5	5	B4 for 87.39 to 87.43 or M3 for $[r=] \sqrt{\frac{figs 12}{\pi \times figs 5}}$ oe	
			or M2 for $[r^2 =] = \frac{figs 12}{\pi figs 5}$ oe	
			or M1 for figs $12 = \pi r^2 \times figs 5$	
10 (a) (i)	final answer $\frac{25-8x}{20}$	2	M1 for $\frac{5 \times 5 - 4 \times 2x}{5 \times 4}$ or better seen	
(ii)	final answer $\frac{20}{3(x+3)}$	3	B1 for $2x^2 + 6x - x - 3$ soi	
	$\frac{1}{3(x+3)}$		and B1 for denom $3(x+3)$ or $3x+9$ seen	
(b)	$x = \frac{2}{3}$ oe or 0.667 or 0.6666 to 0.6667	3	M1 for correct method to eliminate one variable A1 for $x = \frac{2}{3}$ oe or 0.667 or 0.6666 to 0.6667	
	0.0007	1		

www.xtrapapers.com

Page 7 Mark Schen		ne	Syllabus
~	IGCSE – May/Jun		0580 202
(c)	final answer $\frac{7}{2x+3}$ www	4	Syllabus 0580B1 for $7(x+3)$ in numeratorand B2 for $(2x+3)(x+3)$ in denominatoror SC1 for $(2x+a)(x+b)$ where a and b areintegers and $a+2b=9$ or $ab=9$ After B1 scored, SC1 for final answer
11 (a)	$2^2 + 1^2$	1	$\frac{7}{2(x+1.5)} \text{ or } \frac{3.5}{x+1.5}$
11 (a)	$3^2 + 1^2$		Ignore attempt to evaluate $\sqrt{10}$
(b) (i)	$\frac{\sqrt{10}}{3}$ final answer	1	
(ii)	$\frac{10}{3}$ final answer	2	M1 for <i>their</i> $\frac{\sqrt{10}}{3} \times \sqrt{10}$ or
			their $\left(\frac{\sqrt{10}}{3}\right)^2 + \left(\sqrt{10}\right)^2$ implied by 3.33 seen
(c)	$\frac{100}{27}$ or $3\frac{19}{27}$ isw conversion	2	M1 for $3 \times \left(\frac{\sqrt{10}}{3}\right)^n$ oe where <i>n</i> is 3 or 4
	or 3.7[03] to 3.7[04]		or for $[OP_4 =] \sqrt{\frac{1000}{81}}$
			or for their (b)(ii) $\times \left(\frac{\sqrt{10}}{3}\right)^n$ where <i>n</i> is 1 or 2
(d) (i)	18.43	2	M1 for tan $[P_1 O P_2] = \frac{1}{3}$ oe
(ii)	18.4[3]	1	
(iii)	20	3	SC2 for 19
. ,			or M1 for $\frac{360}{18.4[3]}$