

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.Write in dark blue or black pen.You may use a pencil for any diagrams or graphs.Do not use staples, paper clips, highlighters, glue or correction fluid.DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place. For  $\pi$ , use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question. The total of the marks for this paper is 130.

This document consists of **19** printed pages and **1** blank page.

























#### © UCLES 2013

	terww.xt	rapa
Pau	l buys a number of large sacks of fertiliser costing $x$ each.	°C.
He	spends \$27.	N.
(a)	Write down, in terms of $x$ , an expression for the number of large sacks which Paul buys.	
	Answer(a)	[1]
(b)	Rula buys a number of small sacks of fertiliser. Each small sack costs \$2 less than a large sack. Rula spends \$25.	
	Write down, in terms of $x$ , an expression for the number of small sacks which Rula buys.	
	Answer(b)	[1]
(c)	Rula buys 4 more sacks than Paul. Write down an equation in x and show that it simplifies to $2x^2 - 3x - 27 = 0$ .	
	Answer(c)	
		F 4 1
(d)	Solve $2x^2 - 3x - 27 = 0$ .	[4]
	Answer(d) $x =$ or $x =$	[3]
(e)	Calculate the number of sacks which Paul buys.	
	Answer(e)	[1]





*Answer(a)*(ii) ...... cm<sup>2</sup> [2]



The diagram shows triangle *PQR* with PQ = 6.4 cm, angle  $PQR = 82^{\circ}$  and angle  $QPR = 43^{\circ}$ . Calculate the length of *PR*.

*Answer(b) PR* = ..... cm [4]



12       The set of the following, if possible.         13 $A = \begin{pmatrix} 5 \\ 7 \end{pmatrix}$ $B = (6 - 4)$ $C = \begin{pmatrix} 2 & 4 \\ 1 & 3 \end{pmatrix}$ $D = \begin{pmatrix} 2 & 9 \\ -1 & -3 \end{pmatrix}$ (a) Calculate the result of each of the following, if possible.       If a calculation is not possible, write "not possible" in the answer space.       (i) 3A         (i) 3A       Answer(a)(i)       [1]         (ii) AC       Answer(a)(iii)       [1]         (iii) BA       Answer(a)(iii)       [2]         (b) C + D       Answer(a)(iv)       [1]         (v) D <sup>2</sup> Answer(a)(v)       [2]         (b) Calculate C <sup>-1</sup> , the inverse of C.       Answer(b)       [2]			www.xtrapapers.com
7 $\mathbf{A} = \begin{pmatrix} 2 & 9 \\ 7 \end{pmatrix}$ $\mathbf{B} = (6 - 4)$ $\mathbf{C} = \begin{pmatrix} 2 & 4 \\ 1 & 3 \end{pmatrix}$ $\mathbf{D} = \begin{pmatrix} 2 & 9 \\ -1 & -3 \end{pmatrix}$ (a) Calculate the result of each of the following, if possible. If a calculation is not possible, write "not possible" in the answer space. (i) 3A <i>Answer(a)</i> (i) [1] (ii) AC <i>Answer(a)</i> (ii) [2] (iii) BA <i>Answer(a)</i> (iv) [1] (iv) $\mathbf{C} + \mathbf{D}$ <i>Answer(a)</i> (iv) [1] (b) Calculate C <sup>-1</sup> , the inverse of C. <i>Answer(a)</i> (x) [2]		12	For
(a) Calculate the result of each of the following, if possible. If a calculation is not possible, write "not possible" in the answer space. (i) 3A Answer(a)(i) (1] (ii) AC Answer(a)(ii) (2] (iv) C + D Answer(a)(iv) (1] (v) D <sup>2</sup> Answer(a)(v) (2] (b) Calculate C <sup>-1</sup> , the inverse of C. Answer(b) (2]	7 $\mathbf{A} = \begin{pmatrix} 5\\7 \end{pmatrix}$ $\mathbf{B} = (6 -4)$	$\mathbf{C} = \begin{pmatrix} 2 & 4 \\ 1 & 3 \end{pmatrix} \qquad \qquad \mathbf{D} =$	$\begin{pmatrix} 2 & 9 \\ -1 & -3 \end{pmatrix}$
If a calculation is not possible, write "not possible" in the answer space. (i) $3A$ Answer(a)(i) [1] (ii) $AC$ Answer(a)(ii) [1] (iii) $BA$ Answer(a)(iii) [2] (iv) $C + D$ Answer(a)(iv) [1] (v) $D^2$ Answer(a)(v) [2] (b) Calculate C <sup>1</sup> , the inverse of C. Answer(b) [2]	(a) Calculate the result of each of the follow	ving, if possible.	age c
(i) $AA$ Answer(a)(i) [1] (i) $AC$ Answer(a)(ii) [1] (ii) $BA$ Answer(a)(iii) [2] (v) $C + D$ Answer(a)(iv) [1] (v) $D^2$ Answer(a)(v) [2] (b) Calculate $C^1$ , the inverse of $C$ .	If a calculation is not possible, write "no	t possible" in the answer space	e. Om
Answer(a)(i)       [1]         (ii) AC       Answer(a)(ii)       [1]         (iii) BA       Answer(a)(iii)       [2]         (iv) C + D       Answer(a)(iv)       [1]         (v) D <sup>1</sup> Answer(a)(v)       [2]         (b) Calculate C <sup>1</sup> , the inverse of C.       Answer(b)       [2]	(1) $3\mathbf{A}$		
<ul> <li>(ii) AC</li> <li>Answer(a)(ii)</li> <li>(ii) BA</li> <li>(iv) C+D</li> <li>Answer(a)(iv)</li> <li>(1)</li> <li>(v) D<sup>2</sup></li> <li>Answer(a)(v)</li> <li>(2)</li> <li>(b) Calculate C<sup>-1</sup>, the inverse of C.</li> </ul>		Answer(a)(i)	[1]
Answer(a)(ii)       [1]         (iii) BA       Answer(a)(iii)       [2]         (iv) C + D       Answer(a)(iv)       [1]         (v) D <sup>2</sup> Answer(a)(v)       [2]         (b) Calculate C <sup>-1</sup> , the inverse of C.       [2]	(ii) AC		
(ii) BA Answer(a)(iii) [2] (iv) C + D Answer(a)(iv) [1] (v) D <sup>2</sup> Answer(a)(v) [2] (b) Calculate C <sup>-1</sup> , the inverse of C. Answer(b) [2]		Answer(a)(ii)	[1]
Answer(a)(iii)       [2]         (iv) C + D       Answer(a)(iv)       [1]         (v) D <sup>2</sup> Answer(a)(v)       [2]         (b) Calculate C <sup>-1</sup> , the inverse of C.       Answer(b)       [2]	(iii) BA		
Answer(a)(iii) [2] (iv) C+D $Answer(a)(iv) [1]$ (v) D <sup>2</sup> $Answer(a)(v) [2]$ (b) Calculate C <sup>-1</sup> , the inverse of C. $Answer(b) [2]$			
(iv) C + D <i>Answer(a)</i> (iv) [1] (v) D <sup>2</sup> <i>Answer(a)</i> (v) [2] (b) Calculate C <sup>-1</sup> , the inverse of C. <i>Answer(b)</i> [2]		Answer(a)(iii)	[2]
Алswer(a)(iv) [1] (v) D <sup>2</sup> <i>Answer(a</i> )(v) [2] (b) Calculate C <sup>-1</sup> , the inverse of C. <i>Answer(b)</i> [2]	(iv) $\mathbf{C} + \mathbf{D}$		
Answer(a)(iv)       [1]         (v) D <sup>2</sup> Answer(a)(v)       [2]         (b) Calculate C <sup>-1</sup> , the inverse of C.       Answer(b)       [2]			
Answer(a)(iv)       [1]         (v) D <sup>2</sup> Answer(a)(v)       [2]         (b) Calculate C <sup>-1</sup> , the inverse of C.       Answer(b)       [2]			
(v) $D^2$ Answer(a)(v) [2] (b) Calculate C <sup>-1</sup> , the inverse of C. Answer(b) [2]		Answer(a)(iv)	[1]
$Answer(a)(v) \qquad [2]$ (b) Calculate C <sup>-1</sup> , the inverse of C. $Answer(b) \qquad [2]$	$(\mathbf{v})  \mathbf{D}^2$		
$Answer(a)(v) \qquad [2]$ (b) Calculate C <sup>-1</sup> , the inverse of C. $Answer(b) \qquad [2]$			
Answer(a)(v)       [2]         (b) Calculate C <sup>-1</sup> , the inverse of C.         Answer(b)       [2]			
(b) Calculate C <sup>-1</sup> , the inverse of C. <i>Answer(b)</i> [2]		Answer(a)(y)	[2]
Answer(b) [2]	(b) Calculate $C^{-1}$ , the inverse of C.	$m_{swer}(u)(v)$	
Answer(b) [2]			
		Answer(b)	[2]









Answer(b)(ii) ..... cm [5]







(c) Simplify  $\frac{7x+21}{2x^2+9x+9}$ .







#### © UCLES 2013



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.



20

**BLANK PAGE**