CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2013 series

0580 MATHEMATICS

0580/42   Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

CAMBRIDGE

PA CAMBRIDGE

Abbreviations

cao   correct answer only
cso   correct solution only
dep   dependent
ft   follow through after error
isw   ignore subsequent working
oe   or equivalent
SC   Special Case
www   without wrong working
art   anything rounding to
soi   seen or implied

	Correct answer	Mark	Part marks
1	**(a) (i)** 3216 Final answer	**2**	**M1** for $(18900 - 5500) \times 0.24$ oe
	(ii) 1307 Final answer	**2FT**	**FT** $(18900 - \textit{their } \textbf{(a)(i)}) \div 12$ correctly evaluated **M1** for $(18900 - \textit{their } \textbf{(a)(i)}) \div 12$
	(b) 4.5[%] nfww	**2**	**M1** for $\dfrac{19750.50\,[-18900]}{18900} \times 100$ or $\dfrac{19750.50 - 18900}{18900}$

	(c) A by 31.05…
	    or 31.04 to 31.05
	    or 31.[0]
	    31.1[0]
		5	**M1** for $1500 \times 4.1/100 \times 3$ [+ 1500] oe
			M1 for 1500×1.033^3 [− 1500] oe
			A1 for 1684.5 or 184.5 **or** 1653[.45..] or 153[.45..]
			
			and **M1dep** for subtraction of *their* amounts or *their* interests

2	**(a)** 36.9° or 36.86 to 36.87	**2**	**M1** for $\tan[DBC] = 1.8/2.4$ oe
	(b) (i) $1.8^2 + 2.4^2$ leading to $\sqrt{9}$	**2**	**M1** for $1.8^2 + 2.4^2$ or better
	(ii) $[\cos ABD) =]\ \dfrac{6.46^2 + 3^2 - 8.6^2}{2 \times 6.46 \times 3}$ 127 or 126.8…	**M2** **A2**	**M1** for correct cos rule but implicit version **A1** for –0.599… After **0** scored, **SC2** nfww for answer 127 or 126.8 to 126.96 from other methods or no working shown
	(c) 39.6 or 39.7 or 39.59 to 39.68	**3**	**M2** for $\frac{1}{2}(2.4 + 8.6) \times 1.8 \times 4$ oe **Or M1** for $\dfrac{1.8}{2}(2.4 + 8.6)$ oe soi by 9.9 to 9.92

3	(a)	$\dfrac{4x-7}{10}$ final answer nfww	3	**M2** for $\dfrac{5(2x-1)-2(3x+1)}{2\times 5}$ or $\dfrac{5(2x-1)}{5\times 2}-\dfrac{2(3x+1)}{5\times 2}$ **or M1** for attempt to convert to common denominator of 10 or multiple of 10 with one error in numerator
	(b)	$x^2 + 9$ final answer nfww	4	**B3** for $4x^2 - 6x - 6x + 9 - 3x^2 + 12x$ or correct answer given and then spoilt **or B1** for $4x^2 - 6x - 6x + 9$ seen **and B1** for $-3x^2 + 12x$ or $-(3x^2 - 12x)$ seen
	(c) (i)	$(2x - 1)(x + 3)$ isw solving	2	**M1** for $(2x + a)(x + b)$ where $ab = -3$ or $2b + a = 5$ with integers a and b
	(ii)	$\dfrac{2x-1}{2(x-3)}$ or $\dfrac{2x-1}{2x-6}$ final answer nfww	3	**M2** for $2(x + 3)(x - 3)$ or $(2x - 6)(x + 3)$ or $(2x + 6)(x - 3)$ seen **or M1** for $2(x^2 - 9)$ seen
4	(a) (i)	$90 \div (42/360 \times \pi \times 8^2)$ o.e. 3.836 to 3.837	M3 A1	**M2** for $42/360 \times \pi \times 8^2 \times h = 90$ **or M1** for $42/360 \times \pi \times 8^2$
	(ii)	131 or 130.75 to 130.9 nfww	5	**M2** for $42/360 \times \pi \times 2 \times 8 \times 3.84$ oe [22.48 to 22.53] **or M1** for $42/360 \times \pi \times 2 \times 8$ oe soi [5.86 to 5.87] **and M1** for $2 \times (8 \times 3.84)$ [61.37 to 61.44] **and M1** for $2 \times (42/360 \times \pi \times 8^2)$ [46.88 to 47]
	(b)	2.42 or 2.416 to 2.419	3	**M2** for $3.84 \times \sqrt[3]{\dfrac{22.5}{90}}$ oe or $h = \sqrt[3]{\dfrac{3.84^3 \times 22.5}{90}}$ **or M1** for $\sqrt[3]{\dfrac{22.5}{90}}$ oe or $\sqrt[3]{\dfrac{90}{22.5}}$ oe seen or $\dfrac{3.84^3}{h^3} = \dfrac{90}{22.5}$ oe

5	**(a)** 7, 11.5, 4.5	1,1,1	
	(b) Correct curve cao	5	**B3FT** for 10 correct plots, on correct verti~~c~~ grid line and within correct 2 mm square vertically **Or B2FT** for 8 or 9 correct plots **Or B1FT** for 6 or 7 correct plots **and B1 indep** for two separate branches on either side of *y*-axis
	(c) **(i)** $0.69 < x < 0.81$	1	
	(ii) $-2.3 < x < -2.2$ $-0.8 < x < -0.6$ $0.35 < x < 0.5$	3	**B1** for each correct After 0 scored, allow **SC1** for drawing line $y = 7.5$ long enough to cross curve at least once
	(d) **(i)** $y = 10 - 3x$ ruled correctly	**B2**	long enough to cross curve twice. **B1** for ruled line gradient -3 or *y* intercept at 10 but not $y = 10$ **Or B1** for 'correct' but freehand
	$-0.55 < x < -0.45$	**B1dep**	Dependent on at least **B1** scored for line
	$0.35 < x < 0.45$	**B1dep**	
			After 0 scored, **SC2** for -0.5 **and** 0.4 [from solving equation]
	(ii) $\quad$ 10 $\quad$ 1 $\quad$ -2 **or** -10 $\quad$ -1 $\quad$ 2	3	**B2** for $2 - x - 10x^2$ [$= 0$] oe Or **B1** for $\dfrac{2}{x^2} - \dfrac{1}{x} - 10 = 0$ oe Correctly eliminating $-3x$ Or **B1** for $2 - x - 3x^3 = 10x^2 - 3x^3$ oe Correctly clearing fractions

6	(a) (i)	$\dfrac{1}{110}$ oe		2	**M1** for $\dfrac{1}{11} \times \dfrac{1}{10}$
	(ii)	$\dfrac{6}{110}$ oe	$\left[\dfrac{3}{55}\right]$	2	**M1** for $\dfrac{3}{11} \times \dfrac{2}{10}$
	(iii)	$\dfrac{8}{110}$ oe	$\left[\dfrac{4}{55}\right]$	2FT	**FT** *their* **(a)(ii)** + $\dfrac{2}{11} \times \dfrac{1}{10}$ correctly evaluated **or M1** *their* **(a)(ii)** + $\dfrac{2}{11} \times \dfrac{1}{10}$
	(b) (i)	$\dfrac{6}{990}$ oe	$\left[\dfrac{1}{165}\right]$	2	**M1** for $\dfrac{3}{11} \times \dfrac{2}{10} \times \dfrac{1}{9}$
	(ii)	$\dfrac{336}{990}$ oe	$\left[\dfrac{56}{165}\right]$	2	**M1** for $\dfrac{8}{11} \times \dfrac{7}{10} \times \dfrac{6}{9}$
	(iii)	$\dfrac{198}{990}$ oe	$\left[\dfrac{1}{5}\right]$	5	**M4** for $3\left(\dfrac{3}{11} \times \dfrac{2}{10} \times \dfrac{8}{9}\right) + 3\left(\dfrac{2}{11} \times \dfrac{1}{10}\left[\times \dfrac{9}{9}\right]\right)$ oe **or M3** for $3\left(\dfrac{3}{11} \times \dfrac{2}{10} \times \dfrac{8}{9}\right)$ *or* $3\left(\dfrac{2}{11} \times \dfrac{1}{10}\left[\times \dfrac{9}{9}\right]\right)$ oe **Or** **M1** for $\dfrac{3}{11} \times \dfrac{2}{10} \times \dfrac{8}{9}$ oe seen **and M1** for $\dfrac{2}{11} \times \dfrac{1}{10}\left[\times \dfrac{9}{9}\right]$ oe seen

7	(a)	14 10 or 2 10 pm final answer	2	**M1** for (0)8 10 oe or answer 14 hours 10 minutes or answer 2 10 [am]
	(b)	5 hours 45 minutes cao	2	**M1** for 345 [mins] seen or for 805 /7 × 3 oe or 5.75 seen
	(c) (i)	798 or 798.2 to 798.4….	2	**M1** for 10712 / $13\frac{25}{60}$ or 10712 ÷ 13.4…
	(ii)	1.82×10^5 or 1.815×10^5 to 1.816×10^5	4	**B3** for 182000 or 181500 to 181600 seen **or M2** for 10712000/59 oe **or M1** for figs 10712/figs 59 soi by figs 182 or figs 1815 to 1816 **and B1 FT** for their number of litres correctly converted to standard form rounded to 3sf or better
	(d)	8600	3	**M2** for 10148 ÷ 1.18 oe **or M1** for 10148 associated with 118[%]
8	(a) (i)	–6	1	
	(ii)	2.75 oe	2	**M1** for [g(x) =] 0.5 or 7/14 Or $\left(\dfrac{7}{x+1}\right)^2 + 5\left(\dfrac{7}{x+1}\right)$ oe
	(b)	$\dfrac{x-3}{4}$ or $\dfrac{x}{4} - \dfrac{3}{4}$ Final answer	2	**M1** for $y - 3 = 4x$ or better or $x = 4y + 3$ or better or $\dfrac{y}{4} = \dfrac{3}{4} + x$ or flowchart with – 3 then ÷ 4
	(c) (i)	5	2	**M1** for $4x = 23 - 3$ or $x + \dfrac{3}{4} = \dfrac{23}{4}$ or better
	(ii)	$x^2 + 5x - 7 = 0$	**B1**	May be implied by correct values in formula
		$\dfrac{-5 \pm \sqrt{5^2 - 4(1)(-7)}}{2(1)}$ oe	**B1** **B1**	**B1** for $\sqrt{5^2 - 4(1)(-7)}$ or better [53] If in form $\dfrac{p + \sqrt{q}}{r}$ or $\dfrac{p - \sqrt{q}}{r}$, **B1** for –5 and 2(1) or better **No** recovery of full line unless **seen**
		1.14 and –6.14 final answers	**B1** **B1**	**Or SC1** for 1.1 or 1.140…. and –6.1 or – 6.140 … Or answers –1.14 and 6.14

9	(a)	(i)	Reflection $x = -2$ oe	2		**B1** for either
		(ii)	Translation $\begin{pmatrix} -7 \\ 2 \end{pmatrix}$ oe	2		**B1** for either
		(iii)	Stretch x-axis oe invariant [factor] 3	3		**B1** for each
	(b)	(i)	Triangle with coords at (8, 2) (7, 3) and (7, 5)	2		**B1** for rotation about (6, 0) but 90° anticlockwise Or for rotation 90° clockwise around any point
		(ii)	Triangle with coords at (–2, –5) (–6, –5) and (–8, –7)		2	**B1** for 2 correct points or for enlargement of SF –2 any centre
		(iii)	Triangle with coords at (1, –1) (4, –6) and (3, –5)		2	**B1** for 2 correct points or coordinates of 2 points shown
	(c)		$\begin{pmatrix} 1 & 0 \\ -2 & 1 \end{pmatrix}$		2	**B1** for one row or one column correct but not identity matrix. **Or SC1** for $\begin{pmatrix} 1 & -2 \\ 0 & 1 \end{pmatrix}$
10	(a)	48 and 57, $9n + 3$ oe	1	2	**B1** for $9n + k$ oe
	(b)	56 and 50, $86 - 6n$ oe	1	2	**B1** for $k - 6n$ oe
	(c)	125 and 216, n^3 oe	1	1	
	(d)	130 and 222 $n^3 + n$ oe	1	1FT	FT *their* **(c)** + *n* dep on expression in *n* in **(c)**