

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

MATHEMATICS
Paper 2 (Extended)
MARK SCHEME
Maximum Mark: 70

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

 ${\bf @}$ IGCSE is the registered trademark of Cambridge International Examinations.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0580	21

Abbreviations

correct answer only cao

dependent dep

follow through after error ignore subsequent working or equivalent FTisw

oe SC

Special Case not from wrong working seen or implied nfww

soi

Q	uestion	Answer	Mark	Part marks
1		- 7	1	
2	(a)	[0].0402	1	
	(b)	[0].040	1	
3		[0].67	2	M1 for 14 × 0.905 [–12] or 12.67
				If zero scored, SC1 for answer [0].74[0]
4		$\frac{8}{12}$ and $\frac{3}{12}$ oe	M1	Correct fractions with common denominator
		$\frac{5}{12}$ cao	A1	
5	(a)	$\frac{1}{125}$	1	
	(b)	4.56×10^{-3}	1	
6		42	2	M1 for $Q = 90$ or $WPQ = 90 - 42$ or $WPQ = 48$
7		$\frac{x^2 + 2y^2}{xy}$ or $\frac{x}{y} + \frac{2y}{x}$	2	B1 for $xy(x^2 + 2y^2)$
		final answer		or M1 for $\frac{x^2y + 2y^3}{xy^2}$ or $\frac{x^3 + 2xy^2}{x^2y}$
8		$\frac{pt - 2t - 3p}{pt}$ final answer	2	B1 for $pt - 2t - 3p$ or $1 - \frac{2t + 3p}{pt}$
9		[x=] 55	1	
		[y =] 125	1FT	correct or FT (180 – their <i>x</i>)

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0580	21

Question	Answer	Mark	Part marks
10	$6x^8$ final answer	2	B1 for $6x^k$, $6 \times x^8$ or $kx^8 (k \neq 0)$ as final answer
11	Correctly eliminating one variable	M1	
	[x =] -1 and $[y =] 5$	A1 A1	If zero scored, SC1 for 2 values that satisfy one of the original equations or SC1 if no working shown, but 2 correct answers given
12 (a)	$\frac{1}{8}$ cao	1	
(b)	$\frac{2}{11}$	2	M1 for $18.18-0.18$ oe or B1 for $\frac{2k}{11k}$ (k not 0 or 1)
13 (a)	(2p-3)(2p+3) final answer	1	
(b)	(a-2b)(2x-y) oe final answer	2	B1 for $2x(a-2b) - y(a-2b)$ or $a(2x-y) - 2b(2x-y)$
14	$6\frac{2}{3}$ oe	3	M1 for $y = k\sqrt{x+2}$ oe or better e.g. $2 = k\sqrt{7+2}$ M1 for $[y =]$ their $k \times \sqrt{98+2}$ or M2 for $\frac{y}{2} = \frac{\sqrt{98+2}}{\sqrt{7+2}}$
15 (a)	$\binom{5}{8}$	1	
(b)	(8) final answer	2	B1 for final answer 8 without brackets

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE - October/November 2016	0580	21

Q	uestion	Answer	Mark	Part marks
16		6.35 or 6.349 to 6.350	3	M2 for $\frac{8}{h} = \sqrt[3]{\frac{0.5}{0.25}}$ oe or M1 for $\left(\frac{8}{h}\right)^3 = \frac{0.5}{0.25}$ oe or for $\sqrt[3]{\frac{0.5}{0.25}}$ or $\sqrt[3]{\frac{0.25}{0.5}}$ oe
17	(a)	Accurate arc, centre B, radius 5 cm meeting both BA and BC	1	V 0.25 V 0.5
	(b)	Accurate bisector through angle B with 2 pairs of correct arcs and reaching to at least AC	2	B1 for accurate line from <i>B</i> to at least <i>AC</i> or M1 for correct arcs
	(c)	Correct region identified	1	
18	(a)	4	2	B1 for 25 or –21
	(b)	$\sqrt{y-qr}$ oe final answer	2	M1 for $y - qr = p^2$ or M1 for correctly square rooting <i>their</i> function of y , q and r
19	(a)	6n + 1 oe final answer	2	B1 for $6n + c$ or for $kn + 1$ $(k \neq 0)$
	(b)	$(n+2)^2$ final answer	2	M1 for any quadratic expression or reaching second difference of 2
20	(a)	$\frac{3mx}{50}$ or $0.06mx$	2	M1 for $m \times x \times 60 \div 1000$ oe
	(b)	35	2	M1 for $5 \times x \times 60 \div 1000 = 10.5$ oe or for substituting $m = 5$ in <i>their</i> (a) and equating to 10.5 oe

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE - October/November 2016	0580	21

Question	Answer	Mark	Part marks
21	$y \ge 0$ and $x \ge 1$ oe and $x + y \le 4$ oe	4	SC3 for $y > 0$, $x > 1$ and $x + y < 4$ oe or B1 for $y \ge 0$ B1 for $x \ge 1$ oe and B2 for $x + y \le 4$ oe or M1 for grad = -1 soi If B0 scored for first two B marks, SC1 for y = 0 and $x = 1$ or with incorrect inequality sign
22 (a) (i)	$\begin{bmatrix} A & & & & \\ & 3 & 4 & 2 & \\ & & & 1 \end{bmatrix}$	2	B1 for $n(A \cap B) = 4$
(ii)	$\frac{2}{10}$ oe	1FT	allow correct answer or FT $\frac{their\ 2}{10}$
(b)	$C \longrightarrow D$	1	
23	$\sqrt{(3)^2 - 4(2)(-3)}$ oe or better	B1	If completing the square, B1 for $\left(x + \frac{3}{4}\right)^2$ oe
	$\frac{-3+\sqrt{k}}{2(2)}$ or $\frac{-3-\sqrt{k}}{2(2)}$ oe	B1	B1 for $-\frac{3}{4} + \sqrt{\frac{3}{2} + \left(\frac{3}{4}\right)^2}$ or $-\frac{3}{4} - \sqrt{\frac{3}{2} + \left(\frac{3}{4}\right)^2}$ oe
	-2.19, 0.69	B1B1	SC1 for -2.2 or -2.186 and 0.7 or 0.686 or -2.19 and 0.69 seen but not final answer or 2.19 and -0.69 Maximum score without working is 2
24 (a)	13.9 or 13.85 to 13.86	3	M2 for $\sqrt{8^2 + 8^2 + 8^2}$ oe
(b)	35.1 to 35.5[4]	2	or M1 for $8^2 + 8^2$ or better for one face M1 for $\sin = \frac{8}{their(\mathbf{a})}$ or $\cos = \frac{\sqrt{8^2 + 8^2}}{their(\mathbf{a})}$ or $\tan = \frac{8}{\sqrt{8^2 + 8^2}}$ oe