

# Cambridge IGCSE™

MATHEMATICS

0580/21 October/November 2020

Paper 2 (Extended) MARK SCHEME Maximum Mark: 70

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2020 series for most Cambridge IGCSE<sup>™</sup>, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

### **Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Г

Maths-Specific Marking Principles				
1	Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.			
2	Unless specified in the question, answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.			
3	Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.			
4	Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).			
5	Where a candidate has misread a number in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 mark for the misread.			
6	Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.			

# Abbreviations

- cao correct answer only
- dep dependent
- FT follow through after error
- isw ignore subsequent working
- oe or equivalent
- SC Special Case
- nfww not from wrong working
- soi seen or implied

## Cambridge IGCSE – Mark Scheme PUBLISHED

Question	Answer	Marks	Partial Marks
1	-a + 8b final answer	2	<b>B1</b> for $-a$ or $[+]8b$ in final answer or for $-a + 8b$ spoilt
2	Correct triangle constructed with $AC = 5$ cm and $BC = 6.5$ cm and intersecting arcs	3	<b>B2</b> for correct triangle with no/incorrect arcs or <b>SC2</b> for accurate triangle with arcs but sides interchanged or <b>B1</b> for 6.5 [cm] or 5 [cm] soi
3	1.75	3	M2 for $(13.72 - 2.8 \times 2.65) \div 3.6$ oe or M1 for $2.8 \times 2.65$
4(a)	4 points correctly plotted	2	B1 for 2 or 3 points correctly plotted
4(b)	Negative	1	
4(c)	Correct ruled line of best fit	1	
4(d)	10 to 12	1	FT <i>their</i> straight line of best fit
5	$\frac{50-10}{4\times 2}$	M1	Allow <b>M1</b> for 3 out of 4 values correctly rounded or for all correct but with any trailing zeros
	5	A1	dep on $\frac{50-10}{4\times 2}$
6	$\frac{8}{3}$ and $\frac{11}{4}$ oe improper fractions	M1	
	$\frac{88}{12}$ oe improper fraction	A1	
	$7\frac{1}{3}$ cao final answer	A1	dep on 1 <sup>st</sup> A1 If M0 scored <b>SC1</b> for $\frac{8}{3}$ or $\frac{11}{4}$ oe improper fraction
7	$[x=]\frac{2y+7}{5}$ oe or $[x=]\frac{2y}{5}+\frac{7}{5}$ oe final answer	2	<b>M1</b> for $2y + 7 = 5x$ oe or $\frac{2y}{5} = x - \frac{7}{5}$ oe
8(a)	0	1	
8(b)	$2^2 \times 3 \times 7$ or $2 \times 2 \times 3 \times 7$	2	<b>B1</b> for 2, 2, 3, 7
9(a)	$40 \times 4$	1	
9(b)	$\sqrt{2^2 + (-3)^2}$	1	

# Cambridge IGCSE – Mark Scheme PUBLISHED

Question	Answer	Marks	Partial Marks
10	48 700 cao	3	<b>M1</b> for $45000 \times \left(1 + \frac{1.6}{100}\right)^5$ oe
			<b>A1</b> for 48 710 to 48 720
			If A0 scored <b>B1</b> for <i>their</i> more accurate value correctly rounded to the nearest 100
11	[a = ] -1 [b = ] 5	2	B1 for two or three correct
	[b =] 5 [c =] 1 [d =] 4		or SC1 for $[a =] x \ge -1$
	[ <i>u</i> –] +		$[b=] x \leq 5$
			$ [c =] y \ge 1  [d =] y \le 4 $
12	15	2	<b>M1</b> for $\frac{360}{180 - 156}$ or $\frac{180(n-2)}{n} = 156$ oe
13	17.77 – 1.77 oe	M1	M1 for correct working shown
	$\frac{8}{45}$ cao	A2	<b>B1</b> for $\frac{16}{90}$ oe seen
14	2	2	<b>M1</b> for $y = \frac{5-4x}{8}$ oe or better
15(a)	0.3	1	
15(b)	360	3	M2 for correct complete area statement e.g.
			$18 \times 60 + \frac{1}{2} \times 40 \times (18 + 6) - 12 \times 100$
			or $\frac{1}{2} \times 6 \times (60 + 80) - \frac{1}{2} \times 6 \times 20$
			or for answer 420
			or M1 for one area calculation
16	(3x-4)(2x+5) final answer	2	<b>B1</b> for $(ax + b)(cx + d)$ where $ac = 6$ and
			ad + bc = 7  or  bd = -20
17(a)	[ <i>a</i> =] 7	2	<b>M1</b> for $3(-2)^2 + a = 19$ or better
17(b)(i)	6x - 9 or $3(2x - 3)$ final answer	2	<b>M1</b> for $2(3x - 8) + 7$ or better
17(b)(ii)	$\frac{x-7}{2}$ final answer	2	M1 for a correct first step $x = 2y + 7$ or $y - 7 = 2x$
	2		or $\frac{y}{2} = x + \frac{7}{2}$

#### 0580/21

# Cambridge IGCSE – Mark Scheme PUBLISHED

Question	Answer	Marks	Partial Marks
18	990 or 989.58 to 989.73	4	M1 for $4 \times \pi \times 7^2$ [÷2] M1 for $\pi \times 7^2$ M1 for $\pi \times 7 \times 2 \times 12$
19	$\mathcal{E}$	1	
20	107	4	<b>B2</b> for $x = 40$ or <b>M1</b> for $2x + x + 60 = 180$ oe
			M1 for correctly substituting <i>their x</i> into 4x - 87 + y = 180 oe or $4x - 87 + x + 60 + y + 2x = 360$ oe
21	11.7 or 11.73	3	M2 for $\sin 43 = \frac{PT}{17.2}$ oe or M1 for identifying angle <i>PVT</i>
22	$\frac{x}{2(x+5)}$ or $\frac{x}{2x+10}$ final answer	4	<b>B1</b> for $x(x-5)$ <b>B2</b> for $2(x-5)(x+5)$ or $(x-5)(2x+10)$ or $(2x-10)(x+5)$ or <b>B1</b> for $2(x^2-25)$ or $(x-5)(x+5)$
23(a)	$\frac{5}{6} \mathbf{m} - \frac{1}{3} \mathbf{n}$	3	<b>B2</b> for correct unsimplified answer in terms of <b>m</b> and <b>n</b> e.g. $\frac{1}{3}$ ( <b>m</b> - <b>n</b> ) + $\frac{1}{2}$ <b>m</b>
			or M1 for a correct route or for $\overrightarrow{FC} = \mathbf{m} - \mathbf{n}$ or $\overrightarrow{CF} = \mathbf{n} - \mathbf{m}$ or better e.g. $\overrightarrow{AC} = \frac{1}{3} (\mathbf{m} - \mathbf{n})$
23(b)	$\overrightarrow{GH} = 3 \overrightarrow{JK}$ oe or $\overrightarrow{GH}$ has a greater magnitude	2	B1 for each
	$\overrightarrow{GH}$ and $\overrightarrow{JK}$ are parallel		