UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2006 question paper

0580 and 0581 MATHEMATICS

0580/04 and 0581/04 Paper 4, maximum raw mark 130

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

The grade thresholds for various grades are published in the report on the examination for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2006 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

www.xtrapapers.com

Page 2	Mark Scheme	Syllabu
	IGCSE - OCT/NOV 2006	0580/0581

		Mark Scheme Syllabu Specific Control of the Control	
IGCSE - OCT/		/NOV 2	006 0580/0581
			di
1(a)	900 - (7 + 5 + 4)	MI	Syllabu 006 0580/0581 Obec 10
1(a)	800 ÷ (7 + 5 + 4)	M1 M1	Dep
	their 50 × any one of 7, 5 or 4	A1	www 3 In order or correctly matched
(b)	350, 250, 200 100 or 250	B1	May be implied in next step
(5)	their 250 × 5 × 2	ы	way be implied in next step
	seen	M1	could be 100, 350 etc. not 2/7 or 5/7
	100	A1	www 3
(a)	275 cao	74.1	www.5
(c)	0.8 × their 250 in (a) oe	M1	
	200	A1ft	www 2 ft acc to nearest cent if approp.
(d)	275 or their (b) :200 or their (c) : 100	M1	
2.5	11:8:4 or 2.75:2:1 cao	A1	www 2 In order or correctly matched
(e)	100×1.05^2	M1	
	110.25 cao	A1	After M0 allow SC1 for10.25 final answer
24.3		220	12
2(a)	$1400^2 + 1600^2 - 2 \times 1400 \times 1600 \cos 13$	M2	M1 for correct implicit cosine rule
	(154822)	M1	Don (1222222222222222222222222222222222222
	square root of correct combination 393 to 393.5	A1	Dep (wrong combo – 38975) www 4
(b)	(H=) 49 seen	B1	May be implied by next step
(0)	WJ 1600	ы	way be implied by flext step
	$\frac{1000}{\sin(their49)} = \frac{1000}{\sin 95}$	M1	Implicit and correct - may be implied by next
		1	step (not for 36 used)
	$WJ = \frac{1600\sin(their49)}{}$	M1	Dep. Explicit and correct
	sin 95		30 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	1210 or art1212 cao	A1	www4
	0.5×1400×1600×i=12 (251045) :	425	14 14 14 14 14 14 14 14 14 14 14 14 14 1
(c)	0.5×1400×1600sin13 (251945) +	M2	Allow M1 for one correct method for one
	0.5×1600×their (b)sin36 (569916) oe	The same of the sa	triangle
/ n/n	820900 to 822000 cao	A1	www 3
(d)(i)	(0)73 cao 289 cao	B1	
(ii)	289 cao	B1	
(e)	(n =) 20 000 000 seen final ans.	B2	SC1 for 1: figs 2 as final ans
			M marks available for 2sf answers ww here
3(a)	$0.5(1.1 + 1.4) \times 0.7$ oe	M1	CO. 1. 2. 1. A. G. 1. C.
	0.875 cao	A1	www 2
(b)	their (a) × 500	M1	
	437.5 or 438	A1ft	www 2
(c)	art 2.1×10^3	B2ft	their 437.5 × 4.8 in s.f., B1ft for art '2 100'
(d)	art 2.1 × 10° o.e	B1ft	their (c) ×106 correct. Accept art 2 100 000 000
(0)	20.20		Accept standard form answers correct to 2 sf
e)	$\pi \times 0.2^2 \times 500$	M1	windle 0
	62.8 to 62.84 cao	A1	www 2
(f)	their (b) – their (e)	M1	Provided positive answer
12	their (b) - their (c)	MI	
	$\frac{their(b) - their(e)}{their(b)} \times 100 \text{ o.e.}$	M1	dep
	their(b)	IVII	
	85.6 to 85.7 cao	A1	www 3 After M0, SC1 for 14.3 to 14.4
		74.1	12

www.xtrapapers.com

Page 3	Mark Scheme	Syllabu
	IGCSE - OCT/NOV 2006	0580/0581

4(a)	-6.1 (11), 5, 11.9 (11.88)	1,1,1	OH
(b)	Correct scales	S1	-3 to 3 for x, and -10 to their max
(c)	16 correct points	P3ft	-3 to 3 for x, and -10 to their max P2ft for 13 to 15 correct (in correct square) P1ft for 10 to 12 correct
	smooth curves through 14 points Ignoring $x = \pm 0.3$	C1ft	Correct shape, not ruled, within ½ small square (curves could be joined)
	Graph does not cross the y-axis	B1	Indep but needs 2 'curves'.
(d)(i)	$0.45 \le x \le 0.5$	B1	
(ii)	$-2.4 \le x \le -2.1$	1	
	$-0.5 \le x \le -0.4$	1	the second secon
	$0.3 \leq x \leq 0.4$	1	If 0 scored, SC1 for evidence of $f(x) = -4$
(e)	g(x) = 3x + 3 correct, ruled, full range (1mm acc at ends)	L2	Allow SC1 for any one of correct but short, gradient of 3, y – intercept 3 on sloping line,
(0/3	Customer		'good' freehand.
(f)(i)	Gets closer o.e	B1	Any correct comment isw
	4 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2.0	dep on $g(x)$ correct or freehand
(ii)	Answer rounds to 3.00	B1	17
5(a)(i)	$s=\frac{1}{3}, t=\frac{1}{4}, u=\frac{5}{6}$	1,1,1	All correctly placed on tree or clearly indicated
(ii)	$\frac{2}{3} \times \frac{3}{4}$	3.42	A good probabilities on Constitute (4-1)
(ii)	1000	M1	Accept probabilities as fractions/decimals/%
	$\frac{1}{2}$ oe cao	A1	-1 once for words or 2 sf, do not accept ratios
(iii)	$\frac{2}{3}$ × their $\frac{1}{4}$ + their $\frac{1}{3}$ × their $\frac{5}{6}$	M1	i.s. cancelling after correct answer.
(111)	3 4 3 6	IVII	Follow through method provided $0 < P < 1$
	4/9 oe cao	A1	www 2 (0.444)
(b)(i)	$\frac{1}{3} \times \frac{1}{3} \times \frac{1}{3}$	MI	
1. 1. 1.	3 " 3 " 3	M1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	4	A 1	1 ******* 7 (0 027)
	$\frac{1}{27}$	A1	www 2 (0.037)
(ii)	$1 - \left(\frac{2}{3}\right)^3$ o.e.	M1	www 2 (0.037)
(ii)	$1 - \left(\frac{2}{3}\right)^3$ o.e. $\frac{19}{27}$		www 2 (0.037) www 2 (0.704)
	$\frac{19}{27}$	M1	
(ii) (c)(i)		M1	

www.xtrapapers.com

Page 4	Mark Scheme	Syllabu
	IGCSE - OCT/NOV 2006	0580/0581

6			- GH
6 (a)(i) (ii)	$ \begin{array}{l} - \mathbf{p} + \mathbf{q} \\ - \frac{2}{3} \mathbf{p} + \frac{2}{3} \mathbf{q} \end{array} $	B1 B1ft	Accept any form for correct simplified answers f.t. $2/3$ of their (a)(i) - \mathbf{q} + their (ii) or - \mathbf{p} + $-\frac{1}{2}$ their (ii)
(iii)	$-\mathbf{q} + -\frac{2}{3}\mathbf{p} + \frac{2}{3}\mathbf{q}$ oe $-\frac{2}{3}\mathbf{p} - \frac{1}{3}\mathbf{q}$	M1 A1	$-\mathbf{q}$ + their (ii) or $-\mathbf{p}$ + $-\frac{1}{2}$ their (ii)
(iv)	$p + -\frac{2}{3}p + \frac{2}{3}q$ oe	М1	\mathbf{p} + their (ii) or \mathbf{q} + $-\frac{1}{2}$ their (ii),
	$\frac{1}{3}$ p + $\frac{2}{3}$ q	A1	or p + q + their (iii) Accept in column vector
(b)(i)	(4, -2)	В1	
(ii)	$\begin{pmatrix} 4, -2 \\ -3 \\ 4 \end{pmatrix}$	B1	
(c)(i)	Rotation only, 90° clockwise oe, centre (0,0)	B1 B1 B1	e.g90 ° or 270 °
(ii)	(3, -5)	B1	
(d)	$\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$	В2	B1 each correct column
(a)(i)	$\frac{54+21+8a+45}{9+3+a+5} = 7.2$ oe	M1	Accept products shown
	120 + 8a = 122.4 + 7.2a oe	M1	Dep on previous M1 and a denominator of the form integer $+a$ - deals with fraction correctly but not where n used in denominator.
ii)	(a) = 3 cao	100	www 3
iii)	20 7 cao	B1ft B1	17 + their (a), provided (a) is positive integer
(b)(i) (ii)	14 to 14.2 cao	Bi	
(iii)	6 cao 28 cao	B1 B1	
iv)	22	B1ft	their (iii) – their (ii) dep on both values being less than 50 and (iii) is greater than (ii)
v) vi)	31.5 to 32 60 cao	B1 B1	The same of the sa
(c)(i)	150	B1	
ii)	125	B1	
ii)	Mid values 25, 62.5, 87.5 ('150' × 25 + 100 × 62.5 + '125' × 87.5)	M1 M1	dep Not for 3 or 4 or 5 used as frequencies
	(20937.5) ÷ '375'	M1	dep on 2 nd M1
	55.8 (3) cao	A1	www4 17

Page 5	Mark Scheme	Syllabu
	IGCSE - OCT/NOV 2006	0580/0581

8(a)(i)	$2\pi \times 5 \times 9 + 2\pi \times 5^2$	M1	
7.3754	439.8 to 440	A1	www2 for correct first step ft for correct second step
ii)	$\frac{A-2\pi r^2}{}$ o.e. final ans	M1	for correct first step
ш	2πr	M1	ft for correct second step
(iii)	$\frac{377 - 2\pi \times 6^2}{2\pi \times 6} \text{or } \frac{377}{2\pi \times 6} - 6$	M1	correct or ft their (ii) Could restart but must get to explicit stage
	Zh Xu Zh Xu		
	3.99 to 4.01	A1	may be embedded www3
(iv)	$2\pi r \times r + 2\pi r^2 = 1200$	M1	
	$4\pi r^2 = 1200$ or better	A1	may be embedded www.2
aran.	9.77 to 9.78	A1	may be embedded www3
(b)(i)	134	B1	
(ii)	$\frac{x}{45}$	B1	Not ' $x = x/45$ but allow other letter
(iii)	$\frac{x-75}{48}$	B1	If 0 scored for both allow SC1 for 0.45 and 0.48
,	76		used but otherwise correct
(iv)	$(\frac{x}{45}) - 7 = (\frac{x-75}{48})$	M2	Allow SC1 for '+7' o.e. in equation
	$48x - 15120 = 45x - 3375 \qquad \text{oe}$	M1	Correctly clearing fractions. Dep on M2 or SC1
	3915 cao	4.1	and an equation with 2 fractions www 4 16
	3263, 1940	A1	10
9(a)	x+y()12	B1	
	x()4	B1	
	both inequality signs correct ≤ ≥	B1	Dep on first B1 and either 2^{nd} B1 or $y \ge 4$ given
(b)	Correct scales	S1	0 to 12 possible for both
(c)	x + y = 12 ruled, sufficiently long	Li	1mm accuracy (6, 6) and (4, 8) check
	x = 4 ruled, sufficiently long $y = x$ ruled, sufficiently long	L1 L1	Allow L1 ft only from $y()4$ in (a).
	Correct shading out of three regions cao	B2ft	SC1 for wanted regions shaded. It from minor slips in the lines that do not compromise the shape and position of the triangle or for quadrilateral if $y \ge 4$ in (a) and $y = 4$ drawn
(d)(i)	from (4, 4)	M1	If quadrilateral from $y = 4$ allow $(0, 4)$ for M1
an.	18 cao	4.4	or ft lowest value from minor slip triangle
(ii)	from (6, 6)	A1 M1	or follow through highest value from minor slip triangle
	27 cao	A1	
			If answers reversed and otherwise correct allow SC2