Location Entry Codes



WWW. Papa Cambridge.com As part of CIE's continual commitment to maintaining best practice in assessment, CIE has begun to use different variants of some question papers for our most popular assessments with extremely large and widespread candidature, The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions are unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiner's Reports.

Question Paper

Introduction First variant Question Paper Second variant Question Paper

Mark Scheme

Introduction
First variant Mark Scheme
Second variant Mark Scheme

Principal Examiner's Report

Introduction
First variant Principal Examiner's Report
Second variant Principal Examiner's Report

Who can I contact for further information on these changes?

Please direct any questions about this to CIE's Customer Services team at: international@cie.org.uk

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2008 question paper

0580 and 0581 MATHEMATICS

0580/11 and 0581/11

Paper 11 (Core), maximum raw mark 56

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

trapapers.com

Page	e 2 Mark Scheme	Syllabus
	IGCSE – October/November 2008	0580 and 0581
Abbr cao	correct answer only	Cambridge
ft	work has been followed through after an error	Sec.
isw	ignore subsequent working	TOM .
oe	or equivalent	1
SC	Special Case	

Abbreviations

work has been followed through after an error ignore subsequent working or equivalent
Special Case oe SC seen or implied soi without working $\mathbf{W}\mathbf{W}$

Qu.	Answers	Mark	Part Marks
1	28	1	
2	2	1	
3	-13	1	
4	6.5	1	
5	12 - 13x cao final answer	2	W1 for $(+)12$ or $-13x$ seen anywhere
6	11.5	2	M1 for $4.6 \times \text{figs } 25 \text{ or W1 for figs } 115$
7 (a)	>	1	The workings as of which high the
(b)	=	1	
8	15.77 cao	2	M1 for 20 ÷ 1.2685 or W1 for answers from 15 to 17
9	$(x=) 10.2 \text{ or } 10 \frac{1}{5} \text{ isw}$	2	M1 for $(53 - 2) \div 5$ soi
10	$6650 \le L < 6750$	1, 1	1 mark for each value correctly placed. SC1 both correct but reversed
11 (a) (b)	12 24	1	
12	(k=) 8	2	M1 for $0 = 2 \times 4 - k$ or better
13 (a)	5.78×10^{-3}	1	
(b)	0.0058	1	Accept 5.8×10^{-3}
(c)	0.01	1	Accept 1×10^{-2}
14	$\frac{15}{4}$ seen	W1	
	$\frac{5}{8}$ × their $\frac{4}{15}$	M1	Must be inversion of an improper fraction Can be implied by $\frac{5}{8} \div \frac{15}{4} = \frac{20}{120}$.
	$\frac{1}{6}$	A1	ww no marks

www.xtrapapers.com

Page 3	Mark Scheme	Syllabus
	IGCSE – October/November 2008	0580 and 0581

Qu.	Answers	Mark	Part Marks Missing label not penalised. More than 1 point seen, must be labelled
15 (a)	Point marked at (3, 2)	1	Missing label not penalised.
(b)	(-2, 1)	1	
(c)	$-0.5 \text{ or } -\frac{1}{2}$	1	By eye 2mm
	-0.3 or - - 2		
16 (a)	1	1	
(b)	q^{11}	1	
(c)	r^{-6} or $\frac{1}{r^{6}}$	1	
	r		
17 (a)	12 seen on diagram		
	at A and B		
	or $180^{\circ} - 168^{\circ} = 12^{\circ}$.	1	Allow $168^{\circ} + 12^{\circ} = 180^{\circ}$ only
	AND $12 + 78 (= 90)$		Allow $90^{\circ} - 78^{\circ} = 12^{\circ}$ or $90^{\circ} - 12^{\circ} = 78^{\circ}$
			if the first condition is satisfied
(b)	123°	2	W1 for angle BAC (or angle BCA) = 45°
18 (a)	1083300 to 1084000 or	2	M1 for $\pi \times 50^2 \times 138$ or $\pi \times 0.5^2 \times 1.38$
10 (a)	1080000 or 1083000		1 IVI 101 $\pi \times 30 \times 138$ OF $\pi \times 0.3 \times 1.38$
	Final answer		
(b)	Their (a) $\div 10^6$ evaluated	1ft	
	Then (a): 10 evaluated		
19 (a)	64	2	M1 for $2 \times (10 + 22)$ or
			22 + 10 + 14 + 6 + (22 - 14) + (10 - 6)
(b)	172	2ft	M1 for $(22 \times 10) - 6 \times '8'$ or
			$(140 \times 10) + 8' \times 4' \text{ or } 14 \times 6 + 22 \times 4'$
20 (a)	$15(\%)$ or 0.15 or $\frac{15}{100}$ oe	1	isw for change of form or cancelling only in all
(b.) (3	$\frac{4}{2}$ of cao	1	parts. Not ratio.
(b) (i	$\frac{4}{15}$ oe cao	1	Allow 0.267 or 0.266(6) or % form Minimum 3 significant figures
6	$\frac{10}{15}$ oe cao	1	Allow 0.667 or 0.666(6) or % form
(1	15	1	Minimum 3 significant figures
			Consistent use of wrong denominator in all of
			(b) , –1 once.
(ii	ii) $0 \text{ or } \frac{0}{-} \text{ cao}$	1	Allow nil, none or zero only. No other
`	15		denominator allowed.
31 ()	G' '1	1	
21 (a)	Similar	1 2	M1 for 10 , 9 , 12 1 , 4 , 1 , 1
(b)	15	$\begin{vmatrix} 2\\2 \end{vmatrix}$	M1 for $10 \div 8 \times 12$ or equivalent method
(c)	292		M1 for 360 – 68
22 (a)	45	1	
()	5	1	
	75	1ft	Their '5' \times 15 or 120° $-$ '45'
(b)	All sectors correct ± 2°	1ft	Ft provided angles total 360°
, ,	'Correctly' labelled	1	Independent. Labelling of the other 3 sectors.

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2008 question paper

0580 and 0581 MATHEMATICS

0580/12 and 0581/12

Paper 12 (Core), maximum raw mark 56

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Second variant Mark Scheme

Page 2	Mark Scheme	Syllabus
	IGCSE – October/November 2008	0580 and 0581

Abbreviations

cao

correct answer only work has been followed through after an error ignore subsequent working ft

isw

or equivalent Special Case oe SCseen or implied without working soi ww

Qu.	Answers	Mark	Part Marks
1	36	1	
2	2	1	
3	-13	1	
4	7.4	1	
5	10 - 17x cao final answer	2	W1 for $(+)10$ or $-17x$ seen anywhere
6	9.5	2	M1 for $3.8 \times \text{figs } 25 \text{ or W1 for figs } 95$
7 (a) (b)	> =	1 1	
8	23.65 cao	2	M1 for 30 ÷ 1.2685 or W1 for answers from 23 to 25
9	$(x=) 10.6 \text{ or } 10\frac{3}{5} \text{ isw}$	2	M1 for $(54 - 1) \div 5$ soi
10	$6650 \le L < 6750$	1, 1	1 mark for each value correctly placed. SC1 both correct but reversed
11(a) (b)	12 24	1 1	
12	(k=) 8	2	M1 for $0 = 2 \times 4 - k$ or better
13(a) (b) (c)	6.56×10^{-3} 0.0066 0.01	1 1 1	Accept 6.6×10^{-3} Accept 1×10^{-2}

Second variant Mark Scheme

www.xtrapapers.com

Page 3	Mark Scheme	Syllabus	.0
	IGCSE – October/November 2008	0580 and 0581	900

Qu.	Answers	Mark	Part Marks
14	$\frac{20}{3}$ seen	W1	
	$\frac{4}{9}$ × their $\frac{3}{20}$	M1	Must be inversion of an improper fraction Can be implied by $\frac{4}{9} \div \frac{20}{3} = \frac{12}{180}$
	1/15	A1	ww no marks
15(a)	Point marked at (3, 2)	1	Missing label not penalised.
(b)	(-2, 1)	1	More than 1 point seen, must be labelled. By eye 2mm
(c)	$-0.5 \text{ or } -\frac{1}{2}$	1	By cyc zillill
16(a)	1	1	
(b)	q^8	1	
(c)	r^{-8} or $\frac{1}{r^8}$	1	
17(a)	12 seen on diagram		
	at A and B	1	Allow $168^{\circ} + 12^{\circ} = 180^{\circ}$
	or $180^{\circ} - 168^{\circ} = 12^{\circ}$. AND $12 + 78 (= 90)$	1	Allow $108 + 12 = 180$ Allow $90^{\circ} - 78^{\circ} = 12^{\circ}$ or $90^{\circ} - 12^{\circ} = 78^{\circ}$
	AND 12 + 70 (70)		If the first condition is satisfied
(b)	123°	2	W1 for angle BAC (or angle BCA) = 45°
18(a)	1458216 to 1459145 or	2	M1 for $\pi \times 60^2 \times 129$ or $\pi \times 0.6^2 \times 1.29$
	1460000 or 1459000 Final answer		
(b)	Their (a) $\div 10^6$ evaluated	1ft	
(0)	Then (a) = 10 evaluated	110	
19(a)	64	2	M1 for $2 \times (10 + 22)$ or
a >	170	2.0	22 + 10 + 14 + 6 + (22 - 14) + (10 - 6)
(b)	172	2ft	M1 for $(22 \times 10) - 6 \times '8'$ or
			$(140 \times 10) + 8$ ' '4' or $14 \times 6 + 22 \times 4$ '

Second variant Mark Scheme

www.xtrapapers.com

Page 4	Mark Scheme	Syllabus	.0	
	IGCSE – October/November 2008	0580 and 0581		Da

Qu.	Answers	Mark	Part Marks
20(a)	$15(\%)$ or 0.15 or $\frac{15}{100}$ oe	1	Part Marks isw for change of form or cancelling only in all parts. Not ratio. Allow 0.267 or 0.266(6) or % form Minimum 3 significant figures
	4		all parts. Not ratio.
(b) (i)	$\frac{7}{15}$ oe cao	1	Allow 0.267 or 0.266(6) or % form
	10		Minimum 3 significant figures
(ii)	$\frac{10}{15}$ oe cao	1	Allow 0.667 or 0.666(6) or % form
	15		Minimum 3 significant figures
			Consistent use of wrong denominator in all of
			(b) , -1 once.
	0		
(iii)	0 or $\frac{0}{15}$ cao	1	Allow nil, none or zero only. No other
	13		denominator allowed
21 (a)	Similar	1	
21 (a)	19.95 to 20.04	2	M1 for 12 + 0 × 15 or agriculant mathed
(b)	297	$\frac{2}{2}$	M1 for $12 \div 9 \times 15$ or equivalent method
(c)	297	2	M1 for 360 – 63
22 (a)	45	1	
()	5	1	
	75	1ft	Their '5' × 15 or 120° – '45'
(b)	All sectors correct ± 2°	1ft	Ft provided angles total 360°
` /	'Correctly' labelled	1	Independent. Labelling of the other 3 sectors.