www.trapapers.com

## **UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**International General Certificate of Secondary Education** 

## MARK SCHEME for the October/November 2010 question paper for the guidance of teachers

## 0581 MATHEMATICS

0581/23

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

I	Page 2	Mark Scheme: Teachers' version	Syllabus	· V
		IGCSE – October/November 2010	0581	000
Abbro	eviations			Cally.
cao	correct answe	er only		Dr.
cso	correct solution	on only		8
dep	dependent	•		260
ft	follow throug	h after error		-0
isw	ignore subsec	uent working		
oe	or equivalent	-		

## **Abbreviations**

oe Special Case SC

without wrong working www

Qu.	Answers	Mark	Part Marks
<b>4</b>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1/14/11	
1	-8.3	1	Allow $-8\frac{3}{10}$
2	21 55	1	Allow 9.55 pm
3	1.6305 cao	2	<b>B1</b> 4.33(44) seen or answer 1.63, 1.630, 1.6304
4		1, 1	
5	Correct working	2	M1 $\frac{15}{4} + \frac{4}{3} = \frac{45}{12} + \frac{16}{12}$ M1 $\frac{61}{12} = 5\frac{1}{12}$
6	$4.93\% < \frac{20}{41} < 0.492 < \frac{80}{161}$	2	Allow decimal equivalents in answer space M1 decimals 0.48(78), 0.496(8), 0.0493
7	1.14	2	M1 3.38 ÷ 1.04 (= 3.25) or M1 4.39 × 1.04
8	1200	2	M1 figs 8 ÷ 40 × figs 9 ÷ 15 or M1 (figs 8 × figs 9) ÷ (40 × 15)
9	9.6 cao	2	<b>M1</b> $\frac{x}{8} = \frac{12}{10}$ oe
10	216.32 cao	2	<b>M1</b> $200 \times (1 + (4/100))^2$ oe
11	13	2	M1 21 + 15 - 23 or M1 15 - $x$ + $x$ + 21 - $x$ + 1 = 24 oe
12	(a) 25	1	If zero scored SC1 for 250 and 4 or
	<b>(b)</b> 0.4	1	6.25 and 6.35
13	$10a + b \text{ or } a \times 10^1 + b \ (\times 10^0)$	2	<b>M1</b> $[a \times 10^7 + b \times 10^6] \div 10^6$

www.xtrapapers.com

Page 3	Mark Scheme: Teachers' version	Syllabus	1.0 L
	IGCSE – October/November 2010	0581	82

		1	8
14	10.8 or $10\frac{70}{83}$	3	M1 figs 10 ÷ time M1 10 ÷ 0.92r, 0.922 or 83/90 M1 $(m =) \frac{8-2}{0-3}$ oe B1 $c = 8$ or $y = mx + 8$
15	y = -2x + 8  cao oe	3	M1 $(m =)$ $\frac{8-2}{0-3}$ oe B1 $c = 8$ or $y = mx + 8$ or subst. correct point in $y = \text{"}m\text{"}x + c$
16	$\frac{4h}{g^2}$ or $h\left(\frac{2}{g}\right)^2$	3	M1 squaring correctly M1 clearing denominator correctly M1 dividing by coefficient of <i>i</i> or SC2 for correct unsimplified expression
17	x = -1, y = 5	3	M1 consistent multiplication and either add or subtract A1 for one correct after M1
18	315	3	M1 $\frac{x}{360} \times 2 \times \pi \times 8$ oe M1 $\frac{x}{360} \times 2 \times \pi \times 8 \ (+16) = (16 +) 14\pi$
19	2.88	3	M1 $40^3$ oe seen A1 2 880 000 B1ft their 2 880 $000 \div 100^3$ or B1 0.000045 M1 $40^3$ A1 cao or M1 $0.4^3$ M1 $45 \times 0.4^3$ A1
20	(a) 63.4	2	$\mathbf{M1} \tan(M) = \frac{4}{2} \text{ oe}$
	<b>(b)</b> Vertices at (4, 1), (8, 1) and (10, 3)	2	B1 two vertices correct
21	(a) 2.4 oe	1	
	<b>(b)</b> 680	3	M1 an area found M1 $40 \times 20 - \frac{1}{2} \times 20 \times 12$ oe
22	$y \ge 1, \ x \le 3, y \le x + 5$ oe	5	<b>B1</b> <i>y</i> R 1 <b>B1</b> <i>x</i> R 3 <b>B2</b> <i>y</i> R <i>x</i> + 5 or <b>B1</b> <i>y</i> R - <i>x</i> + 5 where R is any inequality <b>B1</b> all 3 inequalities correct
23	(a) (Angles in) same segment	1	Allow (angles on) the same arc
	(b) (i) 100 (ii) 43	1 1	
	(iii) 3	2	<b>B1</b> <i>OBC</i> or <i>OCB</i> = $\frac{1}{2}(180 - 86) (= 47)$

www.xtrapapers.com

Page 4	Mark Scheme: Teachers' version	Syllabus	.0
	IGCSE – October/November 2010	0581	123-

24	(a) $\frac{x-2y}{xy}$	2	B1 correct numerator B1 correct denominator
	<b>(b)</b> $\frac{x}{3}$ www	3	<b>M1</b> $x(x+1)$ <b>M1</b> $3(x+1)$
25	(a) -3	2	<b>B1</b> g( $\frac{1}{2}$ ) = 2 or fg(x) = $\frac{2}{x}$ - 7 oe
	<b>(b)</b> $\frac{1}{2x-7}$	1	
	(c) $\frac{x+7}{2}$	2	<b>M1</b> for $y + 7 = 2x$ or $x = 2y - 7$