

Wany, papa Cambridge, com MARK SCHEME for the May/June 2011 question paper

for the guidance of teachers

0581 MATHEMATICS

0581/42

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

			Syllabus 0581
Р	age 2	Mark Scheme: Teachers' version	Syllabus r
		IGCSE – May/June 2011	0581
bbre	viations		Cambridge.co.
ao	correct answ	ver only	27:
so	correct solu	tion only	30
ep	dependent		
	follow throu	ugh after error	5
W		equent working	
e	or equivaler		
С	Special Cas		
WW	·	ong working	
rt	anything ro	e e	
oi	seen or imp	•	

Qu.	Answers	Mark	Part Marks
1 (a)	(i) 25 (ii) 15.5 (15.46 to 15.47) (iii) 0.05 oe	1 1 2	B1 for 1/100 or 0.01 seen
(b)	8812.50 final answer www 3	3	Condone 8812.5 M2 for $7500 \times 5 \times 0.035 + 7500$ oe (implied by final answers 8810, 8812, 8813 or 8812.5(0) seen) or B2 for 1312.5 as final answer or M1 for $7500 \times 5 \times 0.035$ oe (implied by final answers 1310, 1312, 1313)
(c)	(i) $2^2 \times 3 \times 5$ (ii) 12 (iii) 240	2 2 2	Allow $2 \times 2 \times 3 \times 5$ M1 for any correct <u>product</u> of 3 factors = 60 seen or correct factor ladder or correct tree (condone 1's on tree/ladder) M1 for $2^2 \times 3$ or $2 \times 2 \times 3$ oe M1 for $2^4 \times 3 \times 5$ or $2 \times 2 \times 2 \times 2 \times 3 \times 5$ oe SC2 only for both correct answers (ii) (iii) reversed
2 (a)	3.02 (3.023) www 4	4	M3 for $\sqrt{2^2 + 1.5^2 + 1.7^2}$ oe may be in two steps or $\sqrt{9.11}$ to 9.15 (3.018 to 3.026) or M2 for $2^2 + 1.5^2 + 1.7^2$ oe implied by 9.11 to 9.15 or M1 for any correct Pythag in 1 of the faces e.g. $2^2 + 1.5^2$
(b)	34.1 to 34.3 cao www 3	3	M2 for $\sin = 1.7$ /their <i>EC</i> or $\cos =$ their <i>EG</i> /their <i>EC</i> or $\tan = 1.7$ /their <i>EG</i> or complete long method (M1 for <i>CEG</i> as required angle – accept on diagram if clear)
(c)	 (i) 2.95 cao (ii) Yes and because their (c)(i) < their (a) 	1 1 ft	ft their (a) and their (c)(i), must say <u>yes</u> or <u>no</u> oe and compare the two distances – numerically or by labels

www.xtrapapers.com

Page 3		Mark Scheme: Teachers' version IGCSE – May/June 2011		Syllabus Syllabus	
				1	0581 23
					Can.
8 (a)	(i) 14	2 to 150	2	B1 for 7.1 to 2	7.5 seen
	(ii) (0)	59 to (0)63	1		30
	(iii) 14	^{8°} to 152° drawn	1	Both marks av	vailable from the position of B as
	Di	stance 6.8 to 7.2 cm drawn	1	lines don't ne	ed to be drawn.
	(iv) 32	$8 \text{ to } 332^{\circ}$	1		
	(v) 60	www 2	2	M1 for 20^2 or	better seen
(b)	667 (66	6.6 to 666.7) www 3	3	B1 for 2.25 (h	h), 135 (mins), 8100 (sec)

			and M1 for 1500 ÷ their time in hours (time must be in range 2.09 to 3.25) (could be implied by 697 to 698)
(c)	$(\cos =) \frac{1125^2 + 790^2 - 1450^2}{2 \times 1125 \times 790}$	M2	M1 for $1450^2 = 1125^2 + 790^2 - 2 \times 1125 \times 790 \cos Q$
	96.9 (96.87 to 96.88) www 4	A2	A1 for $(\cos =) -0.1197$ (which implies M2)
4 (a)	4 - 5.8 or - 5.75 or - 5.7 - 2	1 1 1	
(b)	10 correct plots ft Correct shape curve through 10 points	P3ft C1ft	ft from their values in (a) generous with (-0.25, 12.1) P2 for 8 or 9 correct plots ft or P1 for 6 or 7 correct plots ft ft their points if shape correct – ignore anything
	(condone 2 points slightly missed) Two separate branches not crossing <i>y</i> -axis	B1	between – 0.25 and 0.25 C1 and B1 are independent
(c)	- 2.5 to - 2.3 - 0.5 to - 0.4 2.75 to 2.9	1 1 1	
(d)	Correct tangent drawn at $x = -2$ - 4 to - 2.5	T1 2	Allow slight daylight Dep on T1 M1 Rise/Tread attempt Dep on T1 or SC1 for answer in range 2.5 to 4 after T1

Pa	Page 4 Mark Scheme: Teach				Syllabus M. P. r
		IGCSE – May/Ju	ne 2011		0581 230
	1			I	ank
5 (a)	2, 3, 4,	5	3	Allow $2 \le n$	Syllabus0581 $s \le 5$ seen (M1 for $1 < n$ or $n \le < 6$ in M2 or M1 case3 correct with no extras or 4 correct
(b)	(i) 2 <i>x</i> (ii) 3(a	(x+5y)(a-2b)(a+2b)	23	B2 for $(3a - or correct an or B1 for 3(a))$	+10y) or $2(x^2 + 5xy)$ 6b)(a + 2b) or (a - 2b)(3a + 6b) swer seen in working
(c)	x(Co	x(x + 17) = 84 or $(x + 17) = 2 \times 84$ prrect proof of $x^2 + 17x - 168 = 0$ (x + 24)	M1 E1 2	No errors or SC1 for $(x +$	$a \times x + 17 = 84$ but only for M mark omission of brackets anywhere a)(x + b) where <i>a</i> and <i>b</i> are integers ab = -168
	(iii) 7 a	and -24 ft	1 ft		from their factors if quadratic
(d)	- 3	www 3	3		5 = x - 4x oe or better x = 2(3 - 2x) or better = 3 - 2x
(e)	$\sqrt{(-5)^2}$	$-4 \times 2 \times -6$ 5 and $r = 2 \times 2$	B1	(\sqrt{73})	
	<i>p</i> =	5 and $r = 2 \times 2$	B1		$n\frac{p+\sqrt{q}}{r}$ or $\frac{p-\sqrt{q}}{r}$
				V 16	B1
	3.39, -	-0.89 final answers	B1B1	SC1 for 3.4 c - 0.886 or	or 3.386 or 3.39 seen and -0.9 or -0.89 seen

Page 5 Mark Scheme: Teachers' version Syllabus IGCSE – May/June 2011 0581

6 (a)	(i)	$45 < t \le 55$	1	Allow any indication e.g. 4 th interval
	(ii)	52.6 (52.63) www 3	3	Allow any indication e.g. 4^{th} interval M1 for $6 \times 10 + 15 \times 27.5 + 19 \times 40 + 37 \times 50$ + $53 \times 62.5 + 20 \times 75$ (= 7895) Allow 1 error/omission and M1 dep for $\div 150$
(b)	(i) (ii)	40, 77, 130, 150 Correct scales 6 correct plots ft	2 S1 P3ft	B1 for 2 or 3 correct values ft from (i) if increasing values. (35, 21) must be inside square 20 – 22 but (55, 77) may be inside or edge of square P2 for 4 or 5 correct plots ft P1 for 2 or 3 correct plots ft
		Curve or ruled lines through the 6 points	C1 ft	ft their points if increasing condone graph starting at (20, 6)
(c)	~ /	54 to 55 18.5 – 22.5 Their reading at 60 – their reading at 50	1 2 1	B1 for UQ = 62.5 to 65 or LQ = 42.5 to 44 seen
	(iv)	150 - their reading at 50(+2)	2	SC1 for $\frac{\text{their reading at } 50(\pm 2)}{150}$ oe
	(v)	If their (iv) is $\frac{k}{150}$, then ft their $\frac{k}{150} \times \frac{k-1}{149}$	2ft	In (iv) and (v), condone answers as decimals to 3 sf Penalise first occurence only of 2sf decimals isw cancelling/conversion M1 for $\frac{k}{150} \times \frac{k-1}{140}$

Mark Cahama, Taaahara' yarajan Cullahua A		www.xtrapapers.com
Mark Scheme: Teachers' version Synabus	Mark Scheme: Teachers' version	Syllabus Syllabus
IGCSE – May/June 2011 0581	IGCSE – May/June 2011	0581

Page 6

Page 6		Mark Scheme: Teachers' version			Syllabus Syllabus			
		IGCSE – May/June 2011			0581 23			
	•				- dink			
7 (a)	87.5 (87.4	5 to 87.52) www 4	4	and M2 for ¹ / ₂ 16.24)	Syllabus 0581 2.5×9.5 soi by 11.875 or 71.22 $2 \times 2.5^2 \times \sin 60 \times 6$ oe (16.23 to $\times 2.5^2 \times \sin 60$ (2.706) m (8.1189)			
(b)	107.9	to 108.0www3	3	Must see at le M2 for $\frac{55}{360}$ >	east 4 figures			
(c)	(i) 2.29	(2.291 to 2.293) www 2	2	M1 for $108 = 15\pi r$ oe allow 107.9 to 108.0 for their 108 M2 for $\sqrt{15^2 - \text{their } 2.29^2}$ (M1 for h^2 + their $2.29^2 = 15^2$)				
	(ii) 14.8	(14.82 to 14.83) cao www 3	3					
(d)	70.9 to 71	.5 cao www 3	3	M2 for $\frac{\pi}{3}$ (their 2.29 ² × their 14.8 – their 1.145 ² × their 7.4) (not 15 or 7.5) or $\frac{7}{8} \times \frac{\pi}{3}$ × their 2.29 ² × their 14.8 or M1 for 1/8 oe e.g. $\frac{7.5^3}{15^3}$ or 7/8 or (½ their <i>R</i> and ½ their <i>h</i>) seen				
8 (a)	Correct en	largement	2	B1 for any er orientation	nlargement of 2 in correct			
(b)	· · ·	,	1 1 2 ft	orientation Ft their factor 4 SC1 for $\begin{pmatrix} k & 0 \\ 0 & 1 \end{pmatrix}$ $k \neq 0, \neq 1$ or $\begin{pmatrix} 1 & 0 \\ 0 & 4 \end{pmatrix}$ ft their factor 4				
(c)	Shear only x-axis oe i (factor) 2		1 1 1					

www.xtra	papers.com
32	

P	Page 7 Mark Scheme: Teache IGCSE – May/June		iers' ve	rsion	Syllabus	. A.	×	
			ne 2011		0581	X	30	
				1			"BITH	
9 (a)	(i) 3, 8 (ii) 12	, 15 in correct positions	23	M2 for $12 \times (n + n)^2$ or M1 for n^2 M1 for $(n + n)^2$	ect values in cor (12 + 2) (= 168) + 2n = 168 then a)(n + b) where 68 or a + b = 2	a and b ar	+2) 30.9	OF
(b)	(i) $2 +$ (ii) 2^{n-}	¹ oe	2 2	Allow unsimplified e.g. $5 + 3(n-1)$ B1 for $3n$ oe seen B1 for 2^k seen				
(c)	$a=\frac{1}{2}, b$	$= 1\frac{1}{2}$ cao	6	Diagram 4 th M1 for any 1 M1 for a 2 nd o	of $a + b + 1 =$ 8a + 4b + 2 = 27a + 9b + 3 of the above equator correctly eliments	3 oe = 12 oe = 30 oe eations		