CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the October/November 2014 series

0581 MATHEMATICS

0581/11 Paper 1 (Core), maximum raw mark 56

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

BBCAMRRIDGE

www.xtrapapers.com

Page 2	Mark Scheme	Sy. per
	Cambridge IGCSE – October/November 2014	058
Abbrevi	ations	Carry
cao	correct answer only	O. T.
dep	dependent	a de la companya de l
FT	follow through after error	, die
isw	ignore subsequent working	- On
oe	or equivalent	
SC	Special Case	

Abbreviations

not from wrong working seen or implied nfww

soi

(Qu.	Answers	Mark	Part Marks
1		$\begin{pmatrix} 7 \\ -4 \end{pmatrix}$	1	
2	(a)	15.1 cao	1	
	(b)	20 cao	1	
3	(a)	ЕВА сао	1	
	(b)	Z cao	1	
4		113	2	M1 for $360 - (98 + 90 + 105)$ or better
5		137	2	M1 for attempt at ordering to at least 7 th term or 132 and 142 indicated
6		$3 \ 3.14 \ \pi \ 3.142 \ \frac{22}{7}$	2	B1 for 3.141[5] to 3.1416 and 3.1428 to 3.1429 or 3.143 seen or SC1 for 4 in correct order
7		$\frac{3}{12}$ and $\frac{2}{12}$	M1	Equivalent denominators can be used, working must be shown.
		$\frac{5}{12}$ cao	A1	
8		4w(2wx - 3y) Final answer	2	B1 for $4(2w^2x - 3wy)$ or $w(8wx - 12y)$ or $2w(4wx - 6y)$
9		651 to 652	2	M1 for $\pi \times 3.6^2 \times 16$ or better
10	(a)	-3	1	
	(b)	4	1FT	FT their numerical mode
11		4x - 7 Final answer	2	B1 for answer $4x + k$ or answer $jx - 7$ where $j \neq 0$ or correct answer seen then spoilt

www.xtrapapers.cor

Page 3	Mark Scheme	Sy. per
	Cambridge IGCSE – October/November 2014	058

12	(a)	91 or 13	1	and
	(b)	2, 7 and 13	2	B1 for correct products of primes method or correct factor tree or ladder or 2 correct and 0 wrong or 3 correct and 1 extra
13	(a)	280	1	
	(b)	5×10 ⁶	2	B1 for 5 000 000 oe or B1 for answer $k \times 10^6$ or 5×10^k
14	(a)	4 [days]	2	M1 for $(39-15) \div 6$ or $15+6+6+6+6$
	(b)	[<i>C</i> =] 15 + 6 <i>d</i> Final answer	1	
15		9 [sides]	3	M2 for 360 ÷ (180 – 140) or M1 for 180 – 140
16	(a)	66	1	
	(b)	42	2FT	FT their (a) – 24, only if their (a) > 24 or B1 for either of these, may be on diagram, angle $OAC = 24$ or angle $BAC = their$ (a)
17		[\$] 942.41	3	M2 for 850×1.035^3 oe or M1 for $850 \times 1.035 \times 1.035$ oe or SC2 for answer of interest only
18		0.29 cao	3	M2 for 30 – 24×1.2378 or 24×1.2378 – 30 or M1 for 24×1.2378
19		Correct ruled net drawn	3	B1 for rectangles, even if incorrect or not joined, drawn one on each side of the given one and two triangles opposite sides and B1 for 2 correct ruled rectangles
				and B1 for 2 correct ruled equilateral triangles
20		[x=] 3, [y=] 0.5	3	M1 for correct method to eliminate one variable A1 for $[x =] 3$ A1 for $[y =] 0.5$
				If zero scored, SC1 for correct substitution and evaluation to find the other variable

www.xtrapapers.com

Page 4	Mark Scheme	Syl
	Cambridge IGCSE – October/November 2014	058

21	(a)	80	2	M1 for $5 \times (-4)^2$ or 5×4^2 or better
	(b)	$[\pm]\sqrt{\frac{y}{5}}$ or $\frac{\sqrt{y}}{\sqrt{5}}$ Final answer	2	M1 for correct first step i.e. $\frac{y}{5} = x^2$ or $\sqrt{y} = \sqrt{5}x$ or correct 2 nd step after incorrect 1 st step seen
22	(a)	18.4	2	M1 for $[PQ^2 =] 16^2 + 9^2$ or better
	(b)	[0]60.4 to [0]60.73	2	M1 for $tan[=]\frac{16}{9}$ or better or $sin[=]\frac{16}{their(\mathbf{a})}$ or better or $cos[=]\frac{9}{their(\mathbf{a})}$ or better
				If zero scored, SC1 for answer [0]29.3 to [0]29.4