CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

## MARK SCHEME for the October/November 2014 series

## 0607 CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/23 Paper 2 (Extended), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



## www.xtrapapers.com

Page 2 Mark Scheme Syllab						Paper
		Cambridge IGCSE – October/November 2014			0607	23
1	(a)	23	1			
	(b)	4 <i>n</i> – 1	2	<b>B1</b> for 4 <i>n</i> seen		
2	(a)	-20	2	<b>M1</b> for $\frac{x}{5} = 3 - 7$ or $x + 3$	35 = 15	
	(b)	$-\frac{3}{5}$	3	<b>B2</b> for $5x + 13 = 10$ <b>M1</b> for $7x + 21 - 2x \pm 8$		
3		$\frac{9\times60}{8+10(\text{or }12)}$	M1			
		540	A1			
		18 or 20	A1			
		30 or 27				
4	(a)	$\frac{1}{125}$	2	<b>B1</b> for 5 soi by 125 or 1 or sight of inversion at ar		
	(b) (i)	x <sup>12</sup>	1			
	(ii)	<i>x</i> <sup>3</sup>	2	<b>B1</b> for $x^6$ or $\frac{x^5}{x^2}$		
5			3	<b>B1</b> for each of $A \cup B =$ $B \cap C =$ $A \cap C \neq$		
6	(a)	$\frac{12}{5}$	1			
	(b)	$-\frac{12}{13}$	3	<b>M1</b> for $5^2 + 12^2$ + <b>SC1</b> for negative fracti	on	
7	(a)	3(x+5y)(x-5y)	2	<b>B1</b> for $3(x^2 - 25y^2)$ or (3) or $(x + 5y)(3x - 15y)$	3x+15y(x-x)	5y)
	(b)	(5p-3)(3a+2b)	2	<b>M1</b> for $5p(3a+2b) - 3(3a+2b) -$	$(a \pm 2b)$ oe	

## www.xtrapapers.com

Page 3		Mark Sch	Syllabus Paper	
		Cambridge IGCSE – Octo	vember 2014 0607 23	
8	(a)		1 1	
	(b)	2\sqrt{13}	3	<b>M1</b> for $\sqrt{4^2 + (-6)^2}$ <b>A1</b> for $\sqrt{52}$
9		20°	2	M1 for 70 seen
10	(a)	-7	2	<b>B1</b> for $x = 4$
	(b)	13 - 6x	2	<b>M1</b> for $2(5-3x) + 3$
	(c)	$\frac{5-x}{3}$ oe	2	<b>M1</b> for $y + 3x = 5$ or $x = 5 - 3y$ or fully correct reversed flow chart.