

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/13

Paper 1 (Core)

October/November 2016

MARK SCHEME
Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0607	13

Abbreviations

answers which round to awrt correct answer only cao

dep dependent

follow through after error ignore subsequent working or equivalent Special Case FΤ isw

oe SC

not from wrong working seen or implied nfww

soi

Que	estion	Answer	Mark	Part marks
1 (a	a)	2, 3, 6	1	
(b	b)	4 cao	1	
(0	c)	2 or 3 or 5	1	
2		$\frac{3}{100}$	1	
3		13 20 or 1 20 pm	1	
4 (a	a)	4	1	
(b	b)	32	1	
5 (a	a)	Tuesday	1	
(b	b)	1000	1	
6		-10	1	
7 (a	a)	0.082	1	
(b	b)	61 000	1	
8		-1, -6	2	B1 FT (their –1) – 5
9		80	1	
		24	1	
10		324	1	
11		$y = 3x + c , c \neq 5$	1	
12		36π	2	M1 for $6 \times 6 \times \pi$ oe
13		No [because] 25 m ² = 25 × 10 000 cm ² oe	1	Must say no to score;
14		9	2	M1 360 ÷ 40 oe

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0607	13

Q	uestion	Answer	Mark	Part marks
15		60	2	B1 for 90° seen for angle ACB soi
16	(a) (i)	6	1	
	(ii)	$\frac{1}{27}$	1	
	(b)	3	1	
17	(a)	1, 3, 5, 7, 9	1	
	(b)	5 nfww	3	M1 for 'fx' seen as $(1 \times 1) + (3 \times 6)$ (FT their midpoints), at least 3 seen and M1 dep for their total for 'fx' / 20.
18	(a)	>	1	
	(b) (i)	-3	1	
	(ii)	5	1	
19		Translation	1	
		$\begin{pmatrix} 0 \\ -2 \end{pmatrix}$	1	
20	(a)	5 points correct	2	B1 for 3 or 4 points correct
	(b)	Positive	1	