

Cambridge International Examinations Cambridge International General Certificate of Secondary Education

#### **CAMBRIDGE INTERNATIONAL MATHEMATICS**

0607/31 October/November 2016

Paper 3 (Core) MARK SCHEME Maximum Mark: 96

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

 $\ensuremath{\textcircled{B}}$  IGCSE is the registered trademark of Cambridge International Examinations.

International Examinations

Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0607	31

#### Abbreviations

awrt	answers which round to
cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

SOI	seen or	imp	lie
-----	---------	-----	-----

Question	Answer	Mark	Part Marks
1 (a)	Square equilateral triangle hexagon	1 2 1	B1 for each word
(b)	[x =] 16 [y =] 8	3	<b>B2</b> for 1 correct or <b>M1</b> for 12×4 soi
2 (a)	55	1	
(b)	$ \begin{bmatrix} 14 \\ 12 \\ 9 \\ 0 \\ 0 \\ 1 \\ 2 \\ 0 \\ 1 \\ 2 \\ 3 \\ 4 \\ 5 \\ 6 \\ 1 \\ 2 \\ 3 \\ 4 \\ 5 \\ 6 \\ room \\ \end{bmatrix} $	2	<b>B1</b> for 3 bars with correct height and equal width or 5 bars with correct height
(c) (i)	1800	1	
(ii)	30	1	
(iii)	348	2	M1 for $6 \times 8$ oe
<b>3</b> (a) (i)	21 or 9	1	
(ii)	-6 or -18	1	
(iii)	9	1	
(iv)	$\frac{5}{8}$ oe	1	

Page 3	Mark Scheme		Syllabus Paper
	Cambridge IGCSE – October/N	ovember 2016	0607 31
Question	Answer	Mark	Part Marks
(v)	$\sqrt{3}$ or $\pi$	1	
(b) (i)	1.7321	1	
(ii)	1.732	1	
(c)	$\frac{33}{100}$	1	
(d)	3.4	1	
(e)	62.5	1	
4 (a) (i)	MOEY cao	2	<b>B1</b> for 2 correct and none incorrect or 3 correct and 1 extra
(ii)	O N	2	<b>B1</b> for 1 correct and none incorrect or 2 correct and 1 extra
(b) (i)	[AB = ] 12 [DF = ] 5	3	<b>B2</b> for 1 correct or <b>M1</b> for a correct ratio, equation or correct Pythagoras statement.
(ii)	54 : 6 oe	2 FT	FT <i>their AB</i> B1 for 54 or 6 seen or $3^2$ seen or M1 for $0.5 \times 4 \times 3$ or $0.5 \times 9 \times their AB$
5 (a)	19	1	
(b)	18	1	
(c)	2	2	<b>M1</b> for 17 or 19 seen
(d)	18.34	2	M1 for multiplying number of petals by frequencies
6 (a)	298 291	1 1 FT	<b>FT</b> <i>their</i> 298 – 7
(b)	333 - 7n oe	2	<b>B1</b> for $333 - kn$ or $k - 7n$
(c)	Yes, with correct justification soi	1	

Cambridge IGCSE - October/November 20160607QuestionAnswerMarkPart Mark7 (a) $\begin{bmatrix} a = ]31 \\ [b = ]42 \\ [c = ]107 \\ [d = ]107 \\ [d = ]107 \\ [d = ]107 \\ [d = ]28 \\ [q = ]90 \\ [r = ]62 \\ 1 \\ \end{bmatrix}$ 1(b) $\begin{bmatrix} p = ]28 \\ [q = ]90 \\ [r = ]62 \\ 1 \\ \end{bmatrix}$ 18 (a) $\begin{bmatrix} \frac{1}{3} \\ \frac{2}{3} \\ Not cinema \\ \frac{3}{5} \\ Not cafe \\ \frac{3}{7} \\ Not cinema \\ \frac{3}{7} \\ \end{bmatrix}$ 3B1 for $\frac{3}{7}$	31 rks
7 (a) $\begin{bmatrix} a = ]31 \\ [b = ]42 \\ [c = ]107 \\ [d = ]107 \end{bmatrix}$ (b) $\begin{bmatrix} p = ]28 \\ [q = ]90 \\ [r = ]62 \end{bmatrix}$ 1 1 8 (a) $\begin{bmatrix} \frac{2}{5} \end{bmatrix}$ cafe Cafe Cafe Cafe Cafe Cafe Cafe Cafe C	•ks
(b) $\begin{bmatrix} d = \end{bmatrix} 107$ $\begin{bmatrix} p = \end{bmatrix} 28$ $\begin{bmatrix} q = \end{bmatrix} 90$ $\begin{bmatrix} r = \end{bmatrix} 62$ <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b>	
(b) $\begin{bmatrix} d = \end{bmatrix} 107$ $\begin{bmatrix} p = \end{bmatrix} 28$ $\begin{bmatrix} q = ] 90$ $\begin{bmatrix} r = ] 62$ <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b>	
(b) $\begin{bmatrix} d = \end{bmatrix} 107$ $\begin{bmatrix} p = \end{bmatrix} 28$ $\begin{bmatrix} q = ] 90$ $\begin{bmatrix} r = ] 62$ <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b>	
(b) $\begin{bmatrix} p = \\ 28 \\ [q = ] 90 \\ [r = ] 62 \end{bmatrix}$ 8 (a) $\begin{bmatrix} \frac{2}{5} \\ \frac{2}{5} \end{bmatrix}$ cafe $\begin{bmatrix} \frac{1}{3} \\ \frac{2}{3} \end{bmatrix}$ cinema Not cinema $\frac{3}{5}$ Not cafe $\begin{bmatrix} \frac{4}{7} \\ \frac{7}{7} \end{bmatrix}$ cinema Not cinema Not cinema Not cinema	
8 (a) $\begin{bmatrix} \frac{1}{3} \end{bmatrix}$ cinema $\begin{bmatrix} \frac{2}{5} \end{bmatrix}$ cafe cinema $\frac{2}{3}$ Not cinema $\frac{3}{5}$ Not cafe cinema $\begin{bmatrix} \frac{4}{7} \end{bmatrix}$ cinema Not cinema $\begin{bmatrix} \frac{4}{7} \end{bmatrix}$ cinema $\begin{bmatrix} 1\\ \frac{3}{5} \end{bmatrix}$ Cafe Cinema $\begin{bmatrix} \frac{4}{7} \end{bmatrix}$ cinema $\begin{bmatrix} 1\\ \frac{3}{5} \end{bmatrix}$ Cinema $\begin{bmatrix} 1\\ \frac{3}{7} \end{bmatrix}$ C	
8 (a) $\begin{bmatrix} \frac{1}{3} \end{bmatrix}$ cinema $\begin{bmatrix} \frac{2}{5} \end{bmatrix}$ cafe cinema $\frac{2}{3}$ Not cinema $\frac{3}{5}$ Not cafe cinema $\begin{bmatrix} \frac{4}{7} \end{bmatrix}$ cinema Not cinema $\begin{bmatrix} \frac{4}{7} \end{bmatrix}$ cinema $\begin{bmatrix} 1\\ \frac{3}{5} \end{bmatrix}$ Cafe Cinema $\begin{bmatrix} \frac{4}{7} \end{bmatrix}$ cinema $\begin{bmatrix} 1\\ \frac{3}{5} \end{bmatrix}$ Cinema $\begin{bmatrix} 1\\ \frac{3}{7} \end{bmatrix}$ C	
8 (a) $\begin{bmatrix} \frac{1}{3} \\ \frac{2}{5} \end{bmatrix}$ cafe cafe cinema $\begin{bmatrix} \frac{2}{5} \\ \frac{2}{3} \end{bmatrix}$ cinema Not cinema $\frac{3}{5}$ Not cafe cinema $\begin{bmatrix} \frac{4}{7} \\ \frac{7}{7} \end{bmatrix}$ cinema Not cinema $\begin{bmatrix} \frac{4}{7} \\ \frac{7}{7} \end{bmatrix}$ cinema $\begin{bmatrix} 1 \\ \frac{3}{5} \end{bmatrix}$ Cafe Cinema $\begin{bmatrix} 1 \\ \frac{3}{5} \end{bmatrix}$ Cafe Cinema $\begin{bmatrix} 1 \\ \frac{3}{5} \end{bmatrix}$ Cinema $\begin{bmatrix} 1 \\ \frac{3}{7} \end{bmatrix}$ Cine	
$\begin{bmatrix} \frac{2}{5} \end{bmatrix}$ cafe $\frac{2}{3}$ Not cinema $\frac{3}{5}$ Not cafe Not cinema B1 for $\frac{2}{3}$ B1 for $\frac{2}{3}$ B1 for $\frac{2}{7}$ or $\frac{3}{7}$	
$\frac{2}{3}$ $\frac{3}{5}$ Not cafe Not cinema $B1 \text{ for } \frac{4}{7} \text{ or } \frac{3}{7}$	
$\frac{3}{5}$ Not cafe	
(b) $\frac{2}{15}$ oe 2 M1 for $\frac{2}{5} \times \frac{1}{3}$	
(c) $\frac{10}{21}$ oe 3 M2 for their(b)+the	5 1
or <b>M1</b> for their $\frac{3}{5} \times th$	their $\frac{4}{7}$
9 (a) 1.2 3 M2 for $\frac{100}{\frac{1000}{5}}$ or seen or M1 for $\frac{100}{1000}$ or $\frac{5}{60}$	
(b) (i) 9 3 M2 for $\frac{6}{40} \times 60$ oe or M1 for $\frac{6}{40}$	seen
(ii) [0]8 04 <b>1 FT</b> FT 07 55 + <i>their</i> (b)(i)	l)
(iii) $[0]7 55 + their$ (b)(i) + 5 minutes oe <b>1 FT</b> FT providing before 0	

Г	Pag	e 5	Mark Scheme		Syllabus Paper
			Cambridge IGCSE – October/Novembe	r 2016	0607 31
					· · · · · · · · · · · · · · · · · · ·
10	<b>(a)</b>		2	2	M1 for correct first step
		(ii)	<i>x</i> < 5	2	M1 for correct first step. Allow $=, \leq, >, \geq$ for M1
	(b)		$\xrightarrow{O \longrightarrow} \longrightarrow$	1	
	(c)	(i)	$12x^8$	2	<b>B1</b> for $12x^k$ or $kx^8$
		(ii)	$3y^6$	2	<b>B1</b> for $3y^k$ or $ky^6$
	(d)		2 drink + 4 chocolate = 6.10 oe [1] chocolate = 0.85 [1] drink + 2(0.85) = 3.05 oe [1] drink = 1.35	M1 A1 M1 A1	SC2 for correct answer with no working.
1	(a)		4.24 or 4.241 to 4.242	2	<b>M1</b> for $\pi \times 1.5^2 [\times 0.6]$ or better
	(b)		5.5[0] or 5.497 to 5.498	2 FT	<b>M1</b> for $\pi \times 2^2$ seen
	(c)		59.4 or 59.43 to 59.44	2	<b>M1</b> for $6 \times 12$ – an area seen
2	(a)	(i)	Fully correct sketch	2	<b>B1</b> for axes intercepts approximately correct <b>B1</b> for correct shape
		(ii)	(0, 6)	1	
		(iii)	(-2, 0) (3, 0)	1 1	
		(iv)	(0.5, 6.25)	1	

Page 6	Mark Scheme		Syllabus	Paper
	Cambridge IGCSE – October/November	2016	0607	31
(b) (i)	Correct line	B	1 for approximately 1 for approximately tercept	
(ii)	(1.41, 5.41) (-1.41, 2.59)	1 1		