



Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/42

Paper 4 Paper 4 (Extended)

October/November 2016

MARK SCHEME

Maximum Mark: 120

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0607	42

Abbreviations

awrt	answers which round to
cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

Question	Answer	Mark	Part Marks	
1	(a)	171	1	
	(b)	10	1	
	(c)	172	1	
	(d)	4	2	
	(e)	172.1	2	
<p>B1 for 170 or 174 seen</p> <p>M1 for attempt at $\sum fx$ soi by 24099 or 172 or 172.1...</p>				
2	(a)	2.83 or 2.828...	3	
	(b)	225 cao	2	
	(c)	8 cao	2	
<p>B2 for $\sqrt{8}$ or $2\sqrt{2}$ final answer or M2 for $2^2 + 2^2$ or M1 for correct sketch</p> <p>B1 for 45 soi by e.g. 135 If 0 scored SC1 for 224.9 to 225.1</p> <p>M1 for $2 \times 3 + 0.5 \times 2 \times 2$ oe</p>				
3	(a)	Positive	1	
	(b)	(i)	12.15	1
		(ii)	66	1
	(c)	(i)	$y = 37.2 + 2.37x$	2
		(ii)	82 or 82.2...	1
<p>Range 37.20 to 37.21 and 2.369 to 2.370 B1 for $37.2 + kx$, or $a + 2.37x$, If 0 scored, SC1 for $37 + 2.4x$</p> <p>FT <i>their</i> (i)</p>				


Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0607	42

Question	Answer	Mark	Part Marks
4	(a) 48	1	
	(b) 84	2	FT $(180 - 2 \times \text{their (a)})$, $\text{their (a)} \neq 45$ M1 for $(180 - 2 \times \text{their (a)}) \text{their (a)} \neq 45$
	(c) 42	1	FT $\text{their (b)} \div 2$
	(d) 69 cao	2	B1 for angle OBC or $OAC = 21$ or angle $ABC = 69$
	(e) 55.5	2	FT their (d) M1 for $(180 - \text{their (d)}) \div 2$
5	(a) 36.7 or 36.68 to 36.69	2	B1 for at least 3 of (7.5, 17.5, 30, 42.5, 70) soi by 4402.5 Accept 37.2 or 37.18 to 37.19 for full marks and 3 of (8, 18, 30.5, 43, 70.5) soi for B1
	(b) 0.8, 3.6, 2.6, 2.7, 1.47 or 1.466 to 1.467, 0.7	3	B2 for 4 or 5 correct or B1 for 2 or 3 correct
6	(a) Reflection $y = x$	2	B1 for each
	(b) Rotation, centre (2, 3) 90 [anticlockwise] or 270 clockwise	2	B1 for each
	(c) Translation $\begin{pmatrix} -4 \\ 3 \end{pmatrix}$	2	B1 for each
	(d) Enlargement, centre (0, 0) [SF] $\frac{1}{3}$ oe	2	Allow reduction B1 for each
7	Correctly equating one set of coefficients Correct method to eliminate one variable $x = -2$ $y = -\frac{1}{2}$	M1 M1 B2	Equation $x =$ or $y =$ from one equation Note – a correct sketch showing intersection in third quadrant scores M2 (other sketches may score the M1 for $y = \dots$ seen) Correct substitution into other equation B1 for each If zero scored SC1 for correct substitution into one of original equations and evaluation to find other variable

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0607	42

Question	Answer	Mark	Part Marks
8 (a)	$\frac{\sqrt{8}}{3}$ or $\frac{2\sqrt{2}}{3}$ or $\sqrt{\frac{8}{9}}$	3	M2 for $\frac{\sqrt{3^2-1^2}}{3}$ or M1 for 3^2-1^2 If 0 scored, SC1 for 0.943 or 0.9428... or $\sqrt{0.889}$
	(b) (i) $[\cos B] = \frac{9^2+10^2-11^2}{2 \times 9 \times 10}$ oe	2	M1 for $11^2 = 9^2 + 10^2 - 2 \times 9 \times 10 \times \cos B$
	(ii) $0.5 \times 9 \times 10 \times$ <i>their</i> exact (a) Leading to $30\sqrt{2}$	M2 A1	M1 for $0.5 \times 9 \times 10 \times$ <i>their</i> (a) (<i>their</i> (a) must be < 1) Cancelling seen or $\frac{180\sqrt{2}}{6}$ or $\frac{90\sqrt{2}}{3}$ or $\frac{60\sqrt{2}}{2}$ seen
9 (a)	21.5 or 21.45 to 21.46...	2	M1 for $100 - \pi \times 5^2$ oe
(b) (i)	5.77 or 5.773 to 5.774	2	M1 for $\tan 60 = \frac{10}{x}$ oe
	(ii) 21.5 or 21.54 to 21.55	2	M1 for $10 + 2 \times$ <i>their</i> (b)(i) oe or $10 + \frac{10}{\sin 60}$ oe
(iii)	100 to 101.0... nfw	4	M3 for $0.5 \times 10 \times$ <i>their</i> (b)(i) + $0.5 \times 10 \times$ <i>their</i> (b)(i) + $0.5 \times 10 \times 10 \sin 60$ oe or M2 for any 2 of these or M1 for any 1 of these OR M3 for $0.5 \times$ (<i>their</i> (b)(ii)) ² $\times \sin 60 - 10^2$ oe or M2 for $0.5 \times$ (<i>their</i> (b)(ii)) ² $\times \sin 60$ oe or M1 for <i>their</i> attempt at area of triangle ABC – 100


Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0607	42

Question	Answer	Mark	Part Marks
10 (a)	Fully correct curve 	3	B2 for both branches but with serious 'curl back' and/or overlap. or B1 for 1 branch
(b)	$x = 2$ $y = 3$	2	B1 for each
(c)	$[x =] -4$ $[x =] 3$	2	B1 for each
(d)	$x < -4$ $2 < x < 3$	1 2	FT <i>their</i> -4 from (c) FT <i>their</i> 2 from (b) and <i>their</i> 3 from (c) B1 for each
(e) (i)	Translation $\begin{pmatrix} 2 \\ 0 \end{pmatrix}$	2	B1 for each
(ii)	Translation $\begin{pmatrix} 0 \\ 3 \end{pmatrix}$	2	B1 for each
11 (a)	216 n^3 oe	1 1	
(b)	43 $n^2 + n + 1$ oe	1 3	M2 for $pn^2 + qn + c$ $p, q, c \neq 0$ or M1 for second differences = 2 or $pn^2 + c$ or $pn^2 + qn$
(c)	173 $n^3 - n^2 - n - 1$ oe	1 3	FT <i>their</i> (a) – <i>their</i> (b) FT <i>their</i> (a) – <i>their</i> (b) M2 for $pn^3 + qn^2 + rn + c$ $p, q, r, c \neq 0$ or n^3 – <i>their</i> (b) or M1 for third differences = 6 or for $pn^3 + qn^2 + c$ or $pn^3 + qn^2 + rn$ or $pn^3 + rn + c$

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0607	42

Question	Answer	Mark	Part Marks
12 (a) (i) (ii) (b) (i) (ii)	144 π	2	M1 for $\frac{2}{3} \times \pi \times 6^3$
	108 π	2	M1 for $2\pi \times 6^2 + \pi \times 6^2$ If 0 scored SC1 for 72 π
	12 or 11.99 to 12.01 nfw	3	M2 for $\frac{\text{their}(a)(i) \times 16}{\frac{4}{3}\pi}$ oe or M1 for $\frac{4}{3} \times \pi \times r^3 = \text{their}(a)(i) \times 16$
	1 : 3 or $\frac{1}{3} : 1$ cao nfw	3	M2 for $4 \times \pi \times (\text{their}(b)(i))^2 : 16 \times \text{their}(a)(ii)$ oe or M1 for $4 \times \pi \times (\text{their}(b)(i))^2$ or $16 \times \text{their}(a)(ii)$
13 (a) (b) (i) (ii)	$\frac{p^3 q^2}{6}$ final answer	3	M1 for correct use of $a \log b$ M1 for correct use of $\log a \pm \log b$
	1.29 or 1.292...	3	M2 for $\frac{\log 6}{\log 4}$ or $\log_4 6$ or sketch of $y = 4^x$ and $y = 6$ oe or M1 for $x \log 4 = \log 6$ or sketch of $y = 4^x$
	$6x^2 - 5x - 7 = 0$ $x = \frac{-(-5) \pm \sqrt{(-5)^2 - 4 \times 6 \times (-7)}}{2 \times 6}$ $x = 1.57$ or 1.574... $x = -0.741$ [01...]	B2 M1 B2	or B1 for 3 terms correct in expansion $6x^2 - 9x + 4x - 6$ FT <i>their</i> three term quadratic or for sketch of parabola with minimum point Alternative If sketch of parabola with minimum point and $y = 1$ and no three term quadratic seen, allow B3 B1 for each

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0607	42

Question	Answer	Mark	Part Marks
14 (a)	Fully correct curve 	4	B1 for correct graph for $x < 0$, minimum point seen above x -axis B1 for correct graph for $0 < x < 2$, maximum point seen higher than minimum point B1 for minimum point seen below x -axis, $2 < x < 8$ If 0 or 1 scored, SC2 <u>instead</u> for ‘correct curve’ except stationary point of inflexion instead of LH minimum and maximum
(b)	0.729 or 0.7287... -10.3 or -10.26...	2	B1 for each
(c)	(1.31 or 1.311 to 1.312, 1.73[0])	2	B1 for each co-ordinate
(d)	-2.82, 0.364, 4.23, 5.76 or -2.824 to -2.823 0.3643 to 0.3644 4.228 to 4.229 5.758...	4	B1 for each If 0 scored SC2 for -2.8, 0.36, 4.2, 5.8 or SC1 for three of these.