Cambridge IGCSE[™]

| CANDIDATE NAME | | | | | |
|-------------------|--|--|---------------------|--|--|
| CENTRE NUMBER | | | CANDIDATE NUMBER | | |

* 6 0 6 6 2 2 7 1 8

CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/51

Paper 5 Investigation (Core)

October/November 2022

1 hour 10 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You should use a graphic display calculator where appropriate.
- You may use tracing paper.
- You must show all necessary working clearly, including sketches, to gain full marks for correct methods.
- In this paper you will be awarded marks for providing full reasons, examples and steps in your working to communicate your mathematics clearly and precisely.

INFORMATION

- The total mark for this paper is 36.
- The number of marks for each question or part question is shown in brackets [].

This document has 12 pages.

Answer **all** the questions.

INVESTIGATION

ISOSCELES TRAPEZIUMS

This investigation looks at the perimeter of isosceles trapeziums drawn on 1cm isometric grids and the number of unit equilateral triangles in these trapeziums.


There is a spare isometric grid on page 12.

1 The diagrams show a sequence of trapeziums. The *sloping side length* is 1.

Both parallel sides increase in length by 1 each time.


This is the first trapezium in the sequence.

The length of the shorter parallel side is 1.




This is the second trapezium in the sequence.

The length of the shorter parallel side is 2.



This is the third trapezium in the sequence.

The length of the shorter parallel side is 3.



| (a) | Draw th | ne next | trapezium | in 1 | the so | equence. | |
|-----|---------|---------|-----------|------|--------|----------|--|
|-----|---------|---------|-----------|------|--------|----------|--|

| | • | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • |
| | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | |
| | | | | | | | | | | | | | | | | | | | | |

[1]

(b) Complete the table.

| Shorter parallel side length (x) | Longer parallel side length | Perimeter |
|----------------------------------|-----------------------------|-----------|
| 1 | 2 | 5 |
| 2 | | |
| 3 | 4 | 9 |
| 4 | | |

[2]

| (c) | Write down an expression | , in terms of x , | for the length | of the longer p | parallel side. | |
|-----|--------------------------|---------------------|----------------|-----------------|----------------|--|
| | | | | | | |

| [1 | [1 |
|----|----|
|----|----|

| (d) | Find an expression, in terms of x , for the perimeter |
|-----|---|
| | Give your answer in its simplest form. |

| [2] | |
|-----|--|
| 121 | |

2 The diagram shows another sequence of trapeziums. Each trapezium has sloping side length 2. Both parallel sides increase in length by 1 each time.

| | x = 1 | x = 2 | x = 3 |
|---|-------|-------|-------|
| • | | | |
| | | | |
| | | | |
| • | | | |

(a) Draw the trapezium with sloping side length 2 and x = 5.

| | | | • | | | | | • | • | | | • | | • | | | | • | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | | | | | | | • |
| | | | | | | | | | | | | | | | | | | | | | | |
| | • | | • | • | | • | | • | • | • | | • | • | • | | • | | • | • | | • | |
| | | | | | | | | | | | | | | | | | | | | | | |
| • | | • | | | • | | • | | | | • | | | | • | | • | | | • | | • |
| | • | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |

(b) Complete the table.

| Shorter parallel side length (x) | Longer parallel side length | Perimeter |
|----------------------------------|-----------------------------|-----------|
| 1 | 3 | 8 |
| 2 | 4 | |
| 3 | 5 | |
| 4 | 6 | 14 |
| 5 | | |

[2]

[1]

(c) Write down an expression, in terms of x, for the length of the longer parallel side.

| 11 |
|-------|
| 1 |

(d) Find an expression, in terms of x, for the perimeter. Give your answer in its simplest form.


| [2 |
|----|
|----|

- 3 In another sequence each trapezium has sloping side length 3. The length of the shorter parallel side is *x*.
 - (a) Find an expression, in terms of x, for the length of the longer parallel side of the trapeziums with sloping side length 3. You may use the grid below to help you.

(b) Show that an expression, in terms of x, for the perimeter is 2x+9.

[1]

4



| | - 1 | | |
|-----|-------|---------|------|
| In | each | trapezi | ıım |
| 111 | Cucii | unpezi | MIII |

- the shorter parallel side length is x
- each sloping side length is *y*.
- (a) Write down an expression, in terms of x and y, for the length of the longer parallel side. You may use your expressions from **Questions 1(c)**, **2(c)** and **3(a)** to help you.


| [1 |
|----|
|----|

(b) Find an expression, in terms of *x* and *y*, for the perimeter. Give your answer in its simplest form.


.....[2]

| | | | | | | | | | | | | | | | / | | | | | | | | | | | | | | | | |
|-----|-----|------|------|------|------|-------|-----|------|-----|-------------|------|------|-----|------|-------|------|------|-----|-----|------|------|-----|------------|-----|----|------|------------|----|---|---|-----|
| (c) | Sh | ow | tha | ıt y | oui | ex | pre | essi | on | in p | ar | t (b |) g | ive | es th | ne c | corr | ect | res | sult | wł | nen | <i>x</i> = | = 2 | an | ıd j | <i>)</i> = | 5. | | | |
| • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | |
| | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | |
| • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | |
| | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | |
| • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | |
| | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | |
| • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | |
| | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | [3] |
| (d) | Δ 1 | trar | 167i | um | n ha | ic cl | hor | ter | ทลเ | alle | -1 c | ide | ler | not1 | hr | and | l el | ni | nσ | side | - 1e | not | h r | | | | | | | | |
| (u) | | | | | | | | | | | | | | | | | | opn | 8 | orav | 0 10 | | 11 70 | • | | | | | | | |
| | | | | | | | | | | s of ple | | | | e po | em | neu | ei. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


.....[2]



There are 3 unit triangles in this trapezium with x = 1 and y = 1.



There are 12 unit triangles in this trapezium with x = 2 and y = 2.



(a) Work out the number of unit triangles in a trapezium with x = 1 and y = 3. You may use the grid below to help you.



(b) Complete the table. You may use the grid below to help you.


| Shorter parallel side length (x) | Sloping side length (y) | Number of unit triangles |
|------------------------------------|-------------------------|--------------------------|
| 1 | 1 | 3 |
| 2 | 1 | |
| 3 | 1 | |
| 1 | 2 | |
| 2 | 2 | 12 |
| 3 | 2 | |
| 1 | 3 | |
| 2 | 3 | |
| 3 | 3 | 27 |

[3]

| • | • |) | • | | • | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | • | • | | • | | • | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | |
| • | • | , | • | | • | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • |
| | • | • | | • | | • | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | |
| • | • |) | • | | • | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • |
| | • | • | | • | | • | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | |
| • | | , | • | | • | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • |
| | • | • | | • | | • | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | |

- 6 In a different sequence of trapeziums the shorter parallel side length, x, is equal to the sloping side length, y.
 - (a) The diagram shows the trapezium with x = 4 and y = 4.

Find the number of unit triangles in this trapezium.



| F 1 7 |
|-----------|
| [1] |
| 1 1 1 |

(b) Complete the table.

You may use results from Questions 5(b) and 6(a), and patterns to help you.

| Shorter parallel side length (x) | | | Num | ber | of unit tri | angl | les | | |
|----------------------------------|---|---|-----|-----|-------------|------|-----|---|----|
| 1 | 3 | = | 3 | × | | = | 3 | × | 12 |
| 2 | | = | 3 | × | 4 | = | 3 | × | 22 |
| 3 | | = | 3 | × | | = | 3 | × | |
| 4 | | = | 3 | × | | = | 3 | × | |

[2]

| (c) | Write down an expression, in terms of x , for the number of unit triangles. | |
|-----|--|------------------|
| | | |
| | | |
| | | |
| | | [1] |
| (d) | In a trapezium the shorter parallel side length is equal to the sloping side length. There are 675 unit triangles in this trapezium. | |
| | Find the perimeter of this trapezium. | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | Γ <i>Ι</i> Ι |
| | | [4] |
| | | |

SPARE GRID

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.