WANN, PARAC CAMBridge, COM

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

PHYSICAL SCIENCE

0652/01

Paper 1 Multiple Choice

October/November 2004

45 minutes

Multiple Choice Answer Sheet Additional Materials:

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has been done for you.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C, and D.

Choose the one you consider correct and record your choice in soft pencil on the separate answer sheet.


Read the instructions on the answer sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

- **A** solid \rightarrow liquid
- **B** gas \rightarrow solid
- \mathbf{C} gas \rightarrow liquid
- **D** liquid \rightarrow solid

2 Which diagram shows the process of diffusion?



- **3** Fractional distillation can be used to separate the components in crude oil because the components have different
 - A boiling points.
 - B densities.
 - **C** melting points.
 - D volumes.

4 Propanone, a liquid covalent compound, is soluble in water.


Sodium chloride, a solid ionic compound, is also soluble in water.

Do these compounds conduct electricity when liquid and when in solution?


	propa	anone	sodium	chloride
	liquid	in solution	liquid	in solution
Α	✓	X	X	✓
В	X	✓	X	✓
С	X	✓	✓	✓
D	X	X	✓	✓

5 Which diagram shows the electronic structure of a noble gas?

Α





В



key







6 What are the charges on the calcium ion and the chloride ion in calcium chloride?

	calcium ion	chloride ion
Α	+1	-1
В	+1	-2
С	+2	– 1
D	-2	+1

7 The table shows the electronic structures of four atoms.

Which atom would form an ion with a negative charge?


	electronic structure
Α	2, 8, 1
В	2, 8, 2
С	2, 8, 7
D	2, 8, 8

- 8 Which compound contains three different non-metallic elements?
 - **A** C_2H_5Cl
- **B** LiBH₄
- C SeO₂
- $\textbf{D} \quad \text{Si}_2 H_6$
- **9** When drops of water are added to a sample of an anhydrous salt, a reaction occurs.

How can the reaction be reversed?


- A cool the salt
- **B** crystallise the salt
- **C** filter the salt
- **D** heat the salt

4



Which form of iron makes the balloon fill most quickly?

- A a lump
- B pieces of wire
- C a powder
- **D** thin sheets
- 11 The diagrams show some pieces of laboratory equipment.




Which of these pieces of equipment are needed to find out whether dissolving salt in water is an endothermic process?

- A 1 only B 1 and 2 only C 1 a
- C 1 and 3 only
- **D** 3 only

**Www.xtrapapers.com

12 Ammonium chloride is heated as shown and two gases, **X** and **Y**, are formed.



Gas **X** turns the red litmus paper blue and then gas **Y** turns the blue litmus paper red.

What does this experiment show about gas X?

	Х	is
Α	ammonia	acidic
В	ammonia	basic
С	hydrogen chloride	acidic
D	hydrogen chloride	basic


13 Samples of sodium oxide and sulphur dioxide are dissolved in water.

What could be the pH values of the solutions formed?

	sodium oxide	sulphur dioxide
Α	5	5
В	5	10
С	10	5
D	10	10

14 An excess of powder **Y** is added to hot, dilute sulphuric acid.

The excess of **Y** is then removed by filtering as shown.



The solid left behind on the filter paper and the filtrate are coloured.

What could Y be?

- copper
- В copper(II) oxide
- C zinc
- zinc oxide D
- 15 Limestone is used as the raw material in a lime kiln. The equation for the reaction occurring in the lime kiln is shown.

Which type of reaction is this?

- decomposition
- В neutralisation
- oxidation C
- reduction
- 16 Two cooking pans, X and Y, are the same size and shape. X is made of aluminium and Y is made of iron.

Which pan, X or Y, is the heavier and which is more likely to rust?

	is heavier	more likely to rust
Α	×	×
В	X	Y
С	Υ	X
D	Υ	Υ




17 The structure of an organic compound is shown.

To which homologous series does this compound belong?

- A acids
- **B** alcohols
- **C** alkanes
- **D** alkenes

18 The diagrams show models of three molecules.




Which of these molecules is formed by the incomplete combustion of ethane?

	1	2	3
Α	✓	✓	✓
В	✓	x	x
С	X	✓	x
D	X	X	✓

19 Which of acetylene, butane and charcoal are classified as hydrocarbon fuels?


	yes	no
Α	acetylene, butane	charcoal
В	acetylene	butane, charcoal
С	butane, charcoal	acetylene
D	charcoal	acetylene, butane

20 The combustion of ethanol can be investigated by using a simple burner.



What is the colourless liquid collected in the flask?

- ethanoic acid
- В ethanol
- С ethene
- D water
- 21 A floor is covered with square tiles. The diagram shows a ruler on the tiles.



How long is one tile?

- 3 cm
- В 6cm
- **C** 9 cm
- 12 cm

22 The diagrams show the times on a stopclock at the beginning and at the end of an ex-




stopclock at end 0 s 45


How long did the experiment take?

- **A** 10s
- **B** 25 s
- **C** 35s
- **D** 45s

23 Which speed/time graph applies to an object at rest?




24 A spring is stretched by hanging a piece of metal from it.



What is the name given to the force that stretches the spring?


- **A** friction
- **B** mass
- **C** power
- **D** weight

25 The diagram shows some liquid in a measuring cylinder. The mass of the liquid is 16




What is the density of the liquid?

- \mathbf{A} 320 g/cm³
- $B 36g/cm^3$
- **C** $1.25 \,\mathrm{g/cm^3}$
- \mathbf{D} 0.8 g/cm³
- **26** A student carries out an experiment to plot an extension / load graph for a spring. The diagrams show the apparatus at the start of the experiment and with a load added.



What is the extension caused by the load?

- \mathbf{A} \mathbf{x}
- **B** *y*
- \mathbf{C} y+y
- $\mathbf{D} \quad \mathbf{y} \mathbf{x}$
- 27 Three horizontal forces act on a car that is moving along a straight, level road.



Which combination of forces would result in the car moving at constant speed?

	air resistance	friction	driving force
Α	200 N	1000 N	800 N
В	800 N	1000 N	200 N
С	800 N	200 N	1000 N
D	1000 N	200 N	800 N

28 A child pushes a toy car along a level floor and then lets it go.


As the car slows down, what is the main energy change?

- A from chemical to heat
- B from chemical to kinetic
- **C** from kinetic to gravitational (potential)
- **D** from kinetic to heat
- 29 A beaker of water is heated at its base.

Why does the water at the base rise?

- A It contracts and becomes less dense.
- **B** It contracts and becomes more dense.
- C It expands and becomes less dense.
- **D** It expands and becomes more dense.
- **30** Waves move from deep water to shallow water where they are slower.

Which diagram shows what happens to the waves?



- 31 Which type of radiation lies between visible light and microwaves in the electromagnetic spectrum?
 - A infra-red
 - B radio waves
 - C ultra-violet
 - **D** X-rays

Www.xtrapapers.com


32 The diagram shows the image of a clockface in a plane mirror.



Which of these times is shown?

- **A** 02.25
- **B** 02.35
- **C** 09.25
- **D** 09.35
- 33 What is the approximate range of audible frequencies for most humans?
 - **A** 10 Hz to 10 000 Hz
 - **B** 20 Hz to 20 000 Hz
 - C 10 kHz to 10 000 kHz
 - **D** 20 kHz to 20 000 kHz
- **34** A circuit is set up with a gap between two terminals X and Y. The four strips of material shown in the diagram are connected in turn across the gap.

Which strip completes the circuit so that the lamp lights?




35 A pupil measures the potential difference across a device and the current in it.

Which calculation gives the resistance of the device?

- A current + potential difference
- B current ÷ potential difference
- C potential difference + current
- **D** potential difference x current


36 In the circuit shown, the reading on ammeter 1 is 2A.



What is the reading on ammeter 2?


- **A** 0A
- В 1A
- C 2A
- D 4 A

37 In which position in the circuit shown should a switch be placed so that both lamps can be switched on or off at the same time?



- 38 Which particles are emitted during thermionic emission?
 - electrons
 - В ions
 - C neutrons
 - D protons

39 During a fire in a laboratory storeroom, some radioactive material was spilled. detected radiation through the lead-lined walls of the storeroom. The radiation was emit radioactive material.



Which type of radiation was being detected?

- alpha-particles
- В beta-particles
- C gamma-rays
- **D** X-rays
- **40** How many neutrons are in a nucleus of ${}^{14}_{6}$ C?
- **B** 6
- 14

The Periodic Table of the Elements **DATA SHEET**

] [
		0	He 4 Heium	20 Ne Neon	40 Ar Argon	84 Kr Krypton 36	131 Xe Xenon Xenon	Rn Radon 86		175 Lu
		₹		19 Fluorine	35.5 C1 Chlorine	80 Br Bromine 35	127 I lodine 53	At Astatine 85		173 Yb
		5		16 Oxygen	32 S Sulphur	79 Se Selenium 34	128 Te Tellurium	Po Polonium 84		169 Tm
		>		14 N itrogen 7	31 Phosphorus	75 AS Arsenic 33	122 Sb Antimony	209 Bi Bismuth		167 Er
		≥		12 Carbon 6	28 Si Silicon	73 Ge Germanium	119 Sn Tin	207 Pb Lead 82		165 Ho
		=		13 Boron 5	27 A1 Aluminium 13	70 Ga Gallium 31	115 In Indium 49	204 T1 Thallium		162 Dy
3						65 Zn Zinc 30	Cd Cadmium 48	201 Hg Mercury 80		159 Tb
						64 Cu Copper 29	108 Ag Silver	197 Au Gold		157 Gd
	Group					59 X Nickel	106 Pd Palladium	195 Pt Platinum 78		152 Eu
	Gre			_		59 Co Cobalt	103 Rh Rhodium	192 Ir Iridium		150 Sm
2			T Hydrogen			56 Fe Iron	Ru Ruthenium 44	190 Os Osmium 76		Pm
						55 Wn Manganese 25		186 Re Rhenium 75		144 Nd
						52 Cr Chromium 24	96 Mo Molybdenum 42	184 W Tungsten 74		141 Pr
						51 V Vanadium 23	93 Nb Niobium	181 Ta Tantalum		140 Ce
						48 T Titanium	91 Zr Zirconium 40	178 Hf Hafnium		
						Scandium	89 ×	139 La Lanthanum 57 *	AC Actinium 89	series eries
		=		9 Be Beryllium	24 Mg Magnesium	40 Ca Calcium	88 Sr Strontium 38	137 Ba Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series 90-103 Actinoid series
		_		7 Li Lithium	23 Na Sodium	39 K Potassium	Rb Rubidium 37	133 CS Caesium 55	Fr Francium 87	*58-71 La 90-103 A
					'			•		-

	140	141	144		150	152	157	159	162	165	167	169	173	175	
id series	Cerium	Praseodymium 59	Neodymium 60	Pm Promethium 61	Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Holmium 67	Erbium 68	Tm Thulium	Yb Ytterbium 70	Lu Lutetium 71	10
a = relative atomic mass X = atomic symbol b = proton (atomic) number	232 Th Thorium	Pa Protactinium 91	238 U Uranium	Neptunium	Pu Plutonium	Am Americium 95	Cm Curium	BK Berkelium 97	Californium	ES Einsteinium 99	Fm Fermium 100	Mendelevium	No Nobelium	Lawr 10	Md No Lr endelevium Nobelium Law. 102 10
	The v	The volume of one mole of any gas is 24 dm ³ at room temperature and pressure (r.t.p.).	one mole	of any ga	s is 24 dn	n³ at roor	n tempera	ature and	pressure	(r.t.p.).				Camb	apap
												•	do	-	ers
												13	CON		s.com

Key