## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

## MARK SCHEME for the November 2005 question paper

## **0652 PHYSICAL SCIENCE**

0652/06 Paper 6 maximum raw mark 60

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were initially instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published Report on the Examination.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the Report on the Examination.

The minimum marks in these components needed for various grades were previously published with these mark schemes, but are now instead included in the Report on the Examination for this session.

CIE will not enter into discussion or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the November 2005 question papers for most IGCSE and GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

WANN, PARAC CAMBRIDGE, COM

						<b>₩W</b>	w xtrapapers.com
Page 1				Mark Scheme E – November 2005		Syllabus 7,	0
1	(a)	floats, moves around, dissolves, fizzing, rise in temperature (any 2)					(A)
	(b)	turns	turns purple/mauve (NOT blue)			[1]	
	(c)	(i)	sodium hyd	roxide or NaOH			COM
		(ii)	sodium chlo	ride or NaC <i>l</i>			
		(iii)	silver chlorid	de or AgC <i>l</i>			[3]
	(d)	amm	onium chlorid	е		[1]	
	(e)	(i)		funnel with paper (1) ate in the paper (1)		[2]	
		(ii)	turns dark/b	lack-blue			[1]
						Total 10 m	narks
2	(a)	(i)	1.8,	0.6,	1.2 (no t	olerance)	[3]
		(ii)	any one swi (columns 2	tch and 3 may be revers		switches	[2]
		(iii)	R = V/I, 3/0.	6 = 5 ohms (OR 3.0	/2 x 1.2, C	PR 3.0/1.8 x 3)	[1]
	(b)	all thr	ree lamps in s	eries (1) with other of	componen	ts (1)	[2]
	(c)	(i)	greater resis must be me	stance (of whole circ ntioned	uit) OWTT	E but resistance	[1]
		(ii)	lamp in the	parallel circuit is brig	hter C	WTTE	[1]
						Total 10 m	narks
3	(a)	(i)	102.7				
		(ii)	98.4				
		(iii)	4.3 (ecf)	(no tolerance)			[3]
	(b)	(i)	bubbling or	effervescence or fizz	zing		
		(ii)	bubbling sto	pps			
		(iii)	pink or brow	n or red			[3]
	(c)	(i)	101.5		(no toler	rance)	
		(ii)	101.5 - 98.4	= 3.1 (ecf)			[2]

				www.xtrapapers.com
Page 2		<del></del>	Mark Scheme IGCSE – November 2005	Syllabus 7
	(d)	3.1 x	(100/4.3 (1) = 72% (ecf) (1)	Syllabus 0652  Total 10 marks  [2]
4	(a)	20 <sup>0</sup> , 3	30°. +/- 1°	[2]
	(b)	0.25, all +/- 7 or 8	, 0.39, 0.69, 1.03 0.56, 1.00 (accept 1.0 but not "1"), 1.56 m - 0.02 m 8 correct (4), 5 or 6 correct (3) 4 correct (2), 2 or 1 correct (1)	[4]
	(c)		use of the data to show a greater distance in e time interval.	n the <b>[2]</b>
	(d)		ball, has a greater force acting on it in the dire e slope OR there is a greater acceleration OV	
		REJ	JECT the force of gravity is increased	[1]
	(e)	Chan	nge in friction	[1]
				Total 10 marks
5	(a)	(ii)	acid gas (1)	
		(iii)	turned cloudy/milky (1)	[2]
	(b)	(i)	water (of crystallisation) given off (1)	
		(iii)	no oxygen (1)	
		(iv)	turned red (1)	[3]
	(c)		tube with solid, red litmus <u>in mouth of tube</u> ential)	[1]
	(d)	light s	splint and blow out, hold in gas at mouth of to	tube [1]
	(e)	greer	olve in water and add (aqueous) sodium hydr n ppt (turning brown) = iron(II) (1) n ppt = iron(III)(1)	roxide (1) [3] Total 10 marks
6	(a)	(i)	76, 64g: 38, 36 s (no tolerance)	[4]
		(ii)	1.9, 1.8 s (both correct)	[1]

Page 3	Mark Scheme	Syllabus
	IGCSE – November 2005	0652

(b)	axes correctly labelled and suitable scale chosen (1)
	all points plotted accurately (1)
	straight line drawn, best fit, not joining points (1)
	(-1 mark if axes reversed)

[3] [1]

(c) no effect OWTTE

length of pendulum (string) increased change in gravitational acceleration (e.g. on the moon) (d)

[1]

**Total 10 marks**