

## Www.strapapers.com MARK SCHEME for the October/November 2006 question paper

## **0652 PHYSICAL SCIENCE**

0652/02

Paper 2, maximum raw mark 80

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.


All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

The grade thresholds for various grades are published in the report on the examination for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2006 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



In calculations, if the working/equation has not been asked for, and the answer is correct, then all the marks for that section must be scored.

Words in brackets preferable but not obligatory.

age 3		Mark Scheme Syllabu		S.	per
			IGCSE - OCT/NOV 2006 0652	1Day	
				1	m
1	(a)	(i)	–OH or –O—H (do not accept HO)	1	Oni
		(ii)	24 + 6 + 16	1	18
		(iii)	= 46 = 0	1	
		(111)	_ OH	ww.xtra	5
	(b)	(i)	2 (CO <sub>2</sub> ) + 3 (H <sub>2</sub> O) (both)	1	
	()	(ii)	test - (bubble through) limewater	1	
		<i></i>	result - (from clear) to cloudy [necf]	1	
		(iii)	test - use (anhydrous) copper sulphate/cobalt chloride	1	5
			result - from white to cloudy/blue to red [necf] (no need for white/red if anhydrous used in test)	I	5
	(c)		rises/increases	1	
	(-)		from <7 to >7 (accept any corresponding figures)	1	2
				То	tal 12
2	(a)		Cs 1	1	
		(ii)	At 7	1	2
	(b)		transfer of electron(s)	1	-
			from Cs to At or to form Cs <sup>+</sup> and At <sup>-</sup> (accept At loses an electron and Cs gains an electron for 2)	1	2
			diagram showing shared pair of electrons	1	
			both shells with 8 electrons	+1	2
				т	otal 6
3	(a)		brass expands (more than steel)	1	
			making entry gap smaller	1	2
	(b)	(i)	energy is passed from molecule to molecule	1	
		(ii)	hot air from the bottom (of the oven) rises	1	
		(iii)	waves or (better) infra red some correct reference to the example somewhere	1 1	4
			·	Ŧ	otal 6
-		<i>/</i> 12			
4	(a)		kinetic mention of gravity	1 1	
		(ii)	either Earth's gravity or gravity pulls it	1	3
	(b)	(i)	anywhere from where the rate of increase of the curve's gradie	nt	
	(0)	(i)	starts to decrease to the vertical line	1	
		(ii)	work is done (any mention of work)	1	
			against friction (any mention of friction) / air resistance	1	÷
		(iii)	kinetic energy is converted to heat/ (any mention of heat)	1	4

age 4			Mark Scheme	Syllable 2	aper
			IGCSE - OCT/NOV 2006	0652	30
5	(a)	(i) (ii)	wavelength correctly marked amplitude correctly marked	Syllab 0652	ambrid
	(b)	(i) (ii)	move the hand further (up and down) move the hand up and down faster	1	
			clear that it means more times per second	+1	3
	(c)		string vibrates causing the air molecules to vibrate	1 1	
					Total 7
6	(a)		hydrogen is flammable/explosive helium is inert or equivalent	1	
					-
	(b)		in air the (hot) tungsten/filament would oxidize/burn/re argon is inert or equivalent	eact 1 1	
	(c)		number of protons in argon nucleus – 18	1	
			number of neutrons in helium nucleus – 2 arrangement of electrons in argon – 2,8,8	1	3
					Total 7
7	(a)		V = IR or R = V/I or R = 12/2	1	
			= 6 Ω	1 1	
	(b)	(i)	top pole on top pin south	1	
		(ii)	remainder all correct fall off	1	
		()	one by one	1	_
			because the iron loses its magnetism	1	5

ige 5			Mark Scheme	Sylla	b. · · ·	aper
<b>J</b>			IGCSE - OCT/NOV 2006	065	52 Ø	2
						Can
8	(a)		high density high melting point		bu b	nbrie.
			coloured compounds			
			good conductor (of either heat or electricity)			
			catalysts	ANY TWO	1+1	2
	(b)		increase the concentration of the acid increase the temperature			
			decrease the size of the pieces of iron			_
			use a catalyst	ANY TWO	1+1	2
	(c)		coating with: grease/oil			
			paint			
			plastic zinc or galvanising	ANY TWO	1+1	2
					1 · 1	L
	(d)		oxidation: carbon monoxide gains oxygen OF	R is oxidized	1 1	2
			reduction: iron loses oxygen OR is reduced		I	2
						Total 8
9	(a)		remaining points correctly plotted (-1 for each	n incorrect)	2	
•			good curve going through all points		1	3
	(b)		38 s +/- 2s		2	•
	(c)		(38 s +/- 4s1) top line 23 & 0		1	2
	(-)		lower line 11 & -1		1	2
						Total 7
10	(a)		work must be done		1	
	()		to overcome the attractive forces OR to sepa	rate the partic		
			(accept bond breaking (is exothermic) for one	e mark maximi	um)	2
	(b)		energy is needed to escape (from the surface	e)	1	
			comes from the liquid itself		1	
			(OR the fastest/most energetic molecules ter the slower/less energetic molecules are left b		1 1)	2
		<i>.</i>	-		·	
	(c)	(i)	P is a single substance Q is a mixture		1 1	
		(ii)	any valid example; e.g. crude oil, fermented l	liquor, liquid ai		3
						T . 4 . 1 7
						Total 7
11	(a)		rub it (with a cloth)		1	1
	(b)	(i)	repel		1	
	(~)	(ji)	attract		1	
		(iii)	attract		1	-
		(1)/	attract		1	4
		(iv)			I	